



MLFB-Ordering data: 1LE1502-2AA43-4AA4

Motor type: 1CV1204A

Client order no.:

Order no.:

Offer no.:

Remarks:

Item no.:

Consignment no.:

Project:

U [V]	Δ / Y	f [Hz]	P [kW]	P [hp]	I [A]	n [1/min]	M [Nm]	NOM. EFF at ... load [%]			Power factor at ... load			I _A /I _N I _f /I _N	M _A /M _N T _f /T _N	M _K /M _N T _B /T _N	IE-CL
								4/4	3/4	2/4	4/4	3/4	2/4				
400	Δ	50	30.00	- / -	60.00	2960	97.0	90.7	90.9	90.2	0.79	0.74	0.64	7.3	2.5	3.6	IE1
690	Y	50	30.00	- / -	35.00	2960	97.0	90.7	90.9	90.2	0.79	0.74	0.64	7.3	2.5	3.6	IE1
460	Δ	60	33.50	- / -	57.00	3560	90.0	91.5	91.6	90.8	0.81	0.77	0.68	7.6	2.7	3.6	IE1
IM B3 / IM 1001		FS 200 L		195 kg		IP55		IEC/EN 60034			IEC, DIN, ISO, VDE, EN						

Mechanical data

Sound pressure level 50Hz/60Hz (load)	72 dB(A) ¹⁾	77 dB(A) ¹⁾
Moment of inertia	0.124 kg m ²	
Bearing DE NDE	6212 Z C3	6212 Z C3
Bearing lifetime	40000 h	
Lubricants	Esso Unirex N3	
Regreasing device	No	
Grease nipple	- / -	
Type of bearing	Locating bearing NDE	
Condensate drainage holes	Yes (standard)	
External earthing terminal	Yes (standard)	
Vibration severity grade	A	
Insulation	155(F) to 130(B)	
Duty type	S1	
Direction of rotation	bidirectional	
Frame material	cast iron	
Data of anti condensation heating	-/-	
Coating (paint finish)	Standard paint finish C2	
Color, paint shade	RAL7030	
Motor protection	(A) without (Standard)	
Method of cooling	IC411 - self ventilated, surface cooled	

Environmental conditions

Ambient temperature	-20 °C - +40 °C
Altitude above sea level	1000 m

Notes

I_A¹⁾ = locked rotor current / current nominal M_K/M_N = break down torque / nominal torque
M_A/M_N = locked rotor torque / torque nominal 1) Value is valid only for DOL operation with motor design IC411

Terminal box

Terminal box position	top
Material of terminal box	cast iron
Type of terminal box	TB1 L01
Contact screw thread	M6
Max. cross-sectional area	25.0 mm ²
Cable diameter from ... to ...	27.0 mm - 35.0 mm
Cable entry	2xM50x1,5
Cable gland	2 plugs


Special design (0)

Confidencial, reproducción, disseminación o uso no autorizado de este documento es prohibido. Reservados todos los derechos.

Vertraulich, Vervielfältigung, Verbreitung oder Nutzung dieses Dokuments ist ohne schriftliche Genehmigung von Siemens AG.

Confidential, reproduction, dissemination and/or editing of this document as well as utilization of its contents and communication thereof to others without express authorization are prohibited. Offenders will be held liable for any damages caused by their actions. All rights reserved.

Copyright © Siemens AG 2018. All rights reserved.



Tel: 48 0000 49 (60 Lines)

Tolerance	Surface	Material	Weight	Scale
1LE1502-2AA43-4AA4	Author	Dimensional drawing		
	Creator	Maßzeichnung		
	Approval	DTK		
	Department			
	Change Order	MFB	Doc Type	
	Doc State	1/21/19	Item No	Page Size A3
	Revision	Index RS	Doc No	1st Language en
				2nd Language de
© Siemens AG 2018	Project No	-	Ref No	Sheet 1 of 1