



مدل ردیف

مشخصات فنی

تصویر

11 NVR1A04HS-4P







4 channel IP camera input  
1/4/8/9 channel Live Preview  
H.264+/H.264 codec decoding  
Max 80Mbps incoming bandwidth  
Up to 6MP Resolution for Preview and Playback  
HDMI/VGA simultaneous video output  
Support 1 SATA HDD up to 6TB, 2 USB2.0  
Support 4PoE port  
100 Mbps Network Card  
P2P support



12 NVR1A08HS

8 channel IP camera input  
1/4/8/9 channel Live Preview  
H.264+/H.264 codec decoding  
Max 80Mbps incoming bandwidth  
Up to 6MP Resolution for Preview and Playback  
HDMI/VGA simultaneous video output  
Support 1 SATA HDD up to 6TB, 2 USB2.0  
100 Mbps Network Card  
P2P support



56	DHI-NVR2104HS-4KS2	<p>4 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&amp;playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>	
57	DHI-NVR2104HS-P-4KS2	<p>4 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&amp;playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card 4PoE Port P2P support</p>	
58	DH-NVR2108HS-4KS2	<p>8 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&amp;playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>	
59	DH-NVR-2108HS-8P-4KS2	<p>8 channel IP camera input H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8Mp resolution preview&amp;playback Up to 1ch@8MP/4ch@1080P decoding HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card 8Port PoE P2P support</p>	
60	DH-NVR4108HS-4KS2	<p>8 channel IP camera input 1/4/8/9 channel Live Preview 8CH Playback H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>	
61	DH-NVR4116HS-4KS2	<p>16 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support</p>	

62	DH-NVR4216-4KS2	<p>16 channel IP camera input  16 channel Live Preview  H.265/H.264 codec decoding  Max 200Mbps incoming bandwidth  Up to 8MP Resolution for Preview and Playback  HDMI/VGA simultaneous video output  Support 2 SATA HDD up to 6TB  2 USB Ports (1 USB2.0, 1 USB3.0)  4 Alarm Input, 2 Relay Output  1*10/100/1000Mbps Mbps Network Card  P2P support</p>	
63	DH-NVR4232-4KS2	<p>32 channel IP camera input  16 channel Live Preview  H.265/H.264 codec decoding  Max 200Mbps incoming bandwidth  Up to 8MP Resolution for Preview and Playback  HDMI/VGA simultaneous video output  Support 2 SATA HDD up to 6TB  2 USB Ports (1 USB2.0, 1 USB3.0)  4 Alarm Input, 2 Relay Output  1*10/100/1000Mbps Mbps Network Card  P2P support</p>	
64	DH-NVR5232-4KS2	<p>32 channel IP camera input  32 channel Live Preview  Up to 12Mp resolution preview&amp;playback  Smart H.265+/H.265/Smart H.264+/H.264/MJPEG  Max 320Mbps incoming bandwidth  Record Rate 320 Mbps  Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding  HDMI/VGA simultaneous video output  16 channel playback  Support 2 SATA HDDs up to 20TB, 2 USB(1 USB3.0)  1000 Mbps Network Card  RS232, RS485  4 Alarm Input, 2 Relay Output  Support P2P</p>	
65	DH-NVR4432-4KS2	<p>32 channel IP camera input  16 channel Live Preview  H.265/H.264 codec decoding  Max 200Mbps incoming bandwidth  Up to 8MP Resolution for Preview and Playback  HDMI/VGA simultaneous video output  Support 4 SATA HDD up to 6TB  2 USB Ports (1 USB2.0, 1 USB3.0)  16 Alarm Input, 4 Relay Output  RS232 , RS485  2*10/100/1000Mbps Mbps Network Card  P2P support</p>	
66	DH-NVR5432-4KS2	<p>32 channel IPC input  32 channel Live Preview  Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding  Max 320Mbps incoming bandwidth  Up to 12Mp resolution preview&amp;playback  Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding  2 HDMI/VGA simultaneous video output  Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0)  Support 1 e-SATA  2*1000 Mbps Network Card  RS232, RS485  16 Alarm In , 6 Relay Output  P2P Support</p>	

67	DH-NVR5464-4KS2	<p>64 channel IPC input 64 channel Live Preview Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&amp;playback Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding 2 HDMI/VGA simultaneous video output Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0) Support 1 e-SATA 2*1000 Mbps Network Card RS232, RS485 16 Alarm In , 6 Relay Output P2P Support</p>	
68	DH-NVR4832-4KS2	<p>32 channel IPC camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 8 SATA HDD up to 6TB 3 USB Ports (2 USB2.0, 1 USB3.0) 16 Alarm Input, 4 Relay Output RS232 , RS485 2*10/100/1000Mbps Mbps Network Card</p>	
69	DH-NVR5832-4KS2	<p>32 channel IPC input 32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&amp;playback Max 16ch@1080P   4ch@4K H.265   H.264 Playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB, 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 16 Alarm In , 6 Relay Output P2P Support</p>	
70	DH-NVR5864-4KS2	<p>64 channel IPC input 32 Channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&amp;playback Max 16ch@1080P   4ch@4K H.265   H.264 Playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB, 3 USB(1 USB3.0, 2USB2.0) 2*1000 Mbps Network Card RS232 16 Alarm In , 6 Relay Output P2P Support Raid 0/1/5/6/10</p>	
71	DH-NVR608-32-4KS2	<p>Intel Dual-core Processor 32 channel IPC input 32 Channel Live Preview: (1st Screen:1/4/8/9/16/25/36,2nd Screen: 1/4/8/9/16) H.265/H.264/MJPEG codec decoding Max 384Mbps incoming bandwidth Up to 12Mp resolution preview&amp;playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB,1 eSATA Port Support Raid 0/1/5/6/10 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 , RS485 16 Alarm In , 8 Relay Output</p>	

72	DH-NVR608-64-4KS2	<p>Intel Quad-core Processor 64 channel IPC input 32 Channel Live Preview: (1st Screen:1st Screen: 1/4/8/9/16/25/36 ,2nd Screen: 1/4/8/9/16) H.265/H.264/MJPEG codec decoding Max 384Mbps incoming bandwidth Up to 12Mp resolution preview &amp; playback 2HDMI/VGA simultaneous video output Support 8 SATA HDDs up to 48TB,1 eSATA Port Support Raid 0/1/5/6/10 Support Smart Tracking and Intelligent Video 4 USB(2 USB3.0, 2 USB2.0) 2*1000 Mbps Network Card RS232 , RS485 16 Alarm In , 8 Relay Output</p>
----	-------------------	--

