

WORLD BEATING PRODUCT LINE

WORLD CLASS QUALITY



BETON TROWEL n.v.

Tel. +32 (0)52 315 350

Tel. +32 (0)52 315 351

Fax +32 (0)52 315 359

info@betontrowel.com

www.betontrowel.com

Nijverheidsstraat 10

BE-1840 Londerzeel - Belgium



**BT120H
-2/5/PFV37**

RIDE ON POWER TROWEL

A well balanced powerful floating and finishing machine. Built strong but with simple mechanical construction to ensure contractors can more easily deal with any service requirements

- Drive- Heavy Duty reduction gearboxes. (24 month Warranty)
- Driven by BLM type heavy duty clutch with 3 drive belts. Converting drive through universal drive couplings to Gearboxes
- Ergonomic manual steering
- 4 x Running Lights as standard
- Seat adjuster standard
- Water spray system, drink holder and engine hour meter standard
- 5 Blade spider assembly's for stability and fast closing of floor on final finishing. Spider machining is precision tolerance fit for the trowel arms therefore minimising wear and ensuring long service life
- Fork pockets for easy loading
- Hydraulic Power Steering for easy fingertip control / Engine 37 HP Vanguard



- Grease points at spider to ensure continual free movement of blade pitch.
- Highly effective float pan machine with plenty power for this operation.
- Good all round visibility of blades and concrete for the operator
- Four x crane sling lifting points.
- Optional 2 wheel transporter for site use and blade changing.
- Blade Types: Finish, Combination, wide finish.
- Pan type: five blade pan with security pins
- Blade: RPM 160

Dimensions :

Length 2540 mm

Width 1270 mm

Height 1360 mm

Weight BT120H-2/5/PFV37: 540 kg

WORLD BEATING PRODUCT LINE

WORLD CLASS QUALITY



BETON TROWEL n.v.

tel. +32 (0)52 315 350

tel. +32 (0)52 315 351

fax +32 (0)52 303 739

info@betontrowel.com

www.betontrowel.com

Nijverheidsstraat 10

BE-1840 Londerzeel - Belgium



**BT120-
2/5/PFV35.1**

RIDE ON POWER TROWEL

A well balanced powerful floating and finishing machine. Built strong but with simple mechanical construction to ensure contractors can more easily deal with any service requirements

- Engine - 35HP Vanguard Twin Cylinder Air cooled petrol engine
- Drive- Heavy Duty reduction gearboxes. (12 month Warranty)
- Driven by BLM type heavy duty clutch with 3 drive belts. Converting drive through universal drive couplings to Gearboxes
- Ergonomic manual steering
- 4 x Running Lights as standard
- Seat adjuster standard
- Water spray system, drink holder and engine hour meter standard
- 5 Blade spider assembly's for stability and fast closing of floor on final finishing. Spider machining is precision tolerance fit for the trowel arms therefore minimising wear and ensuring long service life
- Fork pockets for easy loading



- Grease points at spider to ensure continual free movement of blade pitch.
- Highly effective float pan machine with plenty power for this operation.
- Good all round visibility of blades and concrete for the operator
- Four x crane sling lifting points.
- Optional 2 wheel transporter for site use and blade changing.
- Blade Types: Finish, Combination, wide finish.
- Pan type: five blade pan with security pins

Dimensions :

Length 2540 mm

Width 1270 mm

Height 1360 mm

Weight 490 kg

WORLD BEATING PRODUCT LINE

WORLD CLASS QUALITY



BETON TROWEL n.v.

Tel. +32 (0)52 315 350

Tel. +32 (0)52 315 351

Fax +32 (0)52 315 359

info@betontrowel.com

www.betontrowel.com

Nijverheidsstraat 10

BE-1840 Londerzeel - Belgium



**BT900H-
HPFH24-1**

RIDE ON POWER TROWEL WITH POWER STEERING

A well balanced powerful floating and finishing machine. Built strong but with simple mechanical construction to ensure contractors can more easily deal with any service requirements

- High Performance Floating and Finishing Machine
- Precision machined spider plate and trowel arms for long wear resistant life
- High precision machined Gearbox with extra large oil reservoir for cool operation. One year warranty
- BLM shoe clutch with double drive belt, universal jointed drive shafts for strength and reliability
- Hydraulic power steering for minimum operator effort
- Seat adjuster, 4 x LED lights, retardant spray system ,hour meter, lifting points, drink holder and hand trowel tool holder all fitted as standard features
- Optional 2 wheel transport trolley for site movement and easy blade change



Specifications :

- Weight Dry 360 Kg
- Weight working 410 Kg
- Dimensions
1950mm x 990mm x 1220mm
- Working blade path 1870mm
- Blade rotation speed range 0- 150 RPM
- Engine Honda GX690 24 HP petrol engine
- Pan & Blade type options:
FP9408 Float Pan, FS9043 Float shoes,
F90416 Finish blades, C90419 Combination
Blades, WF90419 Wide Finish Blades.

WORLD BEATING PRODUCT LINE

WORLD CLASS QUALITY

**BT900H-
HPFH24.1**

BETON TROWEL n.v.

tel. +32 (0)52 315 350

tel. +32 (0)52 315 351

fax +32 (0)52 303 739

info@betontrowel.com

www.betontrowel.com

Nijverheidsstraat 10

BE-1840 Londerzeel - Belgium



MONTER SUR UNE TRUELLE À MOTEUR AVEC DIRECTION ASSISTÉE

Une puissante machine flottante et de finition bien équilibrée. Construite de manière robuste mais avec une construction mécanique simple pour permettre aux entrepreneurs de répondre plus facilement à toute demande de service

- Machine flottante et de finition à haute performance
- Plaque araignée et bras de truelle usinés avec précision pour une longue durée de vie
- Boîte de vitesses usinée avec une grande précision et un très grand réservoir d'huile pour un fonctionnement à froid. Garantie d'un an
- Embrayage à sabot BLM avec double courroie d'entraînement, arbres de transmission articulés universels pour plus de robustesse et de fiabilité
- Direction assistée hydraulique pour un effort minimum de l'opérateur
- Réglage du siège, 4 lampes LED, système de pulvérisation retardée, compteur d'heures, points de levage, porte-boisson et porte-outil pour truelle à main, tous montés en série
- Chariot de transport à deux roues en option pour le déplacement sur le site et le changement de lame facile

Spécifications

- Poids sec 360 Kg
- Poids en ordre de marche 410 Kg
- Dimensions 1950mm x 990mm x 1220mm
- Trajectoire de la lame de travail 1870mm
- Vitesse de rotation des pales : 0 à 150 tr/min
- Moteur Honda GX690 24 CV à essence
- Options de type Pan & Blade :
FP9408 Pan à flotteur, FS9043 Patins à flotteur, F90416 Lames de finition, C90419 Lames combinées, WF90419 Lames de finition W ide.



WORLD BEATING PRODUCT LINE

WORLD CLASS QUALITY



BETON TROWEL n.v.

tel. +32 (0)52 315 350

tel. +32 (0)52 315 351

fax +32 (0)52 303 739

info@betontrowel.com

www.betontrowel.com

Nijverheidsstraat 11

B-1840 Londerzeel - Belgium

**BT900-
HPPFH24**



RIDE ON POWER TROWEL

A well balanced powerful floating and finishing machine. Built strong but with simple mechanical construction to ensure contractors can more easily deal with any service requirements

- High Performance Floating and Finishing Machine
- Precision machined spider plate and trowel arms for long wear resistant life
- High precision machined Gearbox with extra large oil reservoir for cool operation. One year warranty.
- BLM shoe clutch with double drive belt, universal jointed drive shafts for strength and reliability
- Ergonomic steering for minimum operator effort
- Seat adjuster, 4 x LED lights, retardant spray system ,hour meter, lifting points, drink holder and hand trowel tool holder all fitted as standard features
- Optional 2 wheel transport trolley for site movement and easy blade change



Specifications :

- Weight Dry 315 Kg
- Weight working 377 Kg
- Dimensions
1950mm x 990mm x 1220mm
- Working blade path 1870mm
- Blade rotation speed range 0- 150 RPM
- Engine Honda GX690 26 HP petrol engine
- Pan & Blade type options:
FP9408 Float Pan, FS9043 Float shoes,
F90416 Finish blades, C90419 Combination
Blades, WF90419 Wide Finish Blades.

WORLD BEATING PRODUCT LINE

WORLD CLASS QUALITY

**BT900-
2PFH24**



BETON TROWEL n.v.

Tel. +32 (0)52 315 350

Tel. +32 (0)52 315 351

Fax +32 (0)52 315 359

info@betontrowel.com

www.betontrowel.com

Nijverheidsstraat 10

BE-1840 Londerzeel - Belgium



RIDE ON POWER TROWEL

A well balanced powerful floating and finishing machine. Built strong but with simple mechanical construction to ensure contractors can more easily deal with any service requirements

- Low centre of gravity giving good finishing results
- Ergonomic manual steering for easy operation
- Dependable gearboxes with 24 months warranty
- Reliable BLM style clutch.
- Precision machined spider plates and trowel arms for maximum wear resistance and blade tolerance.
- Adjustable seat
- Spray system & 4 x LED lights standard.
- Options: Manual steering Overlapper machine AND Two wheel site transporter.



Specifications :

- Weight Dry 275 Kg
- Weight working 333 Kg
- Dimensions
1940mm x 990mm x 1040mm
- Blade rotation speed range 0- 140 RPM
- Engine Honda GX690 26 HP petrol engine
- Pan & Blade type options:
FP9408 Float Pan, FS9043 Float shoes,
F90416 Finish blades, C90419 Combination
Blades, WF90419 Wide Finish Blades.

WORLD BEATING PRODUCT LINE

WORLD CLASS QUALITY

**BT900H-
2PFH24**



BETON TROWEL n.v.

Tel. +32 (0)52 315 350

Tel. +32 (0)52 315 351

Fax +32 (0)52 315 359

info@betontrowel.com

www.betontrowel.com

Nijverheidsstraat 10

BE-1840 Londerzeel - Belgium



RIDE ON POWER TROWEL WITH POWER STEERING

A well balanced powerful floating and finishing machine. Built strong but with simple mechanical construction to ensure contractors can more easily deal with any service requirements

- Low centre of gravity giving good finishing results
- Hydraulic steering
- Dependable gearboxes with 12 months warranty
- Reliable BLM style clutch.
- Precision machined spider plates and trowel arms for maximum wear resistance and blade tolerance.
- Adjustable seat
- Spray system & 4 x LED lights standard.
- Options: Manual steering Overlapper machine AND Two wheel site transporter.

Specifications :

- Weight Dry 285 Kg
- Weight working 343 Kg
- Dimensions
1940mm x 990mm x 1040mm
- Blade rotation speed range 0- 140 RPM
- Engine Honda GX690 26 HP petrol engine
- Pan & Blade type options:
FP9408 Float Pan, FS9043 Float shoes,
F90416 Finish blades, C90419 Combination
Blades, WF90419 Wide Finish Blades.



FAMCO
هایپر صنعت

WORLD BEATING PRODUCT LINE

WORLD CLASS QUALITY



BETON TROWEL n.v.

tel. +32 (0)52 315 350

tel. +32 (0)52 315 351

fax +32 (0)52 303 739

info@betontrowel.com

www.betontrowel.com

Nijverheidsstraat 11

B-1840 Londerzeel - Belgium

**BT750-
2PFH13**



RIDE ON POWER TROWEL

Lightweight and Easy handling for the smaller space challenged job sites. Fits through standard doorways and good for upper deck work.



Specifiactions :

- 2 x 75cm Rotors
- Gearbox and spiders precision machined for accuracy and long wear resistant life
- Easy ergonomic steering
- Lift points and seat adjuster, tool box standard equipment
- Honda GX390 13 HP petrol, powerful and economical.
- Weight 190 Kg
- Pan & Blade options : FP7508 Float pan, FS75043 Float shoes, F75416B Finish blades