

































	Items	2MP		
1	DS-2CE56D0T-IRMM	2.0 Megapixel Indoor IR Dome Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC, IP66, 1 HD Analog Output ,Plastic		
2	DS-2CE16D0T-IR	2.0 Megapixel IR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal		
3	DS-2CE56D0T-IR	2.0 Megapixel IR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output , Metal/Plastic		
4	DS-2CE56D0T-IRM	2.0 Megapixel IR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 3.6mm/6 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Metal		
5	DS-2CE16D0T-IT1	2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic		
6	DS-2CE16D0T-IT3	2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic		
7	DS-2CE16D0T-IT5	2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic		
8	DS-2CE16D0T-WL5	2.0 Megapixel White Supplement Light Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01LUX ,Max White Light distance: 50 M Day&Night(Color),Up the Coax(HIKVISION-C) 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic		
9	DS-2CE56D0T-IT1	2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Plastic		
10	DS-2CE56D0T-IT3	2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Plastic		
11	DS-2CE56D1T-VFIR3	2.0 Megapixel Vari-Focal IR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8~12 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC, IP66 , 1 HD Analog Output,Metal/Plastic		
	Items	2MP + POC		
12	DS-2CE16D0T-IRE	2.0 Megapixel IR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal-PoC.af		

13	DS-2CE56D0T-VFIR3E	2.0 Megapixel Vari-Focal IR Dome Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8~12 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR, True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.at, IP66 , 1 HD Analog Output,Metal/Plastic	
14	DS-2CE16D0T-IT1E	2.0 Megapixel EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR, True Day/Night,AGC 12VDC,IP66 , 1 HD Analog Output ,Metal/Plastic,PoC.af	
15	DS-2CE16D0T-VFIR3E	2.0 Megapixel Vari-Focal IR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8~12 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR, True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66 ,PoC.at , 1 HD Analog Output ,Metal/Plastic	
16	DS-2CE56D0T-IT1E	2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR, True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Plastic,PoC.af Up the Coax (HIKVISION-C)	
17	DS-2CE56D0T-IT3E	2.0 Megapixel EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR, True Day/Night,AGC 12VDC,IP66, 1 HD Analog Output , Plastic,.,PoC.af Up the Coax (HIKVISION-C)	
Starlight Value Series			
18	DS-2CE16D8T-ITE	2.0 Megapixel Ultra Low-Light PoC EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 30 M BLC,HLC,WDR(130dB),DNR,Smart IR, True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	
19	DS-2CE56D8T-ITME	2.0 Megapixel Ultra Low-Light PoC EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 30 M BLC,HLC,WDR(130dB),DNR,Smart IR, True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	
20	DS-2CE16D8T-IT3ZE	2.0 Megapixel Ultra Low-Light PoC EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.7 ~ 13.5 mm motorized vari-focal lens ,0.003 lux ,Max IR distance: 60 M, Auto focus BLC,HLC,WDR(130dB),DNR,Smart IR, True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	
21	DS-2CE16D8T-IT3E	2.0 Megapixel Ultra Low-Light PoC EXIR Bullet Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 60 M BLC,HLC,WDR(130dB),DNR,Smart IR, True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal	
22	DS-2CE56D8T-IT1E	2.0 Megapixel Ultra Low-Light PoC EXIR Turret Camera 2MP CMOS Image Sensor, Resolution (1920*1080) 2.8 mm lens ,0.003 lux ,Max IR distance: 30 M BLC,HLC,WDR(130dB),DNR,Smart IR, True Day/Night,AGC,(HIKVISION-C) 12VDC,PoC.af , IP67 , 1 HD Analog Output ,Metal/Plastic	
pir			
23	DS-2CE11H0T-PIRL	5.0 Megapixel PIR Bullet Camera 5MP CMOS Image Sensor, 2560 × 1944 resolution 2.8/3.6 mm lens 0.01 Lux,0 Lux IR on , PIR detection, visual alarm. EXIR 2.0; Max IR distance: 20 M BLC,DNR,Smart IR, True Day/Night,AGC, Up the coax (HIKVISION-C)-1 HD Analog Output 12VDC,IP67-Material: Front cover: Metal-Main body: Plastic	

24	DS-2CE12H0T-PIRL	5.0 Megapixel PIR Bullet Camera 5MP CMOS Image Sensor, 2560 × 1944 resolution 2.8/3.6 mm lens 0.01 Lux,0 Lux IR on , PIR detection, visual alarm. EXIR 2.0; Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC, Up the coax (HIKVISION-C)-1 HD Analog Output 12VDC,IP67-Material :Front cover: Metal-Main body: Plastic		
25	DS-2CE38D8T-PIR	2 MP Ultra-Low Light PIR Cube Camera- 2MPprogressive scan CMOS Ultra-low light;1920×1080 resolution; up to 20 m IR distance 2.8 mm, 3.6 mm fixed focal lens;PIR detection; 120 dB true WDR,3D DNR;EXIR 2.0, smart IR Built-in microphone;Up the coax (HIKVISION-C-Material: Plastic		
26	DS-2CE71H0T-PIRL	5.0 Megapixel PIR Bullet Camera 5MP CMOS Image Sensor 2560 × 1944 resolution 2.8/3.6 mm lens 0.01 Lux,0 Lux IR on , PIR detection, visual alarm. EXIR 2.0; Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC Up the coax (HIKVISION-C)-1 HD Analog Output 12VDC,IP67 weatherproof-Material: Enclosure: Plastic -Main body: Metal		
Exir Turbo HD Series-3Mp				
27	DS-2CE16F1T-IT	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic		
28	DS-2CE56F1T-ITM	3.0 Megapixel EXIR Turret Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic		
29	DS-2CE16F1T-IT1	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic		
30	DS-2CE16F1T-IT3	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic		
31	DS-2CE16F1T-IT5	3.0 Megapixel EXIR Bullet Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic		
32	DS-2CE56F1T-IT1	3.0 Megapixel EXIR Turret Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic		
33	DS-2CE56F1T-IT3	3.0 Megapixel EXIR Turret Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic		
34	DS-2CE16F7T-IT3Z	3.0 Megapixel Motorized EXIR Bullet Camera, 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8~12 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,WDR(120dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal/Plastic		

35	DS-2CE56F7T-IT3Z	3.0 Megapixel Motorized EXIR Dome Camera 3MP CMOS Image Sensor, Resolution (1920×1536@18fps) 2.8~12 mm lens 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,WDR(120dB),DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP66, 1 HD Analog Output , Metal	
Exir Series - 5Mp			
36	DS-2CE16H1T-ITE	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal	
37	DS-2CE16H1T-IT1E	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	
38	DS-2CE16H1T-IT3E	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	
39	DS-2CE56H1T-ITME	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal	
40	DS-2CE16H0T-ITF	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) DWDR-4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	
41	DS-2CE16H0T-IT1F	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	
42	DS-2CE16H0T-IT3F	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) DWDR-4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	
43	DS-2CE16H0T-IT5F	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 3.6 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) DWDR-4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	
44	DS-2CE16H1T-IT5E	5.0 Megapixel EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 3.6 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 80 M BLC,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic	
45	DS-2CE56H0T-ITMF	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal	

46	DS-2CE56H1T-IT1E	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,PoC.af , 1 HD Analog Output ,Metal/Plastic		
47	DS-2CE56H0T-IT1F	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 , 1 HD Analog Output ,Metal/Plastic		
48	DS-2CE56H0T-IT3F	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 , 1 HD Analog Output ,Metal/Plastic		
49	DS-2CE16H0T-IT3ZF	5.0 Megapixel Motorized EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.7~13.5 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 24VAC,12VDC,IP67 , 1 HD Analog Output ,Metal/Plastic		
50	DS-2CE56H0T-IT3ZF	5.0 Megapixel Motorized EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.7~13.5 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 4 in 1 Video Output (TVI/AHD/CVI/CVBS) 12VDC,IP67 , 1 HD Analog Output ,Metal		
51	DS-2CE56H1T-IT3ZE	5.0 Megapixel Motorized EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8~12 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 , POC.at ,1 HD Analog Output ,Metal		
52	DS-2CE16H1T-IT3ZE	5.0 Megapixel Motorized EXIR Bullet Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8~12 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 , POC.at ,1 HD Analog Output ,Metal/Plastic		
53	DS-2CE56H1T-IT3E	5.0 Megapixel EXIR Turret Camera 5MP CMOS Image Sensor, Resolution (2560*1944@20fps) 2.8 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 40 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) 12VDC,IP67 ,1 HD Analog Output ,Metal		
54	DS-2CC52H1T-FITS	5.0 Megapixel IR Fisheye Camera 5MP CMOS Image Sensor, Resolution (2560*1944@12.5fps) 1.1 mm lens , 0.01 Lux,0 Lux IR on ,Max IR distance: 20 M BLC,DWDR,DNR,Smart IR,True Day/Night,AGC,(HIKVISION-C) Built-in Microphone,1Ch Audio Output 12VDC,1 HD Analog Output ,Plastic		
Turbo HD-8MP				
55	DS-2CE78U8T-IT3	4K Ultra Low-Light EXIR Turret Camera 8.29 MP CMOS Image Sensor, Resolution (3840*2160@12.5fps) 2.8 mm lens ,0.003 lux ,Max IR distance: 60 M BLC,WDR(120dB),DNR,Smart IR, True Day/Night,AGC,(HIKVISION-C) 12VDC , IP67 , 1 HD Analog Output ,Metal/Plastic		
56	DS-2CE18U8T-IT3	4K Ultra Low-Light EXIR Bullet Camera 8.29 MP CMOS Image Sensor, Resolution (3840*2160@12.5fps) 2.8 mm lens ,0.003 lux ,Max IR distance: 60 M BLC,WDR(120dB),DNR,Smart IR, True Day/Night,AGC,(HIKVISION-C) 12VDC , IP67 , 1 HD Analog Output ,Metal/Plastic		

Turbo HD PTZ Camera

DS-2AE5223TI-A
(24VAC)

2MP 23X Turbo IR PTZ CAMERA
1/3" 2MP progressive scan CMOS
Up to 1920 × 1080 resolution 25 fps
4~92.0 mmlens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters
3DDNR,BLC,DWDR,EIS,(HIKVISION-C)
CVBS OUT,2/1 Alarm I/O
24VAC ,IP66



DS-2AE7230TI-A
(24VAC)

2MP 30X Turbo IR PTZ CAMERA
1/32.8" 2MP progressive scan CMOS
Up to 1920 × 1080 resolution 25 fps
4~120 mmlens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 120 meters
3DDNR,BLC,DWDR,EIS,(HIKVISION-C)
24VAC ,IP66



FAMCO
www.famcocorp.com