










































Items	Description		
20 Series			
1	<p>DS-2CD2020F-I</p> <p>2MP IR NETWORK BULLET CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) 4 mm lens , 0 lux IR on Max IR distance: 30 meters H.264,MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA,Micro SD (Up to 64GB), Reset ButtonPoE, DC12V, IP66,3 axis adjustment Onvif support</p>		
2	<p>DS-2CD2042WD-I</p> <p>4MP IR NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2688*1520 resolution (20fps) 4 mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 , MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection PoE, DC12V, IP67,3 axis adjustment Onvif support</p>		
3	<p>DS-2CD2043G0-I</p> <p>4MP IR NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 × 1440 resolution (20 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection,Micro SD (Up to 64GB), Reset Button,PoE, DC12V, IP67,3 axis adjustment Onvif support</p>		
4	<p>DS-2CD2052-I</p> <p>5MP IR NETWORK BULLET CAMERA 1/3" 5MP progressive scan CMOS Up to 2560×1920 resolution (20 fps) 4 mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 video compression 3DDNR,BLC, DWDR,ROI,VCA,Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support</p>		
5	<p>DS-2CD2063G0-I</p> <p>6MP IR NETWORK BULLET CAMERA 1/2.9" 6MP progressive scan CMOS Up to 3072 × 2048 resolution (20 fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support</p>		
6	<p>DS-2CD2083G0-I</p> <p>4K IR NETWORK BULLET CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840 × 2160 resolution (15 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support</p>		
EASY IP LITE			
7	<p>DS-2CD1623G0-I</p> <p>2MP EXIR Vari-Focal NETWORK BULLET CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution @ 30fps 2.8~12 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, DWDR,ROI,Micro SD (Up to 128GB),Reset Button DC12V, IP67 ,3 axis adjustment Onvif support</p>		








8	DS-2CD1623G0-IZ	<p>2MP EXIR Vari-Focal NETWORK BULLET CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution @ 30fps 2.8~12 mm lens Auto focus, 0 lux IR on ,IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, DWDR,ROI, Micro SD (Up to 128GB),Reset Button DC12V, IP67 ,3 axis adjustment Onvif support-</p>			
9	DS-2CD1723G0-I	<p>2MP EXIR Vari-Focal NETWORK DOME CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution @ 30fps 2.8~12 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, DWDR,ROI, Micro SD (Up to 128GB),Reset Button DC12V, IP67 ,IK10, 3 axis adjustment Onvif support</p>			
10	DS-2CD2120F-I	<p>2MP IR Vandal-Proof Network Dome Camera 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (25 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.264/MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA, Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66, IK10 , 3 axis adjustment Onvif support</p>			
11	DS-2CD2120F-IS	<p>2MP IR Vandal-Proof Network Dome Camera 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (25 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.264/MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA, Micro SD (Up to 128GB),Reset Button 1 Audio I/O , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP66, IK10 , 3 axis adjustment Onvif support</p>			
12	DS-2CD2123G0-IS	<p>2MP IR Vandal-Proof Network Dome Camera 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (25 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button 1 Audio I/O , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support</p>			
13	DS-2CD2142FWD-IS	<p>4MP IR Vandal-Proof Network Dome Camera 1/3" 4MP progressive scan CMOS Up to 2688 × 1520 resolution (20 fps) 2.8mm / 4mm / 6 mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 /MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button 1 Audio I/O , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support</p>			
14	DS-2CD1023G0-I	<p>2MP IR NETWORK BULLET CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920× 1080 resolution (25fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC,DWDR PoE, DC12V, IP67, 3 axis adjustment Onvif support</p>			







15	DS-2CD1123G0-I	<p>2MP IR NETWORK DOME CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920× 1080 resolution (25fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC,DWDR PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support</p>	
16	DS-2CD2143G0-IS	<p>4MP IR NETWORK DOME CAMERA 1/3" 4MP progressive scan CMOS Up to 2688 × 1520 resolution (20 fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128GB), Reset Button 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support</p>	
17	DS-2CD2152F-IS	<p>5MP IR Vandal-Proof Network Dome Camera 1/3" 5MP progressive scan CMOS Up to 2560×1920 resolution (20 fps) 4mm/6mm lens , 0 lux IR on Max IR distance: 30 meters H.264+ ,H.264 /MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA,Micro SD (Up to 128GB), Reset Button 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support</p>	
18	DS-2CD2163G0-I(S)	<p>6MP IR NETWORK DOME CAMERA 1/3" 6MP progressive scan CMOS Up to 3072 × 2048 resolution (20 fps) 2.8mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128GB),Reset Button 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support</p>	
19	DS-2CD2183G0-I(S)	<p>4K IR NETWORK DOME CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840 × 2160 resolution (15 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD (Up to 128GB), Reset Button PoE, DC12V, IP67,IK10, 3 axis adjustment Onvif support</p>	
20	DS-2CD1043G0-I	<p>4MP EXIR NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 × 1440 resolution (20 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, DWDR ,ROI PoE, DC12V, IP67,3 axis adjustment Onvif support</p>	
21	DS-2CD1143G0-I	<p>4MP EXIR NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 × 1440 resolution (20 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, DWDR ,ROI,Reset Button PoE, DC12V, IP67,IK10 ,3 axis adjustment Onvif support</p>	







22	DS-2CD1643G0-I	4MP EXIR Vari-Focal NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 × 1440 resolution (20 fps) 2.8~12 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,Micro SD (Up to 128GB), Reset Button,PoE, DC12V, IP67 ,3 axis adjustment Onvif support		
23	DS-2CD1743G0-I	4MP EXIR Vari-Focal NETWORK DOME CAMERA 1/3" 4MP progressive scan CMOS Up to 2560 × 1440 resolution (20 fps) 2.8~12 mm lens , 0 lux IR on Max IR distance: 30 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,Micro SD (Up to 128GB), Reset Button,PoE, DC12V, IP67 ,3 axis adjustment Onvif support		
23 Series				
24	DS-2CD2342WD-I	4 MP EXIR Turret Network Camera 1/3" 4MP progressive scan CMOS Up to 2688 × 1520 resolution (20 fps) 2.8mm / 4mm / 6 mm lens , 0 lux IR on Max IR distance:30M H.264+ ,H.264 , MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,EXIR PoE, DC12V, IP67,3 axis adjustment Onvif support		
25	DS-2CD2352-I	5 MP EXIR Turret Network Camera 1/3" 5MP progressive scan CMOS Up to 2560 × 1920 resolution (20 fps) 2.8mm / 4mm / 6 mm lens , 0 lux IR on Max IR distance:30M H.264+ ,H.264 , MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,EXIR PoE, DC12V, IP67,3 axis adjustment Onvif support		
24 Series				
26	DS-2CD2420F-IW	2MP IR Cube NETWORK CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920× 1080 resolution (25 fps) 2.8mm lens , 0 lux IR on Max IR distance: 10 meters , PIR Range :10m H.264 / MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA,Micro SD (Up to 128GB),Built-in WIFI, Reset Button Built In MIC & Speaker , Two Way Talk , 1 Alarm I/O PoE, DC12V,Onvif support		
27	DS-2CD2423G0-IW	2MP IR Cube NETWORK CAMERA 1/2.7" 2MP progressive scan CMOS Up to 1920× 1080 resolution (30 fps) 2.8mm lens , 0 lux IR on Max IR distance: 10 meters , PIR Range :10m-EXIR H.265+ /H.265/H.264+/H.264/ MJPEG video compression 3DDNR,BLC, WDR(120DB),ROI,VCA,Micro SD (Up to 128GB), Built-in WIFI, Built In MIC & Speaker , Two Way Talk , 1 Alarm I/O PoE, DC12V,Onvif support		
28	DS-2CD2442FWD-IW	4MP IR Cube NETWORK CAMERA 1/2.8" 4MP progressive scan CMOS Up to 2560 × 1440 resolution (20 fps) 2.8 mm lens , 0 lux IR on Max IR distance: 10 meters , PIR Range :10m H.264 / MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA,Micro SD (Up to 128GB),Built-in WIFI, Reset Button Built In MIC & Speaker , Two Way Talk , 1 Alarm I/O PoE, DC12V,Onvif support		







29	DS-2CD2443G0-IW	<p>4MP IR Cube NETWORK CAMERA 1/2.7" 4MP progressive scan CMOS Up to 2688× 1520 resolution (30 fps) 2.8mm lens , 0 lux IR on Max IR distance: 10 meters , PIR Range :10m-EXIR H.265+ /H.265/H.264+/H.264/ MJPEG video compression 3DDNR,BLC, WDR(120DB),ROI,VCA,Micro SD (Up to 128GB), Built-in WIFI, Built In MIC & Speaker , Two Way Talk , 1 Alarm I/O PoE, DC12V Onvif support</p>		
25 Series				
30	DS-2CD2520F	<p>2MP NETWORK Mini DOME CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) 4 mm lens H.264,MJPEG video compression 3DDNR,BLC, DWDR,ROI,Micro SD (Up to 64GB),Reset Button PoE, DC12V, IP66,3 axis adjustment Onvif support</p>		
31	DS-2CD2523G0-IS	<p>2MP NETWORK Mini DOME CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) 4 mm lens -Max IR distance: 10 meters-EXIR,H.265+ 3DDNR,BLC,WDR(120dB),ROI, • Built-in Micro SD/SDHC/SDXC slot, up to 128 GB-,Reset Button PoE, DC12V, IP66,3 axis adjustment Wi-Fi (Optional)-Line crossing detection, intrusion detection-Face Detection Onvif support</p>		
32	DS-2CD2542FWD-IS	<p>4MP IR NETWORK Mini DOME CAMERA 1/3" 4MP progressive scan CMOS Up to 2688*1520 resolution (20fps) 4 mm lens , 0 lux IR on Max IR distance: 10 meters H.264+,H.264,MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD, (Up to 128GB), Reset Button-S: Built-in microphone, Audio Output, Alarm IO I-W: Built-in Wi-Fi, , 1 Alarm I/O PoE, DC12V, IP67,IK08 ,3 axis adjustment Onvif support</p>		
33	DS-2CD2543G0-IS	<p>4MP IR NETWORK Mini DOME CAMERA 1/3" 4MP progressive scan CMOS 2688 × 1520@30fps 4 mm lens , 0 lux IR on Max IR distance: 10 meters H.265+,H.264,MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD, (Up to 128GB), Reset Button Built In MIC , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP67,IK08 ,3 axis adjustment- • EXIR Onvif support</p>		
34	DS-2CD2563G0-IS	<p>6MP IR NETWORK Mini DOME CAMERA 1/3" 4MP progressive scan CMOS • 3072 × 2048@20fps 4 mm lens , 0 lux IR on Max IR distance: 10 meters H.265+,H.264,MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD, (Up to 128GB), Reset Button Built In MIC , Two Way Talk , 1 Alarm I/O PoE, DC12V, IP67,IK08 ,3 axis adjustment- • EXIR Onvif support</p>		

26 Series				
35	DS-2CD2620F-I	<p>2MP IR Vari-Focal NETWORK BULLET CAMERA 1/3" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (25 fps) 2.8~12 mm lens , 0 lux IR on Max IR distance: 30 meters H.264,MJPEG video compression 3DDNR,BLC, DWDR,ROI,VCA, Micro SD (Up to 128GB),Reset Button PoE, DC12V, IP66 ,3 axis adjustment Onvif support</p>		
36	DS-2CD2643G0-IZS	<p>4MP IR Motorized NETWORK BULLET CAMERA 1/3" 4MP progressive scan CMOS Up to 2688× 1520 resolution (25 fps) 2.8~12 mm Motorized lens , 0 lux IR on Max IR distance: 50 meters H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection,Micro SD (Up to 128 GB), Reset Button , 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10 ,3 axis adjustment Onvif support</p>		
37	DS-2CD2663G0-IZS	<p>6MP IR Motorized NETWORK BULLET CAMERA 1/2.9" 6MP progressive scan CMOS Up to 3072× 2048 resolution (20 fps) 2.8~12 mm Motorized lens , 0 lux IR on Max IR distance: 50m H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection,Micro SD (Up to 128 GB), Reset Button , 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10 ,3 axis adjustment Onvif support</p>		
38	DS-2CD2683G0-IZS	<p>4K IR Motorized NETWORK BULLET CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840× 2160 resolution (15 fps) 2.8~12 mm Motorized lens , 0 lux IR on Max IR distance: 50m H.265+,H.265,H.264+ ,H.264 video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection,Micro SD (Up to 128 GB), Reset Button , 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10 ,3 axis adjustment Onvif support</p>		
27 Series				
39	DS-2CD2720F-I	<p>2MP IR Vari-Focal NETWORK DOME CAMERA 1/3" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (25 fps) 2.8~12 mm lens , 0 lux IR on Max IR distance: 30 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,VCA,ROI,Micro SD (Up to 128 GB), Reset Button PoE, DC12V, IP66 ,IK10,3 axis adjustment Onvif support</p>		
40	DS-2CD2720F-IZ	<p>2MP IR Motorized NETWORK DOME CAMERA 1/2.7" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (25 fps) 2.7~12 mm Motorized lens . 0 lux IR on Max IR distance: 30m H.264,MJPEG video compression 3DDNR,BLC,DWDR,VCA,ROI,Micro SD (Up to 128 GB), Reset Button 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP66,IK10,3 axis adjustment Onvif support</p>		
41	DS-2CD2723G0-IZS	<p>2MP IR Motorized NETWORK DOME CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (25 fps) 2.8~12 mm Motorized lens , 0 lux IR on Max IR distance: 30m H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC, WDR(120dB),ROI,VCA,Micro SD (Up to 128 GB), Reset Button 1 Audio I/O , 1 Alarm I/O PoE, DC12V, IP67,IK10,3 axis adjustment Onvif support</p>		

42	DS-2CD2743G0-IZS	<p>4MP IR Motorized NETWORK DOME CAMERA</p> <p>1/3" 4MP progressive scan CMOS</p> <p>Up to 2688 × 1520 resolution (25 fps)</p> <p>2.8~12 mm Motorized lens , 0 lux IR on Max IR distance: 30m</p> <p>H.265+,H.265,H.264+,H.264,MJPEG video compression</p> <p>3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button, 1 Audio I/O , 1 Alarm I/O</p> <p>PoE, DC12V, IP67,IK10,3 axis adjustment</p> <p>Onvif support</p>		
43	DS-2CD2763G0-IZS	<p>6MP IR Motorized NETWORK DOME CAMERA</p> <p>1/2.9" 6MP progressive scan CMOS</p> <p>Up to 3072 × 2048 resolution (20 fps)</p> <p>2.8~12 mm Motorized lens , 0 lux IR on Max IR distance: 30m</p> <p>H.265+,H.265,H.264+,H.264,MJPEG video compression</p> <p>3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button, 1 Audio I/O , 1 Alarm I/O</p> <p>PoE, DC12V, IP67,IK10,3 axis adjustment</p> <p>Onvif support</p>		
44	DS-2CD2783G0-IZS	<p>4K IR Motorized NETWORK DOME CAMERA</p> <p>1/2.5" 8MP progressive scan CMOS</p> <p>Up to 3840 × 2160 resolution (15 fps)</p> <p>2.8~12 mm Motorized lens , 0 lux IR on Max IR distance: 30m</p> <p>H.265+,H.265,H.264+,H.264,MJPEG video compression</p> <p>3DDNR,BLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button, 1 Audio I/O , 1 Alarm I/O</p> <p>PoE, DC12V, IP67,IK10,3 axis adjustment</p> <p>Onvif support</p>		
29 Series				
45	DS-2CD2955FWD-IS	<p>5MP IR NETWORK FISHEYE CAMERA</p> <p>1/2.5" 5MP progressive scan CMOS</p> <p>Up to 2560 × 1920 resolution (30 fps)</p> <p>2.8~12 mm Motorized lens , 0 lux IR on Max IR distance: 8m</p> <p>H.265+,H.265,H.264+,H.264,MJPEG video compression</p> <p>3DDNR,BLC,HLC, WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB),</p> <p>1 Audio I/O , 1 Alarm I/O</p> <p>PoE, DC12V,3 axis adjustment</p> <p>Onvif support</p>		
2T Series				
46	DS-2CD2T43G0-I5	<p>4MP EXIR NETWORK BULLET CAMERA</p> <p>1/3" 4MP progressive scan CMOS</p> <p>Up to 2688× 1520 resolution (25 fps)</p> <p>2.8mm lens , 0 lux IR on Max IR distance: 50 meters</p> <p>H.265+,H.265,H.264+,H.264,MJPEG video compression</p> <p>3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button</p> <p>PoE, DC12V, IP67,3 axis adjustment</p> <p>Onvif support</p>		
47	DS-2CD2T52-I5	<p>5MP EXIR NETWORK BULLET CAMERA</p> <p>1/3" 5MP progressive scan CMOS</p> <p>Up to 2560× 1920 resolution (20 fps)</p> <p>4 mm lens , 0 lux IR on Max IR distance: 50 meters</p> <p>H.264+,H.264,MJPEG video compression</p> <p>3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB),</p> <p>PoE, DC12V, IP67,3 axis adjustment</p> <p>Onvif support</p>		
48	DS-2CD2T63G0-I5	<p>6MP EXIR NETWORK BULLET CAMERA</p> <p>1/2.9" 6MP progressive scan CMOS</p> <p>Up to 3072× 2048 resolution (20 fps)</p> <p>2.8mm lens , 0 lux IR on Max IR distance: 50 meters</p> <p>H.265+,H.265,H.264+,H.264,MJPEG video compression</p> <p>3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button</p> <p>PoE, DC12V, IP67,3 axis adjustment</p> <p>Onvif support</p>		

49	DS-2CD2T63G0-I8	6MP EXIR NETWORK BULLET CAMERA 1/2.9" 6MP progressive scan CMOS Up to 3072× 2048 resolution (20 fps) 2.8mm lens , 0 lux IR on Max IR distance: 80 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button PoE, DC12V, IP67,3 axis adjustment Onvif support		
50	DS-2CD2T83G0-I5	4K EXIR NETWORK BULLET CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840 × 2160 resolution (15 fps) 2.8mm lens , 0 lux IR on Max IR distance: 50 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button PoE, DC12V, IP67,3 axis adjustment Onvif support		
51	DS-2CD2T83G0-I8	4K EXIR NETWORK BULLET CAMERA 1/2.5" 8MP progressive scan CMOS Up to 3840 × 2160 resolution (15 fps) 2.8mm lens , 0 lux IR on Max IR distance: 80 meters H.265+,H.265,H.264+,H.264,MJPEG video compression 3DDNR,BLC,WDR(120dB),ROI,VCA,Face Detection, Micro SD (Up to 128 GB), Reset Button PoE, DC12V, IP67,3 axis adjustment Onvif support		
2F Series				
52	DS-2CD2F52F-IS	5MP ICR NETWORK DOME CAMERA 1/3 " 5MP progressive scan CMOS Up to 2560× 1920 resolution (20 fps) 2.8mm/4 mm/6mm lens , Max IR distance: 10 meters H.264+,H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI,VCA, Micro SD (Up to 128 GB),Reset Button 1 Audio I/O , 1 Alarm I/O , Support Pan & Tilt PoE, DC12V, IP67,3 axis adjustment Onvif support		
PINHOLE				
53	DS-2CD2D14WD	1MP NETWORK PINHOLE CAMERA 1/4 " 1MP progressive scan CMOS Up to 1280× 720 resolution (30 fps) 3.6 mm lens , Max IR distance: 10 meters H.264,MJPEG video compression 3DDNR,BLC,WDR(100dB) ,VCA DC12V Onvif support		
2E Series				
54	DS-2CD2E20F-W	2MP NETWORK Recessed Mount Dome CAMERA 1/3 " 2MP progressive scan CMOS Up to 1920× 1080 resolution (30 fps) 4 mm lens , H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI, Micro SD (Up to 128 GB),Built-in WIFI,Reset Button PoE, DC12V Onvif support		
Consumer Series				
55	DS-2CD2Q10FD-IW	1MP NETWORK Pan/Tilt CAMERA 1/4 " 1MP progressive scan CMOS Up to 1280× 720 resolution (30 fps) 4 mm lens , Max IR distance: 10 meters , PIR Range :10m H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI,VCA, Micro SD (Up to 128 GB),Built-in WIFI,Reset Button Built In MIC & Speaker , Two Way Talk, Support Pan & Tilt DC5V Onvif support		

56	DS-2CV2Q21FD-IW	<p>2MP NETWORK Pan/Tilt CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 2.8 mm lens , Max IR distance: 5 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI, Micro SD (Up to 128 GB),Built-in WIFI,Reset Button Built In MIC & Speaker , Two Way Talk, Support Pan & Tilt DC5V, includes a 32 GB memory card Onvif support</p>		
57	DS-2CV2U21FD-IW	<p>2MP NETWORK CUBE CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 2.8 mm lens , Max IR distance: 10 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI, Micro SD (Up to 128 GB),Built-in WIFI,Reset Button Built In MIC & Speaker , Two Way Talk, DC5V, includes a 32 GB memory card Onvif support</p>		
IP PTZ Camera				
58	DS-2DE4A220IW-DE	<p>2MP NETWORK IR PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 4.7~94 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 50 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI,VCA, Micro SD (Up to 128 GB),Built-in WIFI,Reset Button 1 Audio I/O , 2 Alarm I/O , Auto Tracking,Event Tracking, POE+,DC12V Onvif support</p>		
59	DS-2DE2202I-DE3	<p>2MP 20X NETWORK IR PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 4.7~94 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 50 meters H.264,MJPEG video compression 3DDNR,BLC,DWDR,ROI,VCA, Micro SD (Up to 128 GB), Built In MIC ,1 Audio I/O , 2 Alarm I/O , Auto Tracking,Event Tracking, POE+,DC12V Onvif support</p>		
60	DS-2DE4220IW-DE	<p>2MP 20X NETWORK IR PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 4.7~94 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 100 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,ROI,VCA, Micro SD (Up to 128 GB), 1 Audio I/O POE+,DC12V,IP66 Onvif support</p>		
61	DS-2DE5220IW-AE	<p>2MP 20X NETWORK IR PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 4.7~94 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,HLC,ROI,VCA, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O HI-POE,AC24V,IP66 Onvif support</p>		

62	DS-2DE5230W-AE	<p>2MP 30X ICR NETWORK PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 4.3~129 mm lens(30x Optical,16x Digital) ,0 lux IR on , H.264/MJPEG video compression 3DDNR,BLC,DWDR,HLC,ROI,VCA, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O POE,AC24V,IP66,IK10 Onvif support</p>			
63	DS-2DE7220IW-AE	<p>2MP 20X NETWORK IR PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 4.7~94 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,HLC,ROI,VCA, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O HI-POE,AC24V,IP66 Onvif support</p>			
64	DS-2DE7230IW-AE	<p>2MP 30X NETWORK IR PTZ CAMERA 1/2.8" 2MP progressive scan CMOS Up to 1920 × 1080 resolution (30 fps) 4.3~129 mmlens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,HLC,ROI,VCA, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O HI-POE,AC24V,IP66 Onvif support</p>			
65	DS-2DE7530IW-AE	<p>5MP 30X NETWORK IR PTZ CAMERA 1/1.9" 5MP progressive scan CMOS Up to 2592 × 1944 resolution (30 fps) 5.9~177mm lens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,EIS,HLC,ROI,VCA,Face Detection, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O, Auto Tracking,Event Tracking, HI-POE,AC24V,IP66 Onvif support</p>			
66	DS-2DE7430IW-AE	<p>4MP 30X NETWORK IR PTZ CAMERA 1/1.9" 4MP progressive scan CMOS Up to 2560 × 1440 resolution (30 fps) 5.9~177mm lens(30x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,EIS,HLC,ROI,VCA,Face Detection, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O, Auto Tracking,Event Tracking, HI-POE,AC24V,IP66 Onvif support</p>			
67	DS-2DE7420IW-AE	<p>4MP 20X NETWORK IR PTZ CAMERA 1/1.9" 4MP progressive scan CMOS Up to 2560 × 1440 resolution (30 fps) 5.9~118 mm lens(20x Optical,16x Digital) ,0 lux IR on ,Max IR distance: 150 meters H.265+/H.265/H.264+/H.264/MJPEG video compression 3DDNR,BLC,DWDR,EIS,HLC,ROI,VCA,Face Detection, Micro SD (Up to 128 GB), 1 Audio I/O , 2/1 Alarm I/O, Auto Tracking,Event Tracking, HI-POE,AC24V,IP66 Onvif support</p>			

DS-2PT3326IZ-DE3

2MP IR Pano Vu Mini PTZ NETWORK CAMERA

Panoramic Camera:

1/2.8" 2MP progressive scan CMOS

Up to 3-CH 1920 × 1080 resolution (30 fps)

PTZ Camera :

1/2.8" 2MP progressive scan CMOS

Up to 1920 × 1080 resolution (30 fps)

2.8~12mm lens(4X Optical,8X Digital) ,0 lux IR on ,Max IR distance: 10 meters

H.265/H.264/MJPEG video compression

3DDNR,BLC,DWDR,HLC,ROI, VCA, PTZ Linkage ,

Micro SD (Up to 256 GB),1 Audio I/O

HI-POE+,DC12V,IP66

Onvif support

