









FAMCO هایپرسنعت CONTEN

OUR CORE VALUES	05	GARDENING	
FOREWORD	07	Cultivators & Garden Roller	107
AL-KO SMART GARDENING	08	Combi-Tool	110
AL-KO AND BATTERY TECHNOLOGY	12	Grass Trimmers & Brushcutters	112
LAWNCARE		Hedge Trimmers	116
Robolinho® Robotic Lawnmowers	20	Multi-Cutters	119
Ride-On Mowers	36	Pruners and Long Reach Hedge Trimmers	120
		Multi-Tool	122
Garden Tractors	40	Blowers & Leaf Vacuums	126
Lawnmowers	66	Hand Battery Tools	130
Battery Lawnmowers	72	Chainsaws	134
Electric Lawnmowers	80	Wood Splitters	138
Petrol Lawnmowers	82	TEQUAL DATA	
Mulch Lawnmowers	96	TECHNICAL DATA	142
Hand Mowers	100	SPARE PARTS	146
Scythe Mowers	102		
Scarifiers	104		

















MEMBER OF PRIMEPULSE

NOW PART OF THE INTERNATIONAL PRIMEPULSE GROUP

With business areas encompassing gardening equipment, air technology and automotive products, the AL-KO KOBER Group has become a global player amongst medium-sized enterprises in Germany. At the same time, the family-owned business has been operating in over 20 countries around the world, maintaining its headquarters in Kötz, Bavaria.

The AL-KO KOBER GROUP is also part of the PRIMEPULSE investment group. This high-performance network includes around 60 different associate firms around the world.

PRIMEPULSE pursues a long-term, value-based investment approach and acts as a strategic partner for its affiliated companies, giving them the support they need to achieve their growth ambitions.

Learn more at www.primepulse.com

FOUNDED IN 1931



4 ALO www.famcocorp.com

@famco_group

E-mail: info@famcocorp.com

(Tel:071- F A 0 0 0 0 F

(Fax:011 - FF99F9FF

OUR CORE VA FAMCO

هایپرصنعت



AT AL-KO **WE FOCUS ON THE USER**

- **✓** SUPERIOR
 - **DURABLE**
 - ✓ PROFESSIONAL
 - **FUNCTIONAL**
 - **✓** TRUSTWORTHY

- **QUALITY OF LIFE**
- **EASE OF USE**
- **USER CENTRED**
- **CUSTOMER SATISFACTION**
- SOLUTION-BASED

- **✓** PRECISION
 - **✓** SMARTNESS
 - **EXPERIENCE** THE FUTURE

AL-KO IS ALWAYS ONE STEP AHEAD

- **✓** INNOVATIVE TECHNOLOGY
- **✓** SUSTAINABILITY
- **CONTINUOUS PROGRESS**



- w w w . f a m c o c o r p . c o m
- E-mail: info@famcocorp.com
- @famco_group

Tel:o۲I- ۴ A o o o o ۴ 9 (Fax: 011 - FF99F9F1 **ALKO** 5 |



OLOGICAL

use sustainable materials from luction through to recycling

reduce energy consumption and ecological footprint

SOCIAL





- We ensure local value added processes and sustainable sourcing strategies
- We achieve sustainable economic performance across all business sectors

ENGINEERED IN GERMANY – MADE IN AUSTRIA







QUALITY FOR LIFE AL-KO appliances are developed with precision in the Swabian region of Bavaria and our core product groups are produced in tranquil Obdach in Styria, Austria. With the flexibility and security of an owner-managed company, our goal is to meet the requirements of our customers every time. With typical German efficiency, our research and development engineers create pioneering garden tools from hundreds of individual parts.

HIGHEST STANDARDS Materials of the highest quality, ingenious technology, perfect ergonomics and a sure feel for form and detail are the unmistakable hallmarks of our garden tools.

The rigorous quality requirement that characterises the AL-KO brand is guaranteed through our comprehensive range of technologies that is consistently designed and implemented by AL-KO development engineers, designers and technicians - from the initial design and prototype construction right through to the end product.

SUSTAINABILITY As an innovative garden tool manufacturer. AL-KO connects people with nature. We therefore see it as our responsibility to integrate economic, ecological and social sustainability into our business activities and continuously optimise our processes. Our wide-ranging investments allow us to make an active contribution to reducing our ecological footprint. In fact we have already succeeded in saving around 200 tonnes of CO₂ in production over the past year.

- www.famcocorp.com
- E-mail: info@famcocorp.com
- 📵 @famco_group

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص گرج) روبـروی یالایشگاه نفت یـارس، یلاک ۱۲





At the compar facility in Kötz appliances are













Many of our high-quality garden tools and components have been manufactured at the AL-KO factory in Obdach since 1966.



"I'M BATTERY POWERED. WHAT ABOUT YOU?" THAT'S OUR MOTTO FOR GARDEN WORK THIS YEAR

New technologies are being developed at an incredible pace in almost all walks of life. And the garden is no exception. What first started in 1966 with the production of the first lawn mower quickly developed into one of the market leaders in the garden tool sector. At AL-KO Gardentech, we are always on the cutting edge of technology, supplying you with intelligent appliances for your garden.

We've made it our mission to continuously develop new smart, digital and intelligent garden solutions. Driven by the spirit of innovation and an awareness of our responsibilities towards people and nature, we create convenient garden aids with sustainable technology. Whether it's robotic mowers, lawnmowers, water pumps, tools for soil cultivation or for tree and hedge care — our range has the ideal tool for every need and challenge you may face in the garden.

Come and join us in a new era of battery-powered garden tools:

There are also new features on the Robolinho® robotic mower which we are delighted to present on the following pages. You're in for a great surprise! We look forward to supporting you through this gardening year and say thank you for your continued trust in us.

Have fun browsing, discovering our new products and, of course, when working "smart" with the AL-KO garden tools.

Peter Kaltenstadler
CEO of AL-KO KOBERSE

Pdo Undenda.







@famco_group

ALKO 7



Sophisticated and intelligent solutions that will make tonding to your guiden. a breeze.

Having your own garden is for many people an indicator of quality of life, since it provides a retreat away from the stress of everyday life. Gardening brings a lot of joy to many, especially when it's made more and more effortless through the use of intelligent solutions. That is the vision of our Smart Garden concept: Your garden in all its glory and the joy of gardening without unnecessary expense or effort. Right from the beginning, we have developed our gardening tools with a high degree of care, creativity and technical perfectionism, making sure to anticipate the needs of users ahead of time.

Now, with the AL-KO Smart Garden, we are going a step further, combining our sophisticated gardening tools with intelligent, wide-reaching solutions for keeping your garden looking its best.

Garden app, now very conveniently available on your Smart Watch, and our AL-KO Smart Cloud, for example, you can optimise tasks, automate routines to suit your preferences, manage compatible devices from anywhere, and get useful information about your devices and your garden. This saves not only effort and resources, but also your valuable time.


The AL-KO inTOUCH Smart Garden app is the smart way to control our smartconnected Robolinho® W robotic mower and automate various IFTTT routines. With our smart battery lawnmowers you can call up useful information about your device, such as battery level, and even define various smart scenarios which you then activate by pressing the Smart button.

For a simply wonderful garden. Simply smart!





You do the **THINGS YOU LIKE** we look after the rest



OPTIMISED DESIGN from the first stroke to the last, for **BEST POSSIBLE USER-FRIENDLINESS**

In the base station







EASY TO OPERATE USING A SMART WATCH





SMART WAY TO REGISTER A PRODUCT

Using the inTOUCH app you can easily add any AL-KO device to the app (even without smart-connect) by simply scanning the type label – the smart way to register a product.



USEFUL TIPS ON YOUR APPLIANCE

Get smart tips on installing, operating and servicing for all your appliances as push notifications and in your notification box.







Quickly find the details of your local AL-KO Official Dealer where you can purchase spare parts and accessories.



KEEPING YOUR APPLIANCE UP-TO-DATE

Regular updates are the convenient way to update and remotely maintain your smart-connected AL-KO appliance.



SHARE YOUR AL-KO APPLIANCES

Using the inTOUCH app you can share your appliances with friends, family and your service partner (for remote support).



SMART SERVICE SUPPORT

The inTOUCH app reminds you in good time of maintenance intervals, supports you with questions about the appliance and allows remote access by the service partner.

www.famcocorp.com

E-mail: info@famcocorp.com


@famco_group

Tel:∘۲1- ₭ ∧ ∘ ∘ ∘ ∘ Fax: • ۲1 - ۴۴99۴9۴۲

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی یالایشگاه نفت یـارس، یلاک ۱۲







TRYING IT OUT THE EASY WAY

Demo mode lets you test products in the inTOUCH app even without an appliance.

Demo mode





For example, to start up the appliance or receive instructions on the correct use of the product.

WARRANTY EXTENSION

Extend your warranty period up to a total of five years. By having your smart gardening tools serviced annually at your local Official AL-KO Dealer.

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

- Tel:oPI-FA0000F
- (Fax: 011 FF99F9FF

ALKO 11

تهران ، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبروی پالایشگاه نفت پارس ، پلاک ۱۲



BATTERY TECHNOLOGY IN YOUR GARDEN: THE QUIET REVOLUTION



















IIEAS

ww.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

Tel:o۲I- ۴ A o o o o ۴ 9

(Fax: 011 - FF99F9F1

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲


The battery fact

State-of-the-art, high-performance batteries are used throughout our day-to-day lives - whether it's in our smartphones or laptops or in our digital cameras. But batteries are also increasingly used in gardening equipment, bringing many benefits. We have gathered here some of the most exciting facts in this area:





ping-pong tables



Pssst:

No motor noise



For the price of a pretzel, you can get

full battery charges

A single charge of the 36 V (5.0 Ah) battery costs roughly 4 pence

18 V battery (2.5 Ah)

Longevity

Length of one half-time in a football match



Lithium-ion batteries are used in...

Laptops

A 36 V (5.0 Ah) battery can hold as much power as

iPhone batteries

36 V battery (4.0 Ah)

Duration of a normal football match



Smartphones



Electric cars and hybrid vehicles







Depending on the lawnmower and

the battery type, a single charge

can mow an area of

250 m² to

Cameras



A featherweight champion:


A 36 V battery weights just as much as a

week old golden retriever

An 18 V battery weighs just as much as


Charging a completely dead 18 V battery requires as much energy as is needed to heat 0.45 litres of water in a kettle














روبـروی پالایشگاه نفت پارس، پلاک ۱۲







Good resistance to high and low temperatures

Between +5°C and 35°C is the ideal temperature range for lithium-ion batteries

800 m²

⊗ www.famcocorp.com E-mail: info@famcocorp.com

📵 @famco_group



EASY FLEX

CORDLESS ENERGY FOR MORE THAN A DOZEN DIFFERENT APPLIANCES

DISCOVER FLEXIBLE GARDENING PLEASURE!

The growing AL-KO Easy Flex range now includes over a dozen appliances which can be used with the same battery.



AĿKO 18V III

BATTERIES AND CHARGERS

B 50 Li Battery

Lithium-ion, 20 V max. (2.5 Ah) Art. no. 113 559 EAN no. 400 371 805 759⁻

B 100 Li Battery

Lithium-ion, 20 V max. (5.0 Ah) Art. no. 113 698 EAN no. 400 371 805 9755

PERFECTLY EQUIPPED

Products from the AL-KO Easy Flex range perfectly equips you for small to medium-sized gardens.



C 30 Li Charger

Lithium-ion, 20 V max. (3.0 Ah) Art. no. 113 560 EAN no. 400 371 805 7607



C 30 Li Double Charger

Lithium-ion, 20 V max. (3.0 Ah) Art. no. 113 561 EAN no. 400 371 805 7614



C 60 Li Fast Charger

Lithium-ion, 20 V max. (6.0 Ah) Art. no. 113 858 EAN no. 400 371 806 1703



14 **AL-KO**

- www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

(Tel:011- F Fax: • ۲1 – ۴۴99۴۶۴۲

ALKO 18

EASY FLEX





LAWNMOWER PAGE 73





PLANT SPRAYER PAGE 130



HEDGE TRIMMER PAGE 118



LED SPOTLIGHT PAGE 131



HIGH-PRESSURE CLEANER PAGE 133



PAGE 114

PRUNER AND **LONG REACH HEDGE TRIMMER** FROM PAGE 120





w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com

@famco_group

(Tel:071- F A 0 0 0 0 F 9 Fax:011 - FF99F9FF تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

ALKO 15





MAXIMUM PERFORMANCE AND FLEXIBILITY

POWERFUL MACHINES FOR THE PERFECT GARDEN

The wide selection of products in our AL-KO Energy Flex range is perfect for ambitious amateur gardeners looking for a broad appliance portfolio that uses a battery system.

Tip: The battery is also included with the lawnmower as well, allowing you to save money since you won't have to buy an extra battery for any additional AL-KO Energy Flex battery appliances.





READY FOR ANYTHING OPTIMUM COMPATIBILITY

The AL-KO Energy Flex range is perfect for all types of gardeners and is ideal for use on medium-sized to large gardens.

ALKO 36 V I **BATTERIES AND CHARGERS**



B 150 Li battery Lithium-ion 36 V (max. 40 V) 4.0 Ah Art. no. 113 280

EAN no. 400 371 805 5283



B 200 Li battery

Lithium-ion 36 V (max. 40 V) 5.0 Ah Art. no. 113 524 EAN no. 400 371 805 7096



C 130 Li charger

Lithium-ion, 36 V (max. 40V) 3.0 A Art. no. 113 281 EAN no. 400 371 805 5290

www.famcocorp.com

- E-mail: info@famcocorp.com @famco_group
- Fax: ۲1 ۴۴99۴۶۴۲

Tel:•ΥΙ- ۴ Λ • •

ALKO 3E

ENERGY FLEX





LAWNMOWER FROM PAGE 53



CHAINSAW PAGE 133



SCARIFIER PAGE 92




HEDGE TRIMMERS PAGE 115







- ⊗ www.famcocorp.com
- 🖻 E-mail: info@famcocorp.com
- @famco_group





ALKO 17

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲



AND 36 V (MAX. 40

Does high voltage mean high power? It sounds attractive, but unfortunately it's not right. The power of your gardening tool is not defined by the volts or ampere-hours alone. The volt is merely a way of measuring voltage – the tools' watt-hours specifications are much more important. Watt-hours are calculated by multiplying voltage with capacity (volts times ampere-hours) and describe the energy content and thus also the operating time until recharging will be necessary.

At AL-KO, we always keep your needs in mind, so we have deliberately decided to offer batteries with up to 40 V and up to 180 watt-hours. Because they offer advantages that are perfectly matched with the requirements of your gardening work:

- Optimal performance for professional demands
- Long operating times
- Perfectly lightweight construction
- Easy-to-handle size



Voltage

Capacity **VOLTS** × AMPERE-HOURS

Ah

Capacity

WATT-HOURS

Wh

Higher voltages don't necessarily equate to higher usefulness. On the contrary, this can only be achieved by using more battery cells in the battery and is therefore inevitably associated with disproportionately higher weight, a larger, bulkier housing and significantly higher costs.

We want to make your gardening easier and more pleasant, which is why we only use the best solution for you: Smart battery technology up to max. 40 V, easy to use for pure gardening enjoyment.

So we always have exactly the right type of drive and the perfect power supply for your needs.

TIP OPTIMAL BATTERY STORAGE

The battery should be stored in a dry and frost-free place. Remember to check the battery charge level after extended storage (every 1-2 months). Lithium-ion batteries can discharge fully when not used and should therefore be charged on a regular basis.



Follow the instructions in the user manual.

WE HAVE THE RIGHT SOLUTION FOR EVERY NEED.

AL-KO 18 V MAX. 20 V) approx. 90 Wh + Perfectly optimised + Optimised, adequate performance Highly lightweight and manoeuvrable + Value for money For small to medium-sized areas

AL-KO 36 V

approx. 180 Wh

MAX. 40 V)

- + Perfectly optimised
- + Unrivalled performance
- With one battery for the entire year + Full power

OTHER

The nominal voltage (18 V / 36 V) is the voltage in normal operation. The

maximum voltage (max. 20 V / 40 V)

indicates the maximum measurable value reached at the end of charging.

>40 V

MANUFACTURERS

- Big and heavy
 - Bulky
- Strenuous to use - Expensive

For medium-sized to large areas

18 **AL-KO**

- www.famcocorp.com
- E-mail: info@famcocorp.com
- 📵 @famco_group

(Tel:071- F A 0 0 0 0 F 9 Fax: • ۲1 – ۴۴99۴۶۴۲ تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص گرج) روبـروی یالایشگاه نفت یـارس، یلاک ۱۲

رصنعت THE BBA 40 AD



CARRY THE BATTER 1 COMFORTABLY ON THE BELT

Hand-held products are becoming lighter because the battery can be carried on the belt rather than in the tool.

MAKING GARDENING WORK EVEN EASIER

- Up to a 30% weight reduction
- Reduces strain on your arms
- Optimum freedom of movement thanks to one-click disconnection of the belt and tool
- Comfortable to carry thanks to the special padding
- Stress-free gardening work
- The most lightweight tools on the market
- Ready to use out-of-the-box



FOR THE FOLLOWING AL-KO ENERGY FLEX PRODUCTS:



Leaf blower LB 4060 Page 113



Leaf blower/vacuum blower LBV 4090 Page 113



GT 4030 Page 100



Hedge trimmers HT 4055 Page 115



Chainsaw CS 4030 Page 133



Multi-tool MT 40 From page 108



even more efficient gardening work thanks to the AL-KO battery belt.

w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com

@famco_group

(Tel:∘۲1− ¥ ∧ ∘ ∘

ALKO 19 |

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

WITH THE R



ACHIEVE THE PERFECT GARDEN IN 3 STEPS WITH THE ROBOLINHO® W:

Download the AL-KO inTOUCH Smart Garden app and launch the machine connection wizard.

Give your Robolinho® a name or nickname

> Enter your WiFi details to establish the connection between your home WiFi system and the AL-KO Smart Cloud.



www.famcocorp.com

@famco_group

E-mail: info@famcocorp.com

(Tel:071- F A 0 0 0 0 F 9 (Fax: 0 + 1 - + + 9 9 + 5 + +

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲ Harness the full digital potential of our powerful system - made easy thanks **TOUCH Smart Garden app and our Sma** some of the key features:

Use a nickname

Add your Robolinho® W to your app and define a 'nickname' for it. Some of our favourites for your inspiration:

Robby, Bruno or Matev



aure perate

Robolinho® W from ease using the app, nfigure lawn mowing in sensor, eco mode, s and more.



Security fit for the future

You can rest assured that the transfer of data between the Robolinho® W, the AL-KO inTOUCH Smart Garden app and the AL-KO Smart Cloud is absolutely secure and is compliant with the most stringent statutory data protection standards. All data transfer is in encrypted form, and the cloud data is hosted in Europe. None of the AL-KO gardening tools has a camera or microphone, so your privacy at home is secure and protected.



The Robolinho® W's error reports can be sent to the dealer using the app so that remote support can be provided (similar to reading the fault



Updates Keeping your appliance

With our software updates, you can keep your Robolinho® W up to date at all times and benefit from new and improved features.



The Robolinho® W reports its status to the AL-KO inTOUCH Smart Garden app and immediately provides guidance when your input is needed through push notifications if desired.*



For example, when you're away or for servicing you can "lend" your Robolinho® W to family members, neighbours or your retailer, in other words, grant virtual access to the appliance.

Voice control*

Control your Robolinho® hands-free using its nickname, add it to task groups and routines, query its status, and easily configure functions by voice command, for example mowing times.

"Alexa! Tell AL-KO that the Robolinho® needs to mow the lawn at 8 a.m. on Monday.





You can now connect, automate and control your Robolinho $^{\circledcirc}$ W very easily with other devices and services, thanks to the AL-KO IFTTT service (IF THIS THEN THAT) - even across web services

- To the AL-KO IFTTT service: ifttt.com/alko_smart_garden
- More information and use cases on pages 24/25







Your Robolinho® W can also be operated over IFTTT or Google Assistant by voice

* Connection to the AL-KO Smart Cloud required



🖻 E-mail: info@famcocorp.com

📵 @famco_group

Теl:о۲1- к лоооо к 9 Fax: • ۲1 - ۴۴99۴9۴۲ تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)

روبـروی یالایشگاه نفت یـارس، یلاک ۱۲

solo by AL-KO | 21

THE AL-KO I




NUMEROUS WAYS TO CONNECT

The smart connected Robolinho® W model robotic lawnmowers can be controlled and automated via IFTTT routines. There are two ways to connect the Robolinho® with other web services and devices:

- If Robolinho® receives a user-selected signal ("trigger") from another web service or device, the Robolinho® carries out a user-
- When Robolinho® reaches a user-defined state, a user-defined action of another web service or device is triggered.

Thanks to the underlying concept of IFTTT it is possible to define individual scenarios. Synchronise Robolinho® activities with any IFTTT service, e.g. with a weather channel (stop mowing during a storm) or with an irrigation service (stop mowing when the lawn is being watered).

PERSONALISED SMART HOME by connecting your Robolinho® with hundreds of web services and devices







🔄 E-mail: info@famcocorp.com

📵 @famco_group

Tel:o۲I- ۴ A o o o o ۴ 9

(Fax: 011 - FF99F9F1

GO MOW!

EXAMPLE APPLICA





CONTROLLING THE BASED ON THE WEATHER

The moment the weather service reports a storm or thunderstorm, the Robolinho® receives the command to stop mowing and return to the base station.

When the sun comes out again, the Robolinho® starts mowing.





Should your Robolinho® mow during the morning in daylight, it will receive a command from the weather service to start mowing as soon as the sun rises. Should your Robolinho® mow only in the evening until sunset, it will receive a command from the weather service to stop mowing as soon as the sun sets.





CONTROLLING THE ROBOLINHO® DEPENDING ON THE IRRIGATION STATUS

By connecting the Robolinho® to a compatible irrigation system via IFTTT, you can instruct the Robolinho® to mow only at the end of the irrigation cycle.

When irrigation starts, the Robolinho® receives the command to stop mowing and return to the base station.





⊗ w w w . f a m c o c o r p . c o m

🔁 E-mail: info@famcocorp.com

@famco_group

(Tel:011- # A 0 0 0 0 # 9

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پانایشگاه نفت پارس، پلاک ۱۲



ORTANT THINGS

KEEPING YOUR HAI

In many situations you may have your hands full or be pressed for time. Thankfully your diligent Robolinho® W can be used easily by voice command via Amazon Alexa. Simply say the command and your robot can start mowing the lawn, take a break, go back to the base station and complete a range of other everyday tasks. This way, you'll have more time to focus on more important things.

Alexa! Ask AL-KO how the Robolinho® is doing. General status query

> Your Robolinho® is in really good shape! It has 72 per cent battery life, it's currently mowing the lawn, and its current task has another 37 minutes to go.

General status query

Alexa! Tell AL-KO that the Robolinho® can go home now. Sending back to base station

Sending the Robolinho® home

Alexa! Tell AL-KO to start the Robolinho® now / to send it on a break.

Start/stop



Starting/stopping the Robolinho®

Alexa! Tell AL-KO that the Robolinho® should mow the lawn on Mondays at 10 a.m. for two hours.

Setting lawn mowing times

Lawn mowing time set for Monday at 10 a.m. for 120

24 **solo** by AL-KO

www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

Теl:•۲۱- ۴ л • • • • (Fax: 0 + 1 - + + 9 9 + 5 + +

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

AL-KO INTOL FAMCO RDEN APP CONTROL VOLID DO TEDE

CONTROL YOUR RO

HERE

With the AL-KO inTOUCH Smart Garden app and our Smart Cloud, you can connect your Robolinho® and other smart garden tools to create intelligent overall solutions that make gardening child's play.

Simply optimise tasks, automate routines to suit your preferences, manage appliances such as the Robolinho® W from anywhere, and get useful information about your appliances and your garden. This saves not only effort and resources, but also your valuable time.



Mowing pause time: 8 h

AL-KO in TOUCH



MON TUE WED THU FRI SAT SO Mow operation

SMART MOWING TIME WINDOW

Adapts to actual needs (weather, temperature, etc.)

THE ROBOLINHO® 'SHARE' FEATURE

(for example when you're away or when your service partner carries out remote maintenance)

OPERATING AND CONFIGURING

(mowing time window, rain sensor, Eco mode, starting points, updates and much more)

STAY INFORMED AT ALL TIMES

Status message and direct assistance – if you want, by push notification.

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- 📵 @famco_group





YOUR **ADVANTAGES**


- THE ROBOLINHO® DEVICES ARE VERY **OUIET WHEN IN OPERATION.**
- IT MAKES THE GRASS THICKER, STRONGER AND MORE ATTRACTIVE.
- THE ROBOLINHO® DEVICES ARE **INCREDIBLY ECO-FRIENDLY** THANKS TO THEIR LOW ENERGY CONSUMPTION.
- **EASY INSTALLATION AND** RELIABILITY PROVIDED BY EASY-**TO-USE USER INTERFACE OFFERS GREATER FREEDOM.**
- THE GRASS CLIPPING DON'T HAVE TO BE DISPOSED OF. AND THUS CAN **BE USED AS NATURAL FERTILISER** (MULCH)
- A COMPREHENSIVE SAFETY SYSTEM WITH SEVERAL SENSORS ENSURES PROTECTION IN ALL SCENARIOS.







@famco_group





E-mail: info@famcocorp.com

@famco_group

() Tel:0YI- # A 0 0 0 0 # 9

solo bv AL-KO | 27



solid, folding design.








28 | solo towww.famcocorp.com

E-mail: info@famcocorp.com

@famco_group



تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی یالایشگاه نفت یـارس، یلاک ۱۲





You can monitor and configure your Robolinho® easily using the AL-KO in-TOUCH app, Amazon Alexa and IFTTT. You can also use these to link up other services and appliances.





DOUBLE SHARPNESS ON BOTH SIDES


The two hardened blades are rotated alternately in clockwise and anti-clockwise operation, which keeps them sharp for twice as long. And by simply flipping over the blades, you can double their service life a further time. The unique double blade technology with clearing blades delivers a perfect cut.



The built-in rain sensor gives you the choice: mow the lawn in the rain or take a break. The integrated temperature sensor warns you of frost.

PERFECT CLIMBING ABILITY **EASY TO USE**

Thanks to the device's powerful drive system and high-grip wheel tread, the Robolinho® can master gradients of up to 45% with ease. The two drives, with the robust wheel tread, ensure small turning radii and excellent traction.












@famco_group













MOVE

AROUND OBSTACLES

Exclude obstacles such

as beds and pools using

the boundary cable

YOUR PATH TO FULLY AUTOMATIC LAWN CARE

INSTALLATION SERVICE

The installation can be even more convenient if you have an installation partner come to do it.



DISCOVER OUR SMART ROBOLINHO® ROBOTIC MOWERS.

UNDISTURBED NIGHTS

Our prickly friends mostly move around in the dark. Out of consideration for them, it's better to leave vour Robolinho® in its base station at night.

LAYING CABLE

Lay the boundary cable around the mowing area.



30 solo to www.famcocorp.com



Tel:o۲I- ۴ A o o o o ۴ 9 (Fax: 011 - FF99F9F1

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

SMART GARDENING

Robolinho® connects to the AL-KO Smart Cloud over WiFi either directly with the inTOUCH app on your smartphone or through your WiFi home network over the internet. This allows you to monitor, configure and operate the Robolinho® from

anywhere ii by using t app, using using the S In additior from regula

for your Robolinho® and the ability to share your Robolinho®











PROTECT BEES

There are fewer and fewer places that are safe for bees in the outdoors. You can help them by giving them a separate area of their own.

SETTING UP THE BASE STATION

Installation of the base station in a location which is protected from the weather. Now possible outside the lawn area.

NARROW PASSAGES

Narrow corridors of only 60 cm can be managed by the Robolinho® without any issues.

aala b... Al 1/0 | 31

- ww.famcocorp.com
 - E-mail: info@famcocorp.com @famco_group
- (Tel:071- F A 0 0 0 0 F 9 (Fax: 011 - FF99F9F1



ROBOLIN 450 W

FAMCO

ROBOLINHO® 700 W



| Ideal for sn

- dens Gets into the through narro
- compact design and mongo
- Easy to install and operate
- Four-fold blade service life through geometry with right-hand and left-hand rotation




Small, compact and agile

- High ground clearance for effortless mowing in high, thick grass
- Double-bladed mower deck with reversible blades
- Longer service life thanks to righthand/left-hand rotation


Art. no. 127 569



For areas of up to 450 m²



For areas of up to 700 m²



ROBOLINHO® 1200 W



- | Narrow passages from 60 cm in width
- | Six individual starting points can be configured.
- | Easy to reach far-away areas in complex gardens.
- Smart rain sensor
- Reliable and convenient






- | Efficient operation with an large area coverage
- | Fully automatic operation
- Powerful and surprisingly quiet drive system in conjunction with high ground clearance and the tried-andtested mulching blade system
- Controlling the device from the simple display or your smartphone via inTOUCH couldn't be easier.

Art. no. 127 571





For areas of up to 1,200 m²



For areas of up to 2,000 m²



32 | solo towww.famcocorp.com

- E-mail: info@famcocorp.com
- @famco_group



PREMIUM

ROBOTIC LAWNMOWERS	Robolinho® 450 W	Robolinho® 700 W	Robolinho® 1200 W	Robolinho® 2000 W
Working area*	Max. 450 m ²	Max. 700 m ²	Max. 1,200 m ²	Max. 2,000 m ²
Climbing ability	35 %	45%	45%	45%
Cutting width	20 cm	22 cm	23 cm	23 cm
Mowing time/charging time (max.)	50/45 min	60/50 min	140/90 min	240/170 min
Dimensions (L x W x H)	600 x 400 x 290 mm	600 x 400 x 290 mm	625 x 440 x 290 mm	625 x 440 x 290 mm
Cutting height adjustment	25–55 mm, manual	25-55 mm, manual	25-55 mm, manual	25–55 mm, manual
Volume in mowing mode	Max. 60 dB (A)			
Dual-bladed technology	✓	✓	✓	✓
Rain sensor	✓	✓	✓	✓
Freely selectable entry points	3	3	6	9
Installation option for 2nd base station	✓	✓	✓	✓
WiFi + Smart Cloud Connect**	✓	✓	✓	✓
Accessory included	1 unit base station			
Art. no. / EAN no.	127 618 / 400 371 806 1970	127 569 / 400 371 806 0515	127 570 / 400 371 806 0522	127 571 / 400 371 806 0539







^{*}The maximum area may be reduced by the layout of the garden as well as the number and size of the obstacles.

E-mail: info@famcocorp.com

@famco_group

Теl:•۲1- к л о о о о к ч (Fax: 011 - FF99F9F1

^{**} incl. integration with the AL-KO inTOUCH app (available for iOS and Android), Amazon Alexa, IFTTT





(Fax: 071 - FF99F9F7

🖻 E-mail: info@famcocorp.com

@famco_group



تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)

روبـروی پالایشگاه نفت پارس، پلاک ۱۲



SE STATION INCL. BASE PLATE

bolinho® 700 W/1200 W/2000 W . no. 127 516 N no. 400 371 805 9571

JABLE REPAIR KIT

Robolinho® 700 W/1200 W/2000 W Art. no. 127 327 EAN no. 400 371 805 5139



REINFORCED LOOP WIRE

Roll (300 m) Art. no. 127 335 EAN no. 400 371 805 5924




LOOP WIRE

(150 m) Art. no. 119 462 EAN no. 400 371 835 1484



GROUND NAILS

(90-piece) Art. no. 119 461 EAN no. 400 371 835 1477



REPLACEMENT BLADES (3x2-piece)

Robolinho® 700 W/1200 W/2000 W Art. no. 127 465 EAN no. 400 371 805 8574



CUTTER DISC INCL. BLADE Robolinho® 450 W Ø 200

Art. no. 127 466 EAN no. 400 371 805 8581

Robolinho® 700 W Ø 220

Art. no. 127 467 EAN no. 400 371 805 8598

Robolinho® 1200 W/2000 W, Ø 230

Art. no. 127 544 EAN no. 400 371 806 0287



SET OF WHEEL CLAWS

Suitable for all Robolinho® models (450 W, 700 W, 1200 W and 2000 W) Art. no. 127 675 EAN no. 400 371 806 3615

NEW



Art. no. 127 676 EAN no. 400 371 806 3622

CABLE LAYING KIT

1 x 150 m loop cable 1 x 90-piece ground nail set 5 x cable connectors Art. no. 127 513 EAN no. 400 371 805 9540

CABLE LAYING KIT


2 x 150 m loop cable 3 x 90-piece ground nail set 10 x cable connectors Art. no. 127 514 EAN no. 400 371 805 9557





[@]famco_group







I MOWING

RAITERY KIDE-ON **LAWNMOWER**





YOUR **ADVANTAGES**

- POWERFUL LITHIUM-ION **BATTERY FOR UP TO 150** MINUTES OF MOWING
- CRUISE CONTROL
- **REVERSE MOWING AT FULL**
- ERGONOMIC, ADJUSTABLE SEAT
- MULCH PLUG INCLUDED AND OPTIONAL REAR DEFLECTOR
- LARGE GRASS CATCHER BOX WITH TELESCOPIC LEVER
- **✓** FILL LEVEL INDICATOR WITH **ACOUSTIC SIGNAL**

PREMIUM

R 85.1 Li



Now with a powerful battery drive

- Smooth electric drive
- Large lithium-ion battery for long-lasting operation
- I Increased comfort through quiet
- Close to edge mowing on both sides
- Adjustment of the blade speed in difficult conditions
- I Optimised, responsive steering
- Adjustable seat for better ergonomics
- Grass catcher box fill level indicator
- Convenient recharging via a power socket

Art. no. 127 617

ACCESSORIES



DEFLECTOR

for the R 85.1 Li battery ride-on lawnmower Art. no. AK81EE08000 EAN no. 400 371 805 9793



- w w w . f a m c o c o r p . c o m
- E-mail: info@famcocorp.com
- @famco_group

Tel:•ΥΙ- ۴ Λ • • (a) Fax:011 - FF99F9F7



YOUR **ADVANTAGES**

- COMFORTABLE, **ADJUSTABLE SEAT**
- **EASY-TO-USE CONTROLS**
- POWERFUL AL-KO PRO OR **BRIGGS & STRATTON ENGINE**
- FILL LEVEL INDICATOR WITH **ACOUSTIC SIGNAL**
- **HYDROSTATIC DRIVE WITH FOOT PEDAL***

- PATENTED REVERSE MOWING AT **FULL SPEED**
- LARGE GRASS CATCHER BOX WITH TELESCOPIC LEVER
- **✓**LOW OVERALL WIDTH OF MAX. 80 CM
- MANOEUVRABLE THANKS TO THE **GEARED STEERING***
- ANTI-SLIP STEERING WHEEL
- OPTIONAL DEFLECTOR

not available for all models



FAMCO

R 7-63.8 A

Small is beautiful

- 62 cm cutting width
- Ideal for narrow garden passages with a total width of just 80 cm
- Highly manoeuvrable and compact
- Dynamic ride-on mower for angular areas and obstacles
- 4.2 kW AL-KO Pro engine
- Precision mowing results and optimum grass catching even with dense and damp grass
- | Fill level indicator with acoustic signal



62 cm cutting width

Hydrostatic drive

Ergonomic controls

Geared steering

Grass catcher box fill level indicator

Powerful Briggs & Stratton engine

Infinitely variable transmission

Patented reverse mowing at full speed



DEFLECTOR

for the R 7 ride-on lawnmower Art. no. 127 534 EAN no. 400 371 805 9793



COMFORT

PREMIUM

	PEIKUL		BAITERY
RIDE-ON Lawnmowers	R 7-63.8 A 1	R 7-65.8 HD 1	R 85.1 Li
Engine	AL-KO Pro 225 (1 cylinder)	Briggs & Stratton 950 E (1 cylinder)	Brushless
Power	224 ccm / 4.2 kW / 3,000 rpm	223 ccm / 4.0 kW / 3,000 rpm	72 V max. / 31 Ah / lithi- um-ion 2,232 Wh/hr
Working width / mowing circle radius	62 / 63 cm	62 / 63 cm	81 / 50 cm
Recommended area	2,500 m²	3,000 m²	6,000 m²
Maximum operating time	-	-	150 mins (12 hour charging)
Cutting height/height adjustment	2.5 – 7.5 cm / central, 4-stage	2.5 – 7.5 cm / central, 4-stage	2.5 – 13 cm / central, 10-stage
Transmission (forward/ reverse)	Gearbox (F: 4 / R: 1)	Foot hydrostatic (T1)	E-Drive
Speed forwards/reverse	0-4.5 / 0-1.5 km/h	0 – 6.2 / 0 – 3.8 km/h infinitely variable	0 – 6.5 / 0 – 5.0 km/h infinitely variable
Mowing deck / blades	Sheet steel / 1 blade	Sheet steel / 1 blade	Sheet steel / 2 blades
Grass catcher box	130 L	130 L	190 L
Wheel Ø (mm front/rear)	11 x 4.0–5 / 13 x 5.0–6	11 x 4.0-5 / 13 x 5.0-6	11 x 4.0–5 / 13 x 5.0–6
Art. no./EAN no.	127 486 / 400 371 805 9304	127 487 / 400 371 805 9298	127 617 / 400 371 806 1871

EVERY THING AT A **GLANCE**



- w w w . f a m c o c o r p . c o m
- E-mail: info@famcocorp.com
- @famco_group



GET A L...FAST **AND EFFORTLESSLY**



Lawnmowing for the most discerning standards



Perfect mowing results on any terrain



For all lawn types





Subject to annual service at an Official AL-KO Dealer

- 🔞 w w w . f a m c o c o r p . c o m
- 🔄 E-mail: info@famcocorp.com
- @famco_group

(Tel:071- F A 0 0 0 0 F 9 (Fax: 0 1 - FF99F9F7 تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبــروی پالایشگاه نفت پـارس، پلاک ۱۲



YOUR ADVA FAMCO

هاييرصنعت

- LARGE GRASS CATCHER
 TELESCOPIC LEVER / GA
 SUPPORT* & ACOUSTIC FILL
 LEVEL INDICATOR
- OPTIONAL MULCH & REAR DISCHARGE FUNCTIONS

REAR DISCHARGE



SIDE DISCHARGE TRACTORS

- SIDE DISCHARGE WITH OPTIMAL DEPOSIT OF CUTTINGS
- CONVERT TO MULCHING FUNCTION WITHOUT NEEDING ANY TOOLS

* not available for all models



IOMIC WORKING ION, WITH EASY ACCESS D OFF THE TRACTOR

- MOWING RIGHT UP TO THE EDGES
- POWERFUL BRIGGS & STRATTON & AL-KO PRO ENGINES
 - ANTI-SLIP STEERING WHEEL



- BROAD WHEELS FOR OPTIMAL TRACTION
- MOWER DECK CAN BE REMOVED IN JUST A FEW MINUTES
- PATENTED FREEWHEEL
 MECHANISM FOR PROTECTING
 THE TRANSMISSION UNIT
- ELECTROMAGNETIC BLADE BRAKE CLUTCH
- FOOT HYDROSTATIC

solo bv AL-KO | 43

www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

(Tel:011- k v 0 0 0 0 k

(Fax:011 - FF99F9FF

تهران ، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس ، پلاک ۱۲

COMFORT

TRACTORS

T 15-93.9

Compact and v

- 95 cm working w
- Powerful AL-KO
- Hydrostatic drive
- Ideal for medium-sized lawns
- Mulching insert and numerous optional attachments
- An all-rounder during the summer and winter

Art. no. 127 574



FAMCO **SCHARGE** TRACTOR

DISCOVER INCREDIBLE MOWING PLEASURE



T 22-111.7 HDS-A V2



| Wide cut and powerful


- Powerful 2-cylinder AL-KO Pro engine
- 110 cm wide mowing deck
- With mulching function
- | Effective and fast results on large
- Large, wide tyres for excellent traction without leaving wheel ruts
- | Easy to activate and de-activate mower blades thanks to the electromagnetic blade brake clutch
- Rapid conversion to winter usage with the mowing deck's quick-change system






YOUR ADVANTAGES

- Convert to mulching function without needing any tools
- Mower deck can be removed in a few minutes
- Side discharge with optimal deposit of cuttings



- E-mail: info@famcocorp.com
- @famco_group





COMFORT

SIDE DISCHARGE TRACTORS	T 15-93.9 HDS-A	T 22-111.7 HDS-A V2
Engine	AL-KO Pro 450	AL-K0 Pro 700 V2
ccm / kW / rpm	452 / 8.5 / 2,900	708 / 13 / 2,700
Working width	95 cm	110 cm
Area coverage	7,000 m ²	10,000 m²
Cutting height / height adjustment	3-8 cm / central, 6-stage	3–8 cm / central, 6-stage
Blade brake clutch	Electromagnetic	Electromagnetic
Number of cylinders	1 cylinder	2 cylinder
Transmission	Foot hydrostatic (T2)	Foot hydrostatic (T3)
Wheels F/R (inches)	15×6.0-6 / 18×8.5-8	15 x 6.0–6 / 18 x 8.5–8
Grass catcher box	-	-
Grass catcher box emptying	-	-
Mulching	✓	✓
Bumper	Optional	Optional
Headlights	Optional	Optional
Length/width/height	190 / 102 / 114 cm	190 / 117 / 114 cm
Art. no. / EAN no.	127 574 / 400 371 806 0737	127 445 / 400 371 805 7751



PATENTED FREEWHEEL **MECHANISM FOR PRO-TECTING THE TRANS-MISSION UNIT**

- With this special mechanism, the forwards/backwards accelerator pedal is switched off while braking.
- This protects the transmission and increases the machine's service life when the accelerator pedal is operated at the same time as the brakes.

w w w . f a m c o c o r p . c o m





T 15-93.7

FAMCO EAR

money Compact, entry-I

Great performa

- 93 cm mowing w
- Comfortable foot hydrostatic
- Large fabric grass catcher with 220 I volume
- | Powerful AL-KO Pro engine with 7.7 kW power rating and OHV technology

Art. no. 127 417



TRACTOR THE PERFECT COLLECTOR

FOR YOUR GRASS CLIPPINGS

UULLECT

T 15-103.7 HD-A H



| For large areas

- | 103 cm working width
- Powerful 7.5 kW AL-KO Pro engine
- Ergonomic controls
- Comfortable mounting and dismounting thanks to the low and accessible access point

Art. no. 127 418



T 13-93.7 HD




Ideal for level lawns

- 93 cm mowing width
- | Powerful 6.3 kW Briggs & Stratton engine
- | Effortless care for medium-sized to large lawns
- The optimal pivot point in combination with the ergonomic telescopic lever ensure easy mechanical box emptying
- Optional mulching kit

Art. no. 127 416







- E-mail: info@famcocorp.com
- @famco_group

Теl:о۲1- к лоооо к 9 Fax: • ۲1 - ۴۴99۴9۴۲

T 16-93.7 HD V

A powerhouse for eve kind of terrain

- 93 cm working width
- Powerful, 2-cylinder, 9.6 Briggs & Stratton engine
- Extensive range of accessories
- | Easy-to-dismantle mowing deck
- The quick release mower deck system allows for all year round use
- | Bright LED headlights

Art. no. 127 443





300-LITRE GRASS CATCHER BOX WITH GAS SPRING SUPPORT

T 16-103.7 HD V2 1



Workhorse with 2 cylinders

- 103 cm wide mowing deck
- Low-vibration, powerful, 9.1 kW, 2-cylinder engine from Briggs & Stratton
- Suitable for all terrains
- Torsion-resistant frame
- Easy to manoeuvre
- Easy-to-access controls
- | Bright LED headlights


Art. no. 127 444





COMFORT

REAR DISCHARGE Tractors	T 15-93.7 HD-A	T 15-103.7 HD-A	T 13-93.7 HD	T 16-93.7 HD V2	T 16-103.7 HD V2	
Engine	AL-KO Pro 450	AL-KO Pro 450	Briggs & Stratton 3130 Powerbuilt	Briggs & Stratton Intek 7160 V2	Briggs & Stratton Intek 7160 V2	
ccm / kW / rpm	452 / 7.7 / 2,600	452 / 7.5 / 2,450	344 / 6.3 / 2,600	656 / 9.6 / 2,600	656 / 9.1 / 2,450	
Working width	93 cm (2 blades)	103 cm (2 blades)	93 cm (2 blades)	93 cm (2 blades)	103 cm (2 blades)	
Area coverage	up to 6,000 m ²	up to 7,000 m ²	up to 6,000 m ²	up to 6,000 m ²	up to 7,000 m ²	
Cutting height / height adjustment	3-8 cm / central, 6-stage	3-8 cm / central, 6-stage	3-8 cm / central, 6-stage	3-8 cm / central, 6-stage	3-8 cm / central, 6-stage	
Blade brake clutch	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic	
Number of cylinders	1 cylinder	1 cylinder	1 cylinder	2 cylinder	2 cylinder	
Transmission	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)	
Wheels F/R (inches)	15×6.0–6 / 18×8.5-8	15×6.0–6 / 18×8.5-8	15×6.0–6 / 18×8.5-8	15×6.0–6 / 18×8.5-8	15×6.0–6 / 18×8.5-8	
Grass catcher box	220	220	220 I	220 I	300	
Grass catcher box emptying	Telescopic lever	Telescopic lever	Telescopic lever	Telescopic lever	Telescopic lever / gas pressure	
Mulching	Optional	Optional	Optional	Optional	Optional	
Bumper	Optional	Optional	Optional	Optional	Optional	
Headlights	Optional	Optional	Optional	LED	LED	
Length/width/height	239 / 102 / 114 cm	239 / 110 / 114 cm	239 / 102 / 114 cm	239 / 102 / 114 cm	239 / 110 / 114 cm	
Art. no. / EAN no.	127 417 / 400 371 805 7294	127 418 / 400 371 805 7300	127 416 / 400 371 805 7287	127 443 / 400 371 805 7737	127 444 / 400 371 805 7744	











THE INTEK ENGINES

Many lawn tractors are fitted with highquality, air-cooled Intek engines from the US manufacturer Briggs & Stratton.

The reason: That's because it's one of the best power units available on the market in terms of lawn tractors.

Thanks to cast-iron cylinder liners, pressure lubrication with oil filter, antivibration system and state-of-the-art OHV technology with overhead valves, the series is extremely durable and reliable. What's more, it ensures excellent results in day-to-day demanding tasks.



- www.famcocorp.com
- E-mail: info@famcocorp.com
- 🏫 🔭 @famco_group

- Теl:•۲1- к л о о о о к ч (Fax: 0 1 - FF99F9F7
- تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

OUR POWE FAMCO MACHINES

THE STRONGEST HORS













Majestic v

You'll feel like comfort seat fortable, you'll leave it again!



asy off

ow entry level, getting on to the ess, so you can start mowing



The perfect trim

The central multi-step cutting height adjustment lets you work precisely and as you wish in all conditions.



Big wheels keep on turning

XXL wheels

for mowing that protects the lawn.



Twice as sharp!

Everything in view*

you can simply look up data

such as speed, previous mowing time, fuel gauge, etc. on your smart cockpit - while

you mow.

The two-part cutting mechanism with a cutting width of

can be dismantled in only two minutes! With no need for a mechanic!



The incredibly powerful

2-cylinder engine with integrated cruise control allows uniform and effortless moving in all situations.*

Strong performance

The strong construction. reinforced frame and cast-iron axle ensure the durability of the tractor and enable high mowing precision.*



With our quality promise "Engineered in Germany & Made in Austria", there's nothing to stand in the way of years of enjoyable mowing.



Nimbly through the garden slalom

With the smooth steering you'll manoeuvre through your garden and around all obstacles both forwards and backwards.



- 🔞 w w w . f a m c o c o r p . c o m
- 🖻 E-mail: info@famcocorp.com
- @famco_group

(Tel:071- F A 0 0 0 0 F 9 (Fax: 011 - FF99F9F1 تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)

* not available for all models

روبـروی پالایشگاه نفت پارس، پلاک ۱۲



YOUR ADV! FAMCO



PATENTED FRAME, ENS DURABILITY

- POWERFUL 4-STROKE ENGINE
- **ERGONOMIC, ADJUSTABLE** SEATING POSITION
- MOWER DECK CAN BE REMOVED IN JUST A FEW MINUTES
- 95, 105, 110, 125CM DECK WIDTHS
- LARGE GRASS CATCHER BOX WITH ACOUSTIC FILL LEVEL SIGNAL
- NON-SLIP FOOTREST WITH INTEGRATED RUBBER ELEMENTS
- MOWING RIGHT UP TO THE EDGES
- MULCH PLUG AND BUMPER **INCLUDED**
- SMART-COCKPIT DISPLAY**

- **BALL-BEARING-MOUNTED DRIVE** FOR VIBRATION DAMPING
- **ELECTROMAGNETIC BLADE** BRAKE CLUTCH
- FORWARDS AND BACKWARDS PEDALS ARRANGED NEXT TO **ONE ANOTHER**
- EXTERNAL TANK NOZZLE
- **✓ LOW STEP AND PLENTY OF LEGROOM**
- **EASY-TO-USE CONTROLS**
- FOOT HYDROSTATIC
- **ELECTRIC TIP GRASS BOX** EMPTYING AT THE PUSH OF A **BUTTON***







KEEP AN EYE ON ALL FUNC فاييرصنعت



SMART MOWING

With the smart-cockpit display you can simply look up data such as speed, previous mowing time, fuel gauge, etc. on your smart cockpit - while you mow. Your smartphone acts as a cockpit. Simply insert it in the robust holder on the tractor.

- Download AL-KO inTOUCH app
- Link to the tractor
- Enhanced driving experience
- Convenient maintenance assistance



ENHANCED DRIVING EXPERIENCE



TRACTOR WITH LONGER SERVICE LIFE



MAKES YOUR WORK EASIER



ROBUST HOLDER FOR MAXIMUM SAFETY



BETTER MOWING RESULTS



SUITABLE FOR SMARTPHONES OF 4 TO 7"



APPLICATION TIPS IF PROBLEMS CROP UP

54 | solo to www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group


(Tel:071- F A 0 0 0 0 F 9

(Fax: 011 - FF99F9F1

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲


روبـروی پالایشگاه نفت پـارس، پلاک ۱۲





(Fax: 011 - FF99F9F1











YOUR ADVANTAGES

- Notification of scheduled servicing times (e.g. blade change, oil change, etc.)
- Regular contact between retailer and end-customer via app
- Servicing logs and notes

YOUR ADVANTAGES


- Servicing log for quick access to recommended future servicing actions
- | Easy to look up past services and inspections

SUPPORT DATA

- Contact a retailer of your choice
- Useful product videos
- List of accessories
- Spare parts lists
- File for electronic manuals

56 | solo to www.famcocorp.com

- E-mail: info@famcocorp.com
- @famco_group








CUSTOMISED SETTINGS



- Garden location
- Garden conditions
- Operating mode
- TRACTOR MOWING LOG*
 - Hours per week or month
 - Operating mode, e.g. driving time vs mowing time





* Requires link to smartphone while mowing

DISCOVER OUR SMART TRACTORS.



ACCESSORIES








INDUCTIVE CHARGING EXTENSION MODULE

Art. no. 127 656 EAN no. 400 371 806 3349

RETROFIT KIT FOR ALL PREMIUM TRACTORS AS FROM 2014

Art. no. 127 655 EAN no. 400 371 806 3332

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group



تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲



SCRUB OR HIGH GRASS? OUR HIGH GRASS MOWER DEUK HANDLES IT ALL!



@famco_group





(Fax: 011 - FF99F9F1

روبـروی یالایشگاه نفت یـارس، یلاک ۱۲



WITH HIGH GRASS MOWING DECK

T 22-110.0 HDH-A V2



- Robust, asynchronous blade system
- 5 mm thick blades guarantee long service life, even on difficult terrain
- 4 contact rollers on the mowing deck ensure the right balance on uneven terrain
- Easy-to-dismantle mowing deck for maintenance and cleaning thanks to the AL-KO quick-change system
- | Chevron tyres as standard for optimum traction
- | Bumper and tow hitch included





CHEVRON TYRES

20" chevron tyres fitted as standard to the rear wheels for improved traction on difficult terrain

HIGH GRASS MOWER DECK 110



MOWING RIGHT UP TO THE EDGES

Working width 110 cm



HIGH MOWING PERFORMANCE

3 cross-type cutting blades



ADJUSTABLE CUTTING HEIGHTS

30-90 mm cutting heights

⊗ www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

() Tel:•۲۱- ۴ ۸ ۰ ۰ ۰ ۰ ۴ ۹

(Fax: 011 - FF99F9F1

59

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)

T 15-95.6

| Comfortable n

- 95 cm wide mov
- 7.7 kW AL-KO P
- Foot hydrostatic
- Mulching kit and tow hitch included as standard
- Ergonomic pedals and controls in sight
- Non-slip footrest with integrated rubber elements

Art. no. 127 367



T 16-95.6 HD V2 H



2 cylinders under the bonnet

95 cm wide mowing deck

holes in the turf

- 9.6 kW Briggs & Stratton engine Perfect for terrain with gradients and
- With mulching insert as standard
- Ergonomic pedals and controls in sight
- Non-slip footrest with integrated rubber elements

Art. no. 127 369








T 16-105.6 HD V2






- 105 cm wide mowing deck
- Powerful, 2-cylinder, 9.1 kW engine from Briggs & Stratton
- For large and uneven lawns
- 8-litre fuel tank
- Fast and convenient tank refilling thanks to the external tank flap
- Ergonomic twin touch pedals
- LED headlights
- | With mulching kit & tow hitch

T 22-105.1 HD-A V2



NEW

| Perfect for large and hilly areas




- | 105 cm wide mowing deck
- | Ergonomic twin touch pedals
- Wide rear tyres to protect the lawn as you mow
- Comfortable and adjustable drivers
- | Fast and convenient tank refilling thanks to the external tank flap
- With mulch kit & tow hitch

Art. no. 127 601







- E-mail: info@famcocorp.com
- @famco_group







WITH SMART-COCKPIT

T 20-105.2 HD V2 SD



RT-COCKPIT

05.2 2 SD



NEW


tip and smart-cockpit

vide mowing deck

- 23" wide tyres for optimum traction
- Low centre of gravity for uneven terrain
- Powerful V-Twin 11.3 kW engine
- Front bumper and cast axle
- G700 transmission
- Semi-professional drive components
- With cruise control and mulching kit



| smart-cockpit



- 23" wide tyres for optimum traction
- 20-80mm cutting heights
- Powerful V-Twin 11.3 kW engine
- Cast axle
- Perfect for uneven terrain
- Semi-professional drive components
- With cruise control and mulching kit



SMART MOWING Thanks to the intuitive smart-cockpit, the driver not only has constant access to operating hours but also additional information such as speed, moving efficiency, remaining mowing time, battery charge level, reserve fuel level or relevant safety functions.

WITH SMART-COCKPIT

T 23-125.2 HD V2 SD





| Largest and most powerful model in the range

- | Extra-wide, with a timed125 cm mowing deck
- | Extra powerful, 2-cylinder engine (14.4 kW)
- I Ideal for the quick cutting of large areas (of up to 10,000 m²)
- Robust, torsion-resistant C-profile frame
- Sturdy die-cast front axle
- Semi-professional drive components
- Bumper and cruise control





- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

FAMCO هایپرسنعت **EVERYTHING** engineered in **GERMANY** AT A GLANC made in AUSTRIA PREMIUM with smart-cockpit

TRACTORS	T 15-95.6 HD-A	T 16-95.6 HD V2	T 16-105.6 HD V2	T 22-105.2 HD-A V2	T 20-105.2 HD V2 SD			
Engine	AL-KO Pro 450	Briggs & Stratton Intek 7160 V2	Briggs & Stratton Intek 7160 V2	AL-KO Pro 700 V2	Briggs & Stratton Intek 7200 V2			
ccm / kW / rpm	452 / 7.7 / 2,600	656 / 9.6 / 2,600	656 / 9.1 / 2,450	708 / 13.4 / 2,900	656 / 11.3 / 2,450			
Working width	95 cm (2 blades)	95 cm (2 blades)	105 cm (2 blades)	105 cm (2 blades)	105 cm (2 blades)			
Area coverage	up to 7,000 m ²	up to 7,000 m ²	up to 8,000 m ²	up to 8,000 m ²	up to 8,000 m ²			
Cutting height/ height adjustment	3–9 cm / central, 7-stage	2-8 cm / central, 7-stage						
Blade brake clutch	Electro-magnetic	Electro-magnetic	Electro-magnetic	Electro-magnetic	Electro-magnetic			
Number of cylinders	1 cylinder	2 cylinder	2 cylinder	2 cylinder	2 cylinder			
Transmission	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (T3)	Foot hydrostatic (G700)			
Wheels F/R (inches)	15 x 6.0-6 / 20 x 10.0-8	15 x 6.0-6 / 20 x 10.0-8	16 x 6.5-8 / 20 x 10.0-8	16 x 6.5-8 / 20 x 10.0-8	16 x 6.5-8 / 23 x 10.5-12			
Grass catcher box	310	310	310	310	310 I			
Grass catcher box emp- tying	Telescopic lever, electric emptying available							
Mulching	✓	✓	✓	✓	✓			
Bumper	✓	✓	✓	✓	✓			
Headlights	Optional	✓	✓	✓	✓			
Cast axle	_	-	-		✓			
Cruise control	_	-	-		✓			
Smart-cockpit	smart ready*	smart ready*	smart ready*	smart ready*	~			
Length / Width / Height	251/100/ 117 cm	251/100/ 117 cm	251/100/ 117 cm	256/110/ 120 cm	256/110/ 120 cm			
Art. no. / EAN no.	127 367 / 400 371 805 5771	127 369 / 400 371 805 5795	127 370 / 400 371 805 5801	127 621 / 400 371 835 6335	127 650 / 400 371 806 3165			

^{*}smart ready = All Premium tractor models as from 2014 can be retrofitted with the smart cockpit











with smart-cockpit

High Grass Mower with smart-cockpit

Smart Cockpit	Mowel	Siliait Gockpit				
T 20-105.2 HDE V2 SD	T 22-110.0 HDH-A V2	T 23-125.2 HD V2 SD				
Briggs & Stratton Intek 7200 V2	AL-KO Pro 700 V2	Briggs & Stratton Intek 8240 V2				
656 / 11.3 / 2,450	708 / 13.4 / 2,900	724 / 14.4 / 2,900				
105 cm (2 blades)	110 cm (3 blades)	125 cm (2 blades, synchro- nised)				
up to 8,000 m ²	up to 9,000 m ²	up to 10,000 m ²				
3–9 cm / central, 7-stage	3–9 cm / central, 7-stage	3–9 cm / central, 7-stage				
Electro-magnetic	Electro-magnetic	Electro-magnetic				
2 cylinder	2 cylinder	2 cylinder				
Foot hydrostatic (G700)	Foot hydrostatic (T3)	Foot hydrostatic (G700)				
16×6.5-8 / 23×10.5-12	16 x 6.5–8 / 20 x 10.0-8	16 x 6.5-8 / 23 x 10.5-12				
310	_	310 I				
Electric emptying	-	Telescopic lever, electric emptying available				
✓	-	✓				
	✓	✓				
✓	✓	✓				
✓	-	✓				
✓	-	✓				
✓	smart ready*	✓				
256/110/ 120 cm	200/114/ 117 cm	256/130/ 120 cm				
127 683 / 400 371 806 3707	127 575 / 400 371 806 0935	127 653 / 400 371 806 3196				





HYDRO DRIVE THANKS TO HYDRO-GEAR

As one of its key features, our tractors include a high-quality Hydro-Gear® transmission and thus can ensure the very best driving experience in even the most difficult situations. The hydrostatic transmission from Hydro-Gear® was developed, tested and built to ensure reliable, quiet and yet extremely precise performance for years to come. The star feature of our two top models – the T20 and T23 – is the G700 transmission series. With its rugged cast aluminium

housing and improved internal components, as well as solid 1" wheel shafts, the G700 offers the best performance in all situations, and over a long period of time. An external oil filter makes maintenance easier, while the integrated oil pump ensures that the main hydraulic elements are always supplied with sufficient oil to ensure smooth, low-noise operation with less wear and tear on the components. In brief: Top on Top.

E-mail: info@famcocorp.com





SMART-COCKPIT RETROFIT KIT

for all Premium tractors as from 2014

SMART-COCKPIT WIRELESS CHARGING EXTENSION MODULE





SPREADER SP 60*



LOADING RAMP COMPLETE STRAIGHT (PAIR)

2 m, 400 kg





BUMPER

COMBI TRAILER* with tipping and wheelbarrow function






DEFLECTOR



LOADING RAMP COMPLETE CURVED (PAIR)

2 m, 400 kg

*Use only in conjunction with the matching tow hitch



📵 @famco_group

E-mail: info@famcocorp.com

Fax:011 - FF99F9FF

Tel:o۲I- ۴ A o o o o ۴ 9



FA	M	CC	b
	- ـرص	ایپ	D

HDS-A	FAMCO
15-93.9 HD	هایپرسنعت

IIIAUIUII	
ACCESSORI	Ee
AUGEOOUNI	ΕO
Rumner	

TRACTOR ACCESSORIES	T 15-93.9 HDS-A	f		ا ۔ عن	\)	تث	ا		T 16-105.6 HD V2	T 22-105.1 HD-A V2	T 20-105.2 HD V2 SD	T 20-105.2 HDE V2 SD	T 22-110.0 HDH-A V2	T 23-125.2 HD V2 SD
Bumper Art. no. 119 658 / EAN no. 400 371 835 3464	0	U	U	U	U	U	U	•	~	~	~	~	~	~	~
Electric grass catcher box emptying Art. no. 119 602, EAN no. 400 371 835 2948	_	_	_	_	_	_	_	0	0	0	0	0	~	_	0
Mulching kit for 93/95 cm Art. no. 118 885, EAN no. 400 371 834 5643	_	_	0	0	0	_	_	~	~	_	_	_	_	_	_
Mulching kit for 103/105 cm Art. no. 119 656, EAN no. 400 371 835 3440	-	_	_	_	-	0	0	_	_	~	~	~	~	_	_
Premium deflector Art. no. 119 606, EAN no. 400 371 835 2986	_	_	_	_	-	-	_	0	0	0	0	0	0	_	0
Comfort deflector Art. no. 127 488, EAN no. 400 371 805 9281	_	_	0	0	0	0	0	_	_	_	_	_	_	_	_
Premium tow hitch Art. no. 119 608, EAN no. 400 371 835 3006	-	_	_	_	_	-	_	~	~	~	~	~	~	~	~
Comfort tow hitch Art. no. 119 831, EAN no. 400 371 835 5109	0	0	0	0	0	0	0	_	_	_	_	_	_	_	_
Lawn roller GW 100* Art. no. 130 539, EAN no. 576 972 033 0617	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Retrofitting kit for LED lights Art. no. 119 832, EAN no. 400 371 835 5116	0	0	0	0	~	0	✓	0	~	~	~	~	~	~	~
Combi Trailer CT 300 * Art. no. 27300C, EAN no. 506 036 621 2115	0	0	0	0	0	0	0	_	_	_	_	_	_	_	_
Combi Trailer CT 400 * Art. no. 113 870, EAN no. 400 371 806 1895	_	_	_	_	-	-	_	0	0	0	0	0	0	0	0
Spreader SP 60* Art. no. 113 874, EAN no. 400 371 806 1932	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Straight loading ramp Art. no. 113 861, EAN no. 400 371 806 1949	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Curved loading ramp Art. no. 113 862, EAN no. 400 371 806 2038	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
smart-cockpit retrofit kit Art. no. 127 655, EAN no. 400 371 806 3332	_	_	_	_	_	_	_	0	0	0	0	~	~	0	~
smartcockpit induction charging extension module Art. no. 127 656, EAN no. 400 371 806 3349	_	_	_	_	_	_	-	0	0	0	0	0	0	0	0

 $[\]ensuremath{^{\star}}\xspace$ Use only in conjunction with the matching tow hitch

Included as standardOptionalNot Available

COMFORT

PREMIUM



- E-mail: info@famcocorp.com
- @famco_group

(Fax:011 - FF99F9FF





2INONEfunction

Classic and proven - Mowing and grass catching





3INONE function

A versatile machine for the perfect lawnmowing, catching and mulching performance



The All-Inclusive package -Mowing, grass catching, mulching and side discharge

MAXAIRFLOW TECHNOLOGY

PERFECT AIR AND FLOW CHARACTERISTICS



IT'S A MATTER OF HEIGHT

Extra tall, extra large – that's the basis of MaxAirflow technology. Thanks to the extra-high steel plate housing and the extra-large discharge channel, airflow is increased by 42% compared to conventional steel plate housings.

So unlike in standard lawnmowers, the grass clippings are not thrown at a low angle into the grass catcher, but rather in a high arc. This means the grass catcher is effectively filled from the back, without the discharge channel becoming blocked.



FULL BOX, FEWER STOPS

MaxAirflow technology means that the lawn clippings are thrown to the back of the grass catcher box, meaning it can be filled to the top and doesn't have to be emptied so often.



OPTIMUM GRASS CATCHING

The perfectly filled box also collects grass cuttings from the discharge channel thanks to the integrated box tongue. This is an ideal way to collect the grass and leaves fewer grass clippings lying on the lawn.



NO MORE GREEN FINGERS

Thanks to MaxAirflow technology, it is possible to mow even long, damp grass, without leaving clumps behind on the ground or blocking the discharge channel. This way, you can avoid getting your hands dirty as well.

⊗ www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

Tel:071- F A 0 0 0 0 F

Fax:011 - FF99F9F7

ALKO 67


تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی یالایشگاه نفت یارس، یلاک ۱۲

SMART BUT

BE SMART AND PL







68 ALW www.famcocorp.com

- 🖻 E-mail: info@famcocorp.com
- @famco_group

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

SMART-CON

FAMCO هاييرسنعت


EVERYTHING IN VI


OUCH APP



- DISPLAY CHARGE LEVELS OF BOTH BATTERIES
- **CONNECTIVITY STATUS**
- **✓** SELECTED MOWING SPEED
- SHOW DATE OF LAST MOWING OPERATION
- ACCESSORIES AND SPARE PARTS CAN BE PURCHASED DIRECTLY
- **FITNESS TRACKER**
- PUSH NOTIFICATIONS IN CASE OF PROBLEMS
 - ONOL











ALKO 36 V III

ENERGY FLEX

- E-mail: info@famcocorp.com
- Теl:•۲1- к л о о о о к ч

SMART-COCI FAMCO

I EASY CONTROL





INTUITIVE DISPLAY

- **✓** DISPLAY BATTERY CHARGE LEVEL
- **✓** CONNECTIVITY STATUS
- **✓**ERROR MESSAGES

SMART FUNCTION

CONVENIENT ELECTRONIC CONTROL OF THE VARIO DRIVE WITH 7 SPEEDS (from 2.5 to 4.5 km/h)

"MAXRUN" **FUNCTION**

THE POWER SAVING MODE PROLONGS
THE BATTERY RUNNING TIME, GIVING YOU MAXIMUM MOWING TIME

- w w w . f a m c o c o r p . c o m
- 🖸 E-mail: info@famcocorp.com
- @famco_group

(Tel:071- F A 0 0 0 0 F 9 (Fax: 011 - FF99F9F1





ALKO 71

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲





EVERYTHING UNDER CONTROL

You can check the battery's current charge level by simply pressing a button. Thanks to lithium-ion technology, it can be charged quickly at any time. A complete charge only takes about one and a half hours.



BE ON THE SAFE SIDE

To prevent the motor from starting unintentionally, all lawnmowers are fitted with a safety key. The motor will only start when you insert this key and turn it. After removing the key, you can switch off the mower without any



EASY HANDLING

Thanks to the central cutting height adjustment, you can achieve perfect cutting results at the flick of a wrist. You can select the right cutting height easily using an integrated lever.

72 Al- www.famcocorp.com

E-mail: info@famcocorp.com
@ @famco_group

(Tel: • YI - F 4 9 9 9 9 F 9 Y 1 - F 4 9 9 9 9 Y 1

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

FAMCO

هایپرصنعت

Tel:•ΥΙ- ۴ Λ • • • •

(a) Fax:011 - FF99F9F7







w w w . f a m c o c o r p . c o m

🙆 E-mail: info@famcocorp.com

@famco_group



AL-KO 73



Energy with stamina

The AL-KO Energy Flex lithium-ion battery is available with either 4 Ah or 5 Ah. As there is no memory effect, AL-KO Energy Flex lithium-ion batteries have a long service life. The fill level indicator on the battery shows when the battery has to be recharged.







Convenient charging

A full battery charge takes as long as a good film or two episodes of your favourite TV programme. Go on, take a break!



Smart Button

Using IFTTT routines, you can define up to three scenarios of your choice on AL-KO smart lawnmowers. For example, simply press the Smart Button to switch on the A/C system in the house after you've finished work.

Smart-Connect

Connect to the AL-KO InTouch Smart Garden app to view status messages, such as battery level or mowing speed, or to receive push notifications if a problem crops up.





the ball bearing-mounted wheels protect the lawn as you mow.





A battery for versatile use

Whether mowing lawns, cutting hedges or blowing leaves – with the AL-KO Energy Flex range, you'll only need the one battery. And best of all, the lawnmower comes with a battery and a charger. So you can buy other AL-KO Energy Flex battery-operated tools affordably without an additional battery.

Relaxed mowing


Cordless battery lawnmowers combine the advantages of classic petrol lawnmowers with the quiet and exhaust-free operation of electrical versions – and without the irritating cable. The perfect combination!



@famco_group

Fit for your garden

A cutting width of up to 46 cm offers a truly efficient way to work on large lawns.







OMFORT ADVANTAGES

Central cutting height adjustment Height-adjustable handlebar Ergonomic handlebar with soft grip


COMFORT MODEL











E-mail: info@famcocorp.com @famco_group

Tel:∘۲1- ₭ ∧ ∘

Fax: • ۲1 - ۴۴99۴9۴۲



FAMCO هایپرسنعت





ALKO 36 V III

BALANCED DISCHARGING SYSTEM

You can run the AL-KO Energy Flex battery lawnmower either on one battery or two. The running time is increased accordingly when you use two batteries. The Balanced Discharging System controls the gentle discharge of the battery and ensures long service life.

BALANCED DISCHARGING OF BOTH BATTERIES





Battery compartment for up to two batteries with Balanced Discharging System for maximum running time, gentle discharging of the batteries and long service life.



⊗ www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

Tel:071- F A 0 0 0 0 F 9





REMIUM ADVANTAGES

ncludes cockpit Central cutting height adjustment Height-adjustable handlebar Ergonomic handlebar with soft grip

Extra large, robust grass catcher boxes **ENERGY FLEX**

PREMIUM

512 Li VS-W



51 cm cutting width

For lawns up to 1,000 m²

| With "Balanced Discharging" for maximum running time

Incl. Smart Button

| "maxRun" Cockpit with LED battery level indicator, Eco mode and electrically controlled drive

Convenient handlebar control

Variable speed wheel drive

Art. no. 123 012

Batteries and charger ▶ Page 20/21




Category EAL-Battery type AL-EAS	ASY I	EASY	3.85 Li EASY	Moweo 42.0 Li
Battery type AL-	-KO 18 V		EASY	COMFORT
Battery type EAS		NI VO SE V		
O 1.111	SI FLEA I		AL-KO 36 V Energy flex	AL-KO 36 V ENERGY FLEX
Cutting width 34	cm	32 cm	37 cm	42 cm
For lawns of max. size 200	0 m ²	250 m ²	300 m ²	400 m ²
Function		2INONE function	2INONE function	2INONE function
		25 - 65 mm / Central, 5-stage	25 - 75 mm / Central, 6-stage	30 - 75 mm / Central, 7-stage
		1x 36 V (max. 40 V) 4.0 Ah	1x 36 V (max. 40 V) 4.0 Ah	1x 36 V (max. 40 V) 4.0 Ah
Battery charging takes up to 150	0 minutes	90 minutes	90 minutes	90 minutes
Wheel drive -		_	_	_
Wheel diameter, front / rear	0/160 mm,	140/160 mm,	150/230 mm,	180/205 mm, ball-bearing mounted
Mower deck Pla	istic PP	Plastic PP	Plastic PP	Steel plate
Volume of grass catcher box 30	1	30 I	45 I	65 I
Approx. weight 12	kg	12 kg	17 kg	23.7 kg
Mulching function –		-	-	_
Smart-Connect –		-	-	_
· · ·		113 663 / 400 371 805 9106	113 278 / 400 371 805 5009	119 933 / 400 371 835 5833

REPLACEMENT BLADE		

Art. no. 481 144 442 702 413 867 441 605









NEW			NEW	NEW	NEW
42.2 Li	Moweo 42.1 Li SP	Moweo 46.0 Li SP	46.2 Li SP	46.2 Li SP-W	512 Li VS-W
COMFORT	COMFORT	COMFORT	COMFORT	COMFORT	PREMIUM
AL-KO 36 V ENERGY FLEX					
42 cm	42 cm	46 cm	46 cm	46 cm	51 cm
400 m² - 800 m²	400 m ²	500 m ²	400 m² - 800 m²	400 m² - 800 m²	500 m ² - 1,000 m ²
2INONE	2INONE	3INONE	3INONE	3INONE	4INONE
function	function	function	function	function	function
25 - 75 mm / Central, 7-stage	30 - 75 mm / Central, 7-stage	30 - 75 mm / Central, 7-stage	30 - 80 mm / Central, 7-stage	30 - 80 mm / Central, 7-stage	30–80 mm / Central, 7-stage
2x 36 V (max. 40 V) 4.0 Ah	1x 36 V (max. 40 V) 5.0 Ah	1x 36 V (max. 40 V) 5.0 Ah	2x 36 V (max. 40 V) 4.0 Ah	2x 36 V (max. 40 V) 4.0 Ah	2x 36 V (max. 40 V) 5.0 Ah
90 minutes per battery	120 minutes	120 minutes	90 minutes per battery	90 minutes per battery	120 minutes per battery
-	1-speed	1-speed	1-speed	1-speed	VarioSpeed
180/205 mm, ball-bearing mounted	180/225 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted	200/280 mm, ball-bearing mounted
Steel plate					
65 I	65 I	70	70	70	70
24 kg	25.8 kg	31.2 kg	29.8 kg	29.8 kg	32 kg
-	_	✓	✓	✓	✓
-	-	_	_	✓	✓
123 009 / 400 371 835 6212	119 992 / 400 371 835 6281	119 934 / 400 371 835 5840	123 010 / 400 371 835 6502	123 011 / 400 371 835 6519	123 012 / 400 371 835 6526

441 605	441 605	441 505	441 505	441 505	442 857

⊗ www.famcocorp.com

E-mail: info@famcocorp.com

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پـارس، پلاک ۱۲

AL-KO 79





LIGHT WEIGHT

Thanks to their carry handle and low weight, the 34 E and 40 E models can be transported easily. The ergonomic soft grip handlebar provides increased comfort during use.



MOWING NEAR TO THE EDGE

Thanks to the mower's special deck design which prevents the wheels protruding outwards, you can easily mow the lawn up to walls and edges. The single lever height of cut allows for simple adjustment for the desired finish.



PERFECTLY DESIGNED

The compact design and folding handle means our range of electric lawnmowers are manoeuvrable and easy to store away. The grass catcher box with aerodynamic air flow, large opening and a practical handle ensures easy, residue-free emptying.

80 Al- www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

() Tel:071- F A 0 0 0 0 F 9

Fax:011 - ##99#9#

34 E Comfort

FAMCU هایپرسنعت 34 cm cutting width

300 m² lawns

Long-life motor

Lightweight plastic dec..

| Ergonomic handle

2INONE function

Art. no. 112 857

IJR **VANTAGES**

t and easy to manoeuvre

e tyres for optimal lawnmowing

is catcher box with integrated fill level indicator

2INONE function (mowing, grass-catching)

3INONE function (mowing, grass-catching, mulching)

MULCHING ON DEMAND

Just mount the mulching insert without the need for tools and work the fine grass clippings into the lawn as a natural fertiliser (40 E Comfort).



	34 E Comfort	40 E Comfort
Category	COMFORT	COMFORT
Cutting width	34 cm	40 cm
For lawns of max. size	300 m ²	600 m ²
Function	2INONE function	3INONE function
Cutting height / cutting height adjustment	28-68 mm / central, 6-stage	28–68 mm / central, 6-stage
Induction motor	Electric, 1,200 W	Electric, 1,400 W
Cable length	12 M	16 M
Wheel diameter, front / rear	145 / 155 mm	155 / 190 mm
Mower deck	Plastic PP	Plastic PP
Volume of grass catcher box	37 L	43 L
Approx. weight	15 kg	19 kg
Mulching function	_	✓
Art. no. / EAN no.	112 857 / 400 371 804 3501	112 858 / 400 371 804 3594

REPLACEMENT BLAD	ES		
Art. no.	463 800	463 915	



40 cm cutting width

600 m² lawns

Long-life motor

Height-adjustable handlebar

Including mulching insert

3INONE function

Art. no. 112 858





ALKO 81

COMFORT

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com

@famco_group

Tel:•ΥΙ- ۴ Λ • •





CONVENIENT HEIGHT ADJUSTMENT

The central or individual wheel adjustment allows all models to be set to the desired cutting height in next to no time.



GET THE JOB DONE EASILY

The tyres on AL-KO petrol lawnmowers protect the lawn and ensure optimum mowing comfort. The drive of the XL/XXL rear wheels also guarantees the best traction on the lawn.



THE BEST RESULTS

Whether you prefer mowing and collecting, mulching or side discharge: Our innovative mower decks guarantee you the best results in lawn care.

82 **AL-KO**

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

- (Tel:071- F A 0 0 0 0 F
- (Fax: 011 FF99F9FF

OUR RANGE! FAMCO

FIND YOUR PERFEC هاييرصنعت

The AL-KO range of petrol lawn mowers is separated make your decision based on the features you requir makes choosing a mower simple as you can

EASY



- 42, 46, 51cm Cutting Width
- **Push & Self Propelled**
- 3 Year Domestic Warranty*
- **AL-KO Tech Engines**
- Simple Design



COMFORT



- 42, 46, 51cm Cutting Width
- **Push & Self Propelled**
- **60 Litre Collector**
- **Electric Start Option**
- **Soft Grip Handle**
- **Engineered in Germany Made in Austria**

- AL-KO PRO & Briggs & Stratton Engines
- MAXAIRFLOW Deck (46cm/51cm models)
- Ball Bearing Wheels
- **Sturdy Front Carry Handle**
- **3INONE or 4INONE Function**

PREMIUM



- 46 & 51cm Cutting Width
- **Automatic Choke Engines**
- **Large 70 Litre Collector**
- **XXL Ball Bearing Wheels**
- Flat OPC & Drive Levers
- Engineered in Germany Made in Austria

- AL-KO PRO, Briggs & Stratton & Honda **Engines**
- **Self Propelled & Vari-Speed**
- **MAXAIRFLOW Deck**
- **4INONE Function**
- **Soft Grip Handles**
- **Sturdy Front Carry Handle**

* Subject to annual service

⊗ www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

ALKO 83



EASY MODELS











8/ Al-KO

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

- (Tel:071- F A 0 0 0 0 F 9
- (a) Fax:011 FF99F5FP

EASY ADVANTAGES

- Optimum mowing and catching results thanks to the aerodynamic deck shape
- Front carry handle for easy portability*
- Steel plate deck
- Wheel drive*
- OHV engine with primer for easy starting
- | Central cutting height adjustment
- * not available for all models








PETROL LAWNMOWERS	Easy 4.20 P-S	Easy 4.60 SP-S	Easy 5.10 SP-S
Category	EASY	EASY	EASY
Cutting width	42 cm	46 cm	51 cm
For lawns of max. size	800 m ²	1,400 m ²	1,800 m ²
Function	2INONE function	2INONE function	4INONE function
Cutting height / cutting height adjustment	30 – 75 mm / central, 7-stage	30 – 75 mm / central, 7-stage	30 – 75 mm / central, 7-stage
Engine ccm / kW / rpm	AL-KO Tech 140 140 / 2.0 / 2,900	AL-KO Tech 140 140 / 2.0 / 2,900	AL-KO Tech 160 160 / 2.3 / 2,900
Wheel drive	_	1-speed	1-speed
Wheel diameter, front / rear	175 / 200 mm	200 / 250 mm	200 / 250 mm
Mower deck	Steel plate	Steel plate	Steel plate
Volume of grass catcher box	50 L	60 L	60 L
Approx. weight	23.1 kg	28.1 kg	31.8 kg
Mulching function	-	_	✓
Side discharge	-	_	✓
Art. no. / EAN no.	113 794 / 400 371 806 0843	113 795 / 400 371 806 0850	113 796 / 400 371 806 0867

REPLACEMENT BLAD	ES			
Art. no.	492 242	492 208	492 209	





@famco_group



PETROL LAW FAMCO

Comfort 42.1 P-A

Suitable for lawns up to 800 m² 60 litre grass catcher box AL-KO Pro 125 QSS engine Quick-start technology

2INONEfunction

Art. no. 119 998

42 cm cutting width



NEW

COMFORT

COMFORT **ADVANTAGES**

Front carry handle for easy portability Ergonomic handlebar with comfort grip Central cutting height adjustment With MaxAirflow technology*

- Comfortable wheel drive for reduced strain*
- * not available for all lawnmower models







3INONE function

Mulchina














E-mail: info@famcocorp.com

@famco_group

READY START/QUICK START

Thanks to the ready start/quick start system, the Brig the AL-KO Pro QSS engines can be started quickly a and no choke needed — simply pull and mow. (Not on all lawnmower models)


















@famco_group

(Tel:071- F A 0 0 0 0 F

(a) Fax:011 - FF99F9F

ALKO 87



FILL LEVEL INDICATOR

The high-capacity, aerodynamic plastic grass catcher box offers more than simply its size - the integrated fill level indicator also shows when the box is ready to be emptied. The built-in box tongue collects grass clippings from the discharge channel. (Not included in the Comfort 42.1 P-A & 42.1 SP-A)





- 88 AL-KO

 www.famcocorp.com
 - E-mail: info@famcocorp.com
 - @famco_group




Category COMFORT		Comfort 42.1 P-A	Comfort 42.1 SP-A	Comfort 46.0 SP-A	Comfort 46.0 SP-B	Comfort 46.0 SPi-A	Comfort 51.0 SP-A	Comfort 51.0 SP-B
For lawns of max. size S00 m² S00 m² 1,400 m² 1,400 m² 1,400 m² 1,400 m² 1,800 m²	Category							
Size	Cutting width	42 cm	42 cm	46 cm	46 cm	46 cm	51 cm	51 cm
Function function function function function function function function function Cutting height adjustment 25 - 75 mm/ central, 7-stage 25 - 75 mm/ central, 7-stage 30 - 80 mm/ central, 7-stage AL-KO Pro 170 Electric Start QSS 140 Pro 145 QSS 140		800 m ²	800 m ²	1,400 m ²	1,400 m ²	1,400 m ²	1,800 m ²	1,800 m ²
cutting height adjustment 25-75 mm/ central, 7-stage 30-80 mm/ central, 7-stage	Function							
Engine ccm / kW / rpm Pro 125 QSS 123 / 1.9 / 2,800 Pro 125 QSS 123 / 1.9 / 2,800 Pro 145 QSS 139 / 2.1 / 2,800 500 E 140 / 2.0 / 2,900 Electric Start QSS 139 / 2.1 / 2,800 Pro 145 QSS 139 / 2.1 / 2,800 625 EXi 140 / 2.0 / 2,900 Fro 145 QSS 139 / 2.1 / 2,800 625 EXi 150 / 2.3 / 2,900 Wheel drive — 1-speed	cutting height							
Wheel diameter, front / rear 180 / 205 mm 180 / 220 mm 200 / 280 mm		Pro 125 QSS	Pro 125 QSS	Pro 145 QSS	500 E	Electric Start QSS	Pro 145 QSS	625 EXi
front / rear 180 / 205 mm 180 / 220 mm 200 / 280 mm	Wheel drive	_	1-speed	1-speed	1-speed	1-speed	1-speed	1-speed
Volume of grass catcher box 60 L <	,	180 / 205 mm	180 / 220 mm	200 / 280 mm	200 / 280 mm	200 / 280 mm	200 / 280 mm	200 / 280 mm
Catcher box 60 L	Mower deck	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate	Steel plate
Mulching function ✓ ✓ ✓ ✓ Side discharge - - ✓ - ✓ Art. no. / 119 998 / 119 993 / 119 937 / 119 940 / 119 944 / 119 943 /		60 L	60 L	60 L	60 L	60 L	60 L	60 L
Side discharge - - ✓ - ✓ Art. no. / 119 998 / 119 993 / 119 938 / 119 937 / 119 940 / 119 944 / 119 943 /	Approx. weight	25.9 kg	27.9 kg	34.0 kg	32.8 kg	37.2 kg	35.3 kg	34.7 kg
Art. no. / 119 998 / 119 993 / 119 938 / 119 937 / 119 944 / 119 943 /	Mulching function	✓	✓	✓	✓	✓	✓	✓
	Side discharge	-	-	✓	✓	-	✓	✓

REPLACEMENT BLADES							
Art. no.	463 719	463 719	440 125	440 125	440 125	440 126	440 126

⊗ www.famcocorp.com

E-mail: info@famcocorp.com

@ @famco_group



NEW

OUR FAMCO POWERFUL

ROBUST AND COMPA PREMIUM




Perfect mowing results











@famco_group



The desired c be quickly se and c adjustment. S also ach



g function n care ass organic



Comfortable handling

Ergonomically optimised controls and comfortable cockpit with soft grip handle.

Innovative engines

Enables lower oil consumption while at the same time maintaining optimal lubrication properties.



4INONE function

Multifunctionality

Flexible use for the perfect lawn: Mowing, collecting, mulching and side discharge.



Quick pit stop

The lawnmowers can be stored and cleaned vertically. So excellent space-saving storage is also possible until the next time the lawnmower is used.



The choice is yours

Whether AL-KO, Briggs & Stratton or Honda we have just the right quality engine for your needs!

More mowing – fewer breaks!

MAX AIRFLOW

technology

The MaxAirflow technology ensures that the grass is transported optimally into the grass catcher and the grass catcher box is filled more effectively. So that you can carry on mowing for longer before having to empty the box.



Excellent construction! Functionality combined with

extreme durability and robustness enable comfortable mowing of up to 1,800 m².



Shows when the box has to be emptied.

www.famcocorp.com

E-mail: info@famcocorp.com

📵 @famco_group

Tel:∘۲1- ₭ ∧ (🗇 Fax:•۲1 - ۴۴99۴۶۴۲

Variable speed

The Variable Speed wheel drive lets you conveniently adjust the drive speed to suit your needs.



AL-KO 91



PREMIUM ADVANTAGES

- Front carry handle for easy portability
- Large, 70-litre grass catcher box
- Extremely powerful engines
- Central cutting height adjustment
- Simple operation thanks to the cockpit* integrated into the handlebar on variable speed and electric start models
- | MaxAirflow technology for perfect grass collecting and optimal box filling
- 4INONE function (mowing, grass catching, mulching, side discharge)



MAX AIRFLOW

technology
* For all models with the MaxAirflow logo





- www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

Tel:∘۲1- F A Fax: • ۲1 - ۴۴99۴9۴۲

OPTIMUM CONTROL

Grip-optimised switch bracket and the comfortable cock on the model) make mowing so much easier for you. T and, depending on the model, the adjustable Variable S never been easier.













w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com

@famco_group

Tel:oYI- F A

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) Fax: • ۲1 - ۴۴99۴9۴۲ روبـروی پالایشگاه نفت پارس، پلاک ۱۲




ACCESSORIES FOR ALL PETROL LAWNMOWERS



4-STROKE LAWNMOWER OIL SAE 30, 0.6 L Art. no. 112 888 / EAN no. 400 371 804 3952

PETROL Lawnmowers	Premium 470 SP-H	Premium 470 VS-B	Premium 520 SP-H
Category	PREMIUM	PREMIUM	PREMIUM
Cutting width	46 cm	46 cm	51 cm
For lawns of max. size	1,400 m ²	1,400 m ²	1,800 m ²
Function	4INONE function	4INONE function	4INONE function
Cutting height / cutting height adjustment	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage	30 – 80 mm / central, 7-stage
Engine ccm / kW / rpm	Honda GCVx 145 145 / 2.7 / 2,900	Briggs & Stratton 650 EXi 163 / 2.4 / 2,800	Honda GCVx 170 167 / 3.2 / 2,900
Wheel drive	1-speed	Variable speed	1-speed
Wheel diameter, front / rear	200 / 280 mm	200 / 280 mm	200 / 280 mm
Mower deck	Steel plate	Steel plate	Steel plate
Volume of grass catcher box	70 L	70 L	70 L
Approx. weight	35.2 kg	34.9 kg	36.5 kg
Mulching function	✓	✓	✓
Side discharge	✓	✓	✓
Art. no. / EAN no.	119 968 / 400 371 835 6137	119 947 / 400 371 835 6120	119 969 / 400 371 835 6144

REPLACEMENT BLADES				
Art. no.	440 125	440 126	440 126	






Premium 520 VS-B	Premium 520 VSI-B	Premium 521 VS-H
PREMIUM	PREMIUM	PREMIUM
51 cm	51 cm	51 cm
1,800 m ²	1,800 m ²	1,800 m ²
4INONE	4INONE	4INONE
function	function	function
30 – 80 mm /	30 – 80 mm /	30 – 80 mm /
central, 7-stage	central, 7-stage	central, 7-stage
Briggs & Stratton 675 EXi	B&S 675 iS InStart	Honda GCVx 170
163 / 2.6 / 2,800	163 / 2.6 / 2,800	167 / 3.2 / 2,900
Variable speed	Variable speed	Variable speed
200 / 280 mm	200 / 280 mm	200 / 280 mm
Steel plate	Steel plate	Steel plate
70 L	70 L	70 L
34.9 kg	38.2 kg	36.2 kg
✓	✓	✓
✓	✓	✓
119 949 /	119 948 /	119 994 /
400 371 835 5994	400 371 835 5987	400 371 835 6304

For easy oil changes. Includes extraction


pump, container and funnel Art. no. 113 807 / EAN no. 400 371 806 1413



440 126

440 126





440 126

MULCH LAW FAMCO

@famco_group

مایپرسنعت هایپرسنعت **CARE FOR LAWNS THANKS** TO ORGANIC FERTILISER







XL wheels - gentle on your lawn and featuring a sleek design



Mulch mowing and side discharge in one

Ecological lawn care thanks to organic fertiliser and therefore without disposal of grass clippings



ww.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

- Теl:•۲1- к л о о о о к ч
- (Fax: 0 + + + 9 9 + 5 + +


Side discharge



AWNCARE

HOW DOES MULCHING WORK?

During mulch-mowing, the cut blades of grass are thrown upwards within the mower deck, finely shredded by a special blade and blown back onto the turf as a natural fertiliser — this returns natural nutrients to the lawn and protects it against drying out.



YOUR ADVANTAGES

XL wheels that are gentle on your lawn

| Convenient cutting height adjustment

Ergonomic handlebar

| 2INONE function (mulch moving and side discharge)



QUICK HEIGHT ADJUSTMENT

The cutting height can be changed on each axle quickly and easily. The full-width axles offer stability and perfectly straight wheel motion.



MULCHING OR SIDE DISCHARGE

If necessary, e.g. when the grass is very long after returning from holidays, or when working on pastures or orchards, the mulch mower can easily be converted to the side discharge function.



FRONT-WHEEL DRIVE

The energy-saving alternative is useful primarily on hilly terrain. When manoeuvring, the front wheels can be lifted clear off the ground with the drive still activated, allowing the mower to be turned (SP-A model).

98 **ALKO**

w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com

@famco_group

(Tel:071- F A 0 0 0 0 F

(Fax:011 - FF99F5FF

THE BIGGER, THE BETTER

The tyres protect the I optimal mowing comf
XL front wheels of the guarantee optimal traction and help you get the job uone will ease.









MULCH MOWERS	468 P-A BIO Silver	468 SP-A BIO Silver
Category	COMFORT	COMFORT
Cutting width	46 cm	46 cm
For lawns of max. size	1,100 m ²	1,400 m ²
Function	2INONE function	2INONE function
Cutting height / cutting height adjustment	30 – 85 mm / wheel axle, 4-stage	30 – 85 mm / wheel axle, 4-stage
Engine ccm / kW / rpm	AL-KO Pro 125 Quick Start (QSS) 123 / 2.0 / 2,850	AL-KO Pro 145 Quick Start (QSS) 139 / 2.1 / 2,850
Wheel drive	-	1-speed
Mower deck	Steel plate	Steel plate
Wheel diameter, front / rear	205 / 205 mm	220 / 205 mm, ball-bearing mounted at the front
Approx. weight	22.6 kg	26.9 kg
Art. no. / EAN no.	119 836 / 400 371 835 5154	119 835 / 400 371 835 5147

REPLACEMENT BLAD	E		
Art. no. /	119 224 /	119 224 /	
EAN no.	400 371 834 8859	400 371 834 8859	



@famco_group





MANOEUVRABLE ON THE LAWN

The single-axle design of AL-KO hand lawnmowers ensures extreme manoeuvrability and is comfortable on uneven ground.



FIVE BLADE CYLINDER

The high quality 5 blade mowing cylinder made of hardened special steel ensures a perfect cut and uniform filling of the grass catcher box.



SIMPLE STORAGE

The hand lawnmower can be folded up easily to save space thanks to the integrated quick-release fastener (except on the 28.1 HM Easy).

100 **AL-KO**

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- afamco_group

- (Tel:071- F A 0 0 0 0 F 9
- (Fax:011 FF99F5FF





.1 HM Comfort

cm cutting width

m² lawns

htweight and manoeuvrable - only

1.1 kg in weight

XXL wheels for high user comfort

Art. no. 113 865



38 cm cutting width


250 m² lawns

XXL wheels with rubber tyres for high user comfort

With comfortable, easy height adjustment

Including folding handlebar for compact storage

Art. no. 113 866



XL wide tyres. The rubber bumper protects the housing from bumps and scratches.

FUNCTIONAL

DESIGN







With a hand lawnmower, you can cut the grass blades as precisely as if you were using scissors. The cutting technique plays an important role in this: The mowing cylinder and the lower blade don't touch each other, which makes the mower particularly gentle on the lawn.

	28.1 HM Easy	38.1 HM Comfort	38.1 HM Premium
Category	EASY	COMFORT	PREMIUM
Cutting width	28 cm	38 cm	38 cm
For lawns of max. size	150 m ²	250 m ²	250 m ²
Cutting height / cutting height adjustment	14 – 35 mm / 4-stage	14 – 35 mm / 4-stage	14 – 45 mm / variable
Mowing cylinder	128 mm / 5 steel blades	128 mm / 5 steel blades	128 mm / 5 steel blades
Blade technology	Cylinder, contactless	Cylinder, contactless	Cylinder, contactless
Wheel diameter	220 mm	220 mm	220 mm
Approx. weight	6.8 kg	7.8 kg	8.9 kg
Art. no. / EAN no.	113 864 / 400 371 806 1819	113 865 / 400 371 806 1826	113 866 / 400 371 806 1833



GRASS CATCHER BOX			
Volume of grass catcher box	35 I	50 I	50 I
Art. no. / EAN no.	113 867 / 400 371 806 1840	113 868 / 400 371 806 1857	113 869 / 400 371 806 1864

⊗ www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

SCYTHE MOW FAMCO IDEAL HANDL SCYTHE MOW FAMOUS TERRAIN Makes mowing easier even on rough terrain and tall grass





Height-adjustable and with vibration damping Specially hardened, and therefore extremely durable, blades



BM 875 III scythe mower

- Cuts grass as well as thick weeds
- Universal in application and extremely manoeuvrable
- Fitted with a moving grass deflector, stopping the build-up of grass
- Infinitely variable shoes for cutting height adjustment
- Specially hardened blades with edge protection
- Powerful Briggs & Stratton engine

Art. no. 113 617


Cutterbar	87 cm
For lawns of max. size	2,000 m ²
Engine ccm / kW / rpm	B&S EXi series 625 150 / 2.3 / 3,200
Drive	1 forward gear (worm gear)
Tyre size (inches)	13 x 5.0-6
Track width	45 cm
Blade drive can be disengaged	✓
Approx. weight	52 kg
Art. no. /	113 617 /

BM 875 III

400 371 805 8536

102 Awww.famcocorp.com









INTAGES

POWERFUL BRIGGS & STRATTON PETROL **ENGINE**

COMFORT

IKACIIUN

- INFINITELY **OUTSOLES**
 - 1 FORWARD AND 1 **HEIGHT-ADJUSTABLE REVERSE GEAR**
- **MOVING GRASS** DEFLECTOR FOR PERFECT DISCHARGE
- HEIGHT-ADJUSTABLE & VIBRATION DAMPED **HANDLEBAR**

Art. no. 127 469



SCYTHE MOWERS 5001-R III

Engine ccm / kW / rpm

B&S EXi series 625 150 / 2.3 / 3,200

Cutting width

102 cm

Forward/reverse gear



Blade drive can be deactivated

Tyre size (inches)

13 x 6.0-6

Weight


58.0 kg

Art. no. / EAN no.

127 469 / 400 371 805 8628

MANOEUVRABILITY FOR A NATURAL GARDEN

- In high-grass meadows and ecological natural gardens, machines such as this scythe mower, which can cut meadow grass just as well as thick, matted weeds, are in particular demand.
- The moveable grass deflector and shorter distance between the wheel and the blades considerably improve grass depositing, while the enclosed drive system on the mower deck with its specially-hardened ESM blade and height-adjustable outsoles ensure a long service life.
 - ⊗ www.famcocorp.com
 - E-mail: info@famcocorp.com
 - @famco_group



SCARIFIERS FAMCO PERFECT

PERFECT I FOR YOUR SUMMER OUTSIDE



A part of your lawncare routine



A practical solution stowed away quickly and easily



Lightweight and comfortable






WHY SCARIFY

In addition to regular lawn to "breathe". Th plant remains. After : You can scarify and ac



pring or autumn to allow the emove lawn thatch, moss and eded and thoroughly watered. e of roller.

Electric 38 E Combi Care Comfort



800 m² lawns

55-litre grass catcher box made from strong fabric

Height-adjustable handlebar

Easy-clean housing

Including aerator roller and grass catcher box

3INONEfunction

Art. no. 112 910





Batteries/ chargers pages 16/17 | 36 cm scarifier working width | 250 m² lawns | 50-litre grass catcher box made from strong fabric | Height-adjustable, folding handlebar | Tool-free roller changing | Aerator roller optional | Art. no. 113 574 | Collector included



Petrol 38 P Combi

ALKO 105

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پانایشگاه نفت پارس، پلاک ۱۲

⊗ w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com

@ @famco_group

Art. no. 113 621 / EAN no. 400 371 805 8604

OPTIONAL AERATOR ROLLER

for Art. no. 113 574

Tel:oPI-FAccooF

YOUR ADVANTAGES

| **2INONE** function: Scarifying and grass catching

3INONE function:

Scarifying, aerating and grass catching

Easy roller changing












	ELECTRIC	BATTERY	PETROL
	38 E Combi Care Comfort	SF 4036	38 P Combi Care Comfort
Category	COMFORT	COMFORT	COMFORT
For lawns of max. size	800 m²	250 m ²	1,200 m ²
Drive	1,300 W	Lithium-ion 40 V max. 4.0 / 5.0 Ah (battery, charger not included)	AL-KO 144 F 53 ccm / 1.3 kW 6,100 rpm
Function	3INONE	2INONE	SINONE
runction	function	function	function
Scarifying roller	14 steel blades	12 steel blades	14 steel blades
Scarifying working width	38 cm	36 cm	38 cm
Aerator roller	24 steel spring tines	*Optional accessory (113 621)	24 steel spring tines
Aerating working width	37 cm	36 cm *accessory	37 cm
Depth adjustment	Central, 5-stage	Central, 5-stage	Central, 5-stage
Housing	Plastic	Plastic	Plastic
Volume of grass catcher box	55 L	50 L	55 L
Approx. weight	15.1 kg	11.7 kg	22 kg
Art. no. / EAN no.	112 910 / 400 371 804 2245	113 574 / 400 371 805 7775	112 799 / 400 371 804 2238

106 **ALKO**

⊗ www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group



Unless otherwise stated, the battery and charger are not included.



- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

() Tel:071- # A 0 0 0 0 # 9







For MH 350-9 LM / MH 4005 Art. no.106 676 EAN no. 400 371 801 2224



BLADE UNIT EXTENSION

For MH 5007 R Art. no.113 275 EAN no. 400 371 805 4729



RIDGE PLOUGH

For MH 4005 / MH 5007 R Art. no.113 274 EAN no. 400 371 805 4712



108 **AL-KO**

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

(Tel: 0 1 1 - F A 0 0 0 0 F



FAMCU هايپرسنعت



	MH 350-9 LM	MH 4005	MH 5007 R
Category	EASY	COMFORT	PREMIUM
Working area	Small	Small-medium	Medium
Working width	35 cm	40 cm	50 cm
Engine ccm / kW / rpm	AL-KO Pro 140 OHV 139 / 2.7 / 3,200	B&S E-series 450 125 / 1.7 / 3,000	B&S EXi series 625 OHV 150 / 2.3 / 2,900
Cultivator blades	4-piece, 25 cm diameter	4-piece, 25 cm diameter	4-piece, 32 cm diameter
Forward gear	✓	✓	✓
Reverse gear	-	-	✓
Approx. weight	26 kg	32 kg	39 kg
Art. no. / EAN no.	113 727 / 400 371 806 0485	113 255 / 400 371 805 1643	113 620 / 400 371 805 8567



Lawn roller GW 50

Handy and sturdy lawn roller made from steel plate

- ideal for working in seeds and also for compacting the earth

Can be filled with water or sand

Adjustable dirt scraper

Art. no. 119 104





ALKO 109

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

www.famcocorp.com 🔯 E-mail: info@famcocorp.com

@famco_group

Tel:•ΥΙ- ۴ Λ • •

COMBI-TOOL FAMCO ONE TOOL, MANY عاييرصنعت IFORT





FORWARD & REVERSE GEAR

✓ OPTIONAL ATTACHMENTS

WIDE PNEUMATIC TYRES FOR OPTIMAL TRACTION

YOUR **ADVANTAGES**

- HEIGHT-ADJUSTABLE AND **SWIVELLING HANDLEBAR**
- **WORM GEAR UNIT**
- SUITABLE FOR ALL YEAR ROUND
- V-BELT DRIVE



FAMCO

Combi BF 5002-I

- The all-rounder
- Extra-powerful combi tool w cutterbar and deck, tiller and plough
- Ideal for lawn care, soil working and cleanliness
- Can be combined with four different attachments

Art. no. 127 470

COMFORT

COMBI-TOOL	Combi BF 5002-R I
Engine ccm / kW / rpm	B&S EXi Series 675 163 / 2.74 / 3,200
Forward/reverse gear	✓ / ✓
Speed (FG / RG)	2.2 / 1.1 km/h
Transmission	Oil-bath worm gear, V-belt drive
Tyre size (inches)	13 x 5.0–6 (pneumatic tyres)
Handlebar	Height-adjustable, pivoting 180°
Weight	45.0 kg
Art. no. / EAN no.	127 470 / 400 371 805 8635



POWER UNIT

ATTACHMENTS



CB 870 CUTTERBAR

Working width 870 mm Art. no. 110 494 / EAN no. 400 371 802 0038



MOWER ATTACHMENT FSM 530

Working width 530 mm Art. no. 110 739 / EAN no. 400 371 802 4630



CF 500 TILLER

Working width 500 mm Art. no. 110 495 / EAN no. 400 371 802 0045



RIDGE PLOUGH

Art. no. 110 742 / EAN no. 400 371 802 4661

- w w w . f a m c o c o r p . c o m
- E-mail: info@famcocorp.com
- @famco_group

Tel:o۲I- ۴ A o o o o ۴ 9 Fax:011 - ۴۴99۴9۴۲





TAKING ON ALL TASKS

Whether trimming along a flower bed, a fence, a wall, or even underneath a garden bench, our grass trimmers provide the ability to complete all these tasks in comfort.



VERSATILE IN ALL DIRECTIONS

The ability to turn the trimmer head through 180° means that all lawn edges can be cut accurately. The telescopic aluminium shaft and the flexible handle (depending on the model) ensure the right length and working position.



COMFORTABLE TO USE IN ANY TASK

Our grass trimmers are equipped with loop handles. This provides maximum control when carrying out precise trimming work

112 **ALKO**

w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com

@famco_group

(Tel:071- F A 0 0 0 0 F 9

(Fax:011 - FF99F5FF

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

FAMCO ELECT AllMI









E-mail: info@famcocorp.com

@famco_group

(Fax: 011 - FF99F9FF



CUTTER









Can be used with Energy Flex BBA 40 battery belt ▶ Page 17



Unless otherwise stated, the battery and charger are not included.

114 **AL-KO**

www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

(Tel:071- F A 0 0 0 0 F 9

(Fax: 011 - # # 99 # 9 # P

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبروی پالایشگاه نفت پارس، پلاک ۱۲



FAMCC هایپرسنعت



	GTE 350 Grassic	GTE 450 COMION	GTE 550 Premium
Cutting width	25 cm	30 cm	30 cm
Line type	Nylon double line	Nylon double line	Nylon double line
Line feed	Bump feed	Bump feed	Bump feed
Spare line holder	_	✓	✓
Drive	Electric, 350 W	Electric, 450 W	Electric, 550 W
Shaft tube	Telescopic, aluminium	Telescopic, aluminium	Telescopic, aluminium
Extra handle	✓ adjustable	✓ adjustable	✓ adjustable
Height-adjustable handle	✓ adjustable	✓ adjustable	✓ adjustable
Pivoting cutting head	-	✓	✓
Cable length	12 M	12 M	12 M
Approx. weight	2.3 kg	2.9 kg	3.0 kg
Art. no. /	112 928 /	112 929 /	112 926 /
EAN no.	400 371 804 4928	400 371 804 4935	400 371 804 4904

REPLACEMENT LINE	HEAD		
Art. no. /	112 966 /	112 966 /	112 966 /
EAN no.	400 371 804 5727	400 371 804 5727	400 371 804 5727

	BATTERY			
	GT 2025	GT 2025 Kit	GT4030	40 BCK
Range	Easy Flex	Easy Flex	Energy Flex	Energy Flex
Cutting width	25 cm	25 cm	30 cm	Nylon Line 30 cm / Blade 23cm
Line / Blade type	Nylon single line	Nylon single line	Nylon single line	Nylon double line / 3 tooth
Line feed	Bump feed	Bump feed	Bump feed	Bump feed
Spare line holder	✓	✓	✓	-
Drive	Battery, lithium-ion, 20 V max. (2.5 Ah / 5.0 Ah)	Battery, lithium-ion, 20 V max. (2.5 Ah / 5.0 Ah)	Battery, lithium-ion, 40 V max. (4.0 Ah / 5.0 Ah)	Battery, lithium-ion, 40 V max. (4.0 Ah / 5.0 Ah)
Max. battery charge time	2.5 Ah: 50 minutes / 5.0 Ah: 100 minutes	2.5 Ah: 50 minutes / 5.0 Ah: 100 minutes	4.0 Ah: 90 minutes / 5.0 Ah: 120 minutes	4.0 Ah: 90 minutes / 5.0 Ah: 120 minutes
Approx. battery run time	2.5 Ah: 30 minutes / 5.0 Ah: 50 Minutes	2.5 Ah: 30 minutes / 5.0A h: 50 Minutes	4.0 Ah: 60 Minutes 5.0 Ah 80 Minutes	4.0 Ah: 30 Minutes 5.0 Ah 40 Minutes
Battery / charger included	-/-	1 x 2.5 Ah battery / 1 charger	-/-	-/-
Shaft tube	Telescopic, aluminium	Telescopic, aluminium	Telescopic, aluminium	Aluminium
Extra handle	✓ adjustable	✓ adjustable	✓ adjustable	-
Height-adjustable handle	✓	✓	✓ adjustable	✓ adjustable
Pivoting cutting head	✓	✓	✓	✓
Accepts Other Attachments	-	-	_	✓
Approx. weight	2.1 kg (without battery) 2.4 kg (with battery)	2.1 kg (without battery) 2.4 kg (with battery)	2.4 kg (without battery) 3.9 kg (with battery)	2.4 kg (without battery) 3.9 kg (with battery)
Art. no. / EAN no.	113 535 / 400 371 805 7539	113 633 / 400 371 805 8840	113 608 / 400 371 805 8437	AK40BCK /

REPLACEMENT LINE HEAD				
Art. no. /	112 969 /	112 969 /	113 349 /	113 478 - Line head
EAN no.	400 371 804 5758	400 371 804 5758	400 371 805 5627	113 479 - Blade











PERFECT CUT AND PROTECTION

Permanently sharp, diamond-polished blades guarantee a clean cut. The safety guard protects the blade when cutting along floors and walls. The cover also serves as a wall mount.

116 **ALKO**

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group



RELAXED WORKING STYLE

Ergonomic controls and a perfectly balanced weight allow stress-free working. And with the battery models which can be combined with the optional BBA 40 battery belt and adapter, you can get the job done in a relaxed way by doing away with cables.



(Fax:011 - FF99F9FF



BEST QUALITY

The high-quality plastic housing is highly sturdy and robust, thus guaranteeing that the hedge trimmer has a long service life. The weight has been distributed perfectly so that the hedge trimmers always sit perfectly in your hand.

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پـارس، پلاک ۱۲



HT 440 Basic Cut

- With cable strain relief
- With integrated spirit level
- Safety guard & blade cover
- Safety Lock
- Alternating, diamond-sharpened cutting blades
- Two-hand safety switch

Art. no. 112 679



HT 550 Safety Cut

- With cable strain relief
- With integrated spirit level
- Additional cable sleeve (safety cable) prevents the cable from being cut unintentionally
- Safety guard & blade cover
- Counter-running cutting blade, diamond-polished

Art. no. 112 680




	ELECTRIC HEDGETRIMMERS	
	HT 440 Basic Cut	HT 550 Safety Cut
Power	440 W	550W
Cutting length	440 mm	520 mm
Max. tooth gap	16 mm	18 mm
Stroke rate	3400 rpm	3200 rpm
Blade type	Diamond-ground	Diamond-ground
Cutting mechanism	Counter-rotating safety blades	Counter-rotating safety blades
Safety cable	_	✓
Cable length	12 M	12 M
Approx. weight	3.2 kg	3.6 kg
Art. no. / EAN no.	112 679 / 400 371 804 0302	112 680 / 400 371 804 0319




Fax:011 - FF99F9FF







	BATTERY HANDHELD HEDGE TRIMMERS		
	HT 2050	HT 2050 Kit	HT4055
Range	Easy Flex	Easy Flex	Energy Flex
Power	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 40 V max. (4.0 / 5.0 Ah)
Battery / Charger Included	-/-	1 x 2.5 Ah battery / 1x Charger	-/-
Max. battery charge time	2.5 Ah: 50 minutes 5 Ah: 100 minutes	2.5 Ah: 50 minutes 5 Ah: 100 minutes	4 Ah: 90 minutes 5 Ah: 120 minutes
Approx. battery run time	2.5 Ah: 45 minutes 5 Ah: 80 minutes	2.5 Ah: 45 minutes 5 Ah: 80 minutes	4 Ah: 120 minutes 5 Ah: 140 minutes
Cutting length	510 mm	510 mm	550 mm
Max. tooth gap	15 mm	15 mm	20 mm
Stroke rate	2200 rpm	2200 rpm	1400 rpm
Blade type	Diamond-ground	Diamond-ground	Diamond-ground
Cutting mechanism	Counter-rotating safety blades	Counter-rotating safety blades	Counter-rotating safety blades
Approx. weight	2.5 kg (without battery) 2.8 kg (with battery)	2.5 kg (without battery) 2.8 kg (with battery)	2.5 kg (without battery) 3.9 kg (with battery)
Art. no. / EAN no.	113 536 / 400 371 805 7546	113 634 / 400 371 805 8857	113 609 / 400 371 805 8444





Multi-cutter GS 7.2 Li

Can be used for trimming grass and shrubs

Light and easy to manoeuvre

No memory effect - can be recharged at any

Low battery self-discharge

Long service life

Including grass collector and charging cable_

Art. no. 113 371



1, 2 – done!

Thanks to the quick-change system, the blades can be changed within just a few seconds – without tools and without having to get your hands dirty.



	Multicutter GS 7.2 Li
Battery type	Lithium-ion (7.2 V / 2.0 Ah)
Shrub cutting blade length	160 mm
Shrub cutting area coverage	32 m ²
Grass shears cutting width	80 mm
Grass shears cutting performance	450 m
Approx. weight	550 g
Art. no. / EAN no.	113 371 / 400 371 805 6136

Extension handle	
Art. no. / EAN no.	113 477 / 400 371 805 6655

Trim hard-to-reach spots in style

Thanks to the optional extension shaft, longer sections can also be trimmed very comfortably without tiring bending over.



AL-KO 119

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com

@famco_group

(🗇 Fax:•۲1 - ۴۴99۴۶۴۲

(Tel:011- F A 0 0 0 0







- ⊗ w w w . f a m c o c o r p . c o m
- E-mail: info@famcocorp.com
- @famco_group

- (Tel:071- F A 0 0 0 0 F 9
- (Fax:011 FF99F9FF



ENERGY FLEX

40 LRK Long reach hedge trimmer

450mm double sided cutter blade

No petrol, and no harmful exhaust fumes

Working height up to 3.5m

Adjustable blade angle

Art. no. AK40LRK







FAMCO هاییرسنعت



ENERGY FLEX

40 PPLRK Pruner & long reach hedge trimmer

20cm pruner cutter bar

450mm double sided hedge trimmer blade

| Telescopic extension shaft for working at heights up to 3.5m

No trailing cables or exhaust fumes

Incl. shoulder strap

Art. no. AK40PPLRK







ALKO 121







(Tel:∘۲1- ۴ ∧ ∘ ∘

(Fax: 0 1 - FF99F9F7

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)

روبـروی پالایشگاه نفت پارس، پلاک ۱۲

www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group







BATTERY

ALKO 36 V III

MT 40 multi-tool

- Lithium-ion 36 V (max. 40 V) 4.0 Ah / 5.0 Ah
- 1 kg without battery / 2.4 kg with battery
- Can be combined with BBA 40 battery belt

Art. no. 113 611 EAN no. 400 371 805 8468



Trimmer attachment **GTA 4030**

With extra handle and line spool with tap mechanism

Art. no. 113 614



Brushcutter and trimmer attachment **BCA 4030**

With extra handle, blade and line spool with tap mechanism

Art. no. 113 615







With 70 cm extension shaft and carry strap

Art. no. 113 612



Long reach hedge trimmer **HTA 4045**

With 70 cm extension shaft and carry strap

Art. no. 113 613



The product has been given awards and recommended by a German test institute and magazin





www.famcocorp.com

📵 @famco_group

🔄 E-mail: info@famcocorp.com

Tel:o۲I- ۴ A o o o o ۴ 9

(Fax: 011 - FF99F9F1

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبروی پالایشگاه نفت پارس، پلاک ۱۲



⊗ www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

(Tel:071- F A 0 0 0 0 F


(Fax:•۲1 - ۴۴99۴۶۴

AL-KO 125

تهران ، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس ، پلاک ۱۲

LEAF BLOWER FAMCO VACUUMS CLEAR AV عاييرصنعت IN A SINGLE STEP







Cable-free, portable and versatile



Manoeuvrable and comfortable to use





Tel:•ΥΙ- ۴ Λ • • • •

(Fax: 011 - FF99F9F1

ALKO 127

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پـارس، پلاک ۱۲


- E-mail: info@famcocorp.com
- @famco_group



	LB 2060	LB 4060	LBV 4090
Category	EASY	COMFORT	PREMIUM
Battery type	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	Lithium-ion 40 V max. (4 Ah / 5 Ah)	Lithium-ion 40 V max. (4 Ah / 5 Ah)
Max. charging time of battery	2.5 Ah: 50 minutes 5.0 Ah: 100 minutes	4 Ah: 90 minutes 5 Ah: 120 minutes	4 Ah: 90 minutes 5 Ah: 120 minutes
Battery / charger included	-/-	-/-	-/-
Air speed	up to 200 km/h	115–250 km/h	150–250 km/h
Flow rate	200 m³/h	330 m³/h	350 m³/h
Pipe attachments	1 (included)	2 (included)	1 (included)
Control	Infinitely variable	Infinitely variable	Infinitely variable
Approx. weight	1.2 kg (without battery) 1.5 kg (with battery)	2.2 kg (without battery) 3.6 kg (with battery)	4.5 kg (without battery) 5.9 kg (with battery)
Art. no. / EAN no.	113 537 / 400 371 805 7553	113 610 / 400 371 805 8451	113 662 / 400 371 805 9090

Unless otherwise stated, the battery and charger are not included.

@famco_group





FAMC PETROL PETROL All PETROL All PETROL All PEAF VA





Leaf blower with 75 cm working width Powerful 2.0 kW engine

XXL collecting bag with 200 L volume

Zipper at the side for easy emptying

Powerful air turbine

Housing made from powder-coated steel plate

Robust, 2-axis design

Ball-bearing mounted wheels

Ergonomic handlebar with safety switch





	-
LEAF VACUUM	750 P
Engine	140 ccm / 2.0 kW / 3,000 rpm
Working width	75 cm
Leaf vacuuming	✓
Fabric collector	200 L
Suction height adjustment	Individual wheel, 4-stage
Chopped material reduction	-
Turbine housing	Steel plate
Approx. weight	36.1 kg
Art. no. / EAN no.	127 141 / 400 371 805 1445







SUCTION HOSE WITH NOZZLE

3 meter suction hose, for the 750 P leaf vacuum

Removes leaves and dirt from the tightest corners

Art. no. 120 154 /

EAN no. 400 371 854 1731





@famco_group





Batteries/ chargers • pages 14/15



130 **ALKO**

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- afamco_group

- (Tel:011- F A 0 0 0 0 F 9
- (Fax: 011 FF99F9F1

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبروی پالایشگاه نفت پارس، پلاک ۱۲

FAMCO هایپرصنعت

ALKO 18V

EASY FLEX

WR 2000 Site Radio

USB port and Bluetooth

2x 5 W speakers

5 saved radio station settings, frequencies between FM 87.5 and 108 MHz

DAB+

Clock and alarm clock

Including mains cable

Art. no. 113 631



Batteries/

chargers

Batteries/

chargers

▶ pages 14/15

▶ pages 14/15



WL 2020 LED Spotlight

20 W rating

3 light settings (600, 1,000 and 1,600 lumens)

360° adjustable spotlight

Art. no. 113 626

Batteries/ chargers

▶ pages 14/15







HS 2015 Handsaw

- Cutting length 120 mm, cutting thickness Ø 60 mm
- Stroke rate 2200 per minute
- Including 2 metal saw blades

Art. no. 113 625







REPLACEMENT SAW BLADES

Set of 2 for HS 2015 Art. no. 113 679 / EAN no. 400 371 805 9274





w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com

@famco_group

Tel:•ΥΙ- ۴ Λ • • •

AL-KO 131

NIMBLE TOOLS FOR YOUR GARDEN





ALKO 18V III **EASY FLEX MB 2010 Weed Sweeper**

- For cleaning paving stones and decks
- For removing weeds
- 5-stage adjustable cleaning head inclination
- Including telescopic shaft as well as nylon and steel brushes

Art. no. 113 696



REPLACEMENT BRUSHES FOR MB 2010 WEED SWEEPER

Set of 2 (1x nylon brush + 1x steel brush) Art. no. 113 717 /

EAN no. 400 371 806 0461



	PS 2035 Plant Sprayer	WR 2000 Site Radio	WL 2020 LED Spotlight	
Battery type	Lithium-ion, 20 V max. (2.5 Ah)	Lithium-ion, 20 V max. (2.5 Ah)	Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah)	
Approx. weight	2.0 kg (without battery) 2.3 kg (with battery)	4.5 kg (without battery) 4.8 kg (with battery)	1.7 kg (without battery) 2.0 kg (with battery)	
Art. no. / EAN no.	113 697 / 400 371 805 9748	113 631 / 400 371 805 8796	113 626 / 400 371 805 8659	

For all handy battery tools, the battery and charger are not included.

132 **AL-KO**

⊗ www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

(Tel:071- F A 0 0 0 0 F 9

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

(Fax: 011 - FF99F9F1







for thorough cleaning Art. no. 113 876 / EAN no. 400 371 806 1987

Lithium-ion 20 V max. Lithium-ion 20 V max. Lithium-ion 20 V max. (2.5 Ah / 5.0 Ah) (2.5 Ah / 5.0 Ah) (2.5 Ah / 5.0 Ah)	
(2.0 All / 0.0 All) (2.0 All / 0.0 All)	,
1.0 kg (without battery) 1.35 kg (without battery) 1.4 kg (without battery) 1.7 kg (with battery) 1.7 kg (with battery) 1.7 kg (with battery)	·y)
113 625 / 113 859 / 113 696 / 400 371 805 8642 400 371 806 1710 400 371 805 9731	

@famco_group

CHAINSAM FAMCO Selection of the content of the co LEGENDARY SAWS



On the safe side: Chain brake, hand protection bar & quick stop



Maintenance-friendly thanks to the included tools and quick-tension chain wheels



High power and cutting performance



www.famcocorp.com

@famco_group

E-mail: info@famcocorp.com

(Tel:071- F A 0 0 0 0 F 9 Fax:∘۲1 - ۴۴99۴۶۴۲

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲





DOUBLE SAFETY

With the chain brake and hand protection bar with quick chain stop, the highest safety is ensured in any situation, for pleasant and accident-free working.



PERFECT HANDLING

AL-KO chainsaws sit well in the hand thanks to their balanced weight guarantees comfortable working.



EASY TO USE AND MAINTAIN

Automatic chain lubrication and the viewing pane on the oil tank make it easier to maintain the electric and battery chainsaws.

⊗ www.famcocorp.com

E-mail: info@famcocorp.com

@famco_group

Пен:∘۲۱- № А ∘ ∘ ∘ № 9

(Fax:011 - FF99F5FF

AL-KO 135

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)

روبــروی پالایشگاه نفت پارس، پلاک ۱۲

ENERGY FLEX CS 4030 Battery Chai

Quick tensioning and

Powerful and capable thanks to the

brushless motor and proven

Energy Flex battery technology

No toxic exhaust or power cable



KS 2000/35 lectric Chainsaw

Ainimal weight, ensuring less trenuous operation

Overload protection in the event of overheating

- Powerful and high-performance
- Easy maintenance
- Quick check of the oil level through window on the oil tank

Art. no. 112 807



Art. no. 113 616





Can be used with Energy Flex BBA 40 battery belt page 19



EKS 2400/40 Electric Chainsaw

- Sleek shape and good results
- With 40 cm long bar
- Quick tensioning and setup
- | Powerful and high-performance
- Simple maintenance

Art. no. 112 808

EKI 2200/40 Electric Chainsaw

- With engine fitted lengthways
- 40 cm long bar
- Quick tensioning and setup
- Powerful and high-performance
- Simple maintenance

Art. no. 112 809

PREMIU

136 **AL-KO**

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

Теl:•۲1- к л о о о ь к 9


(Fax: 011 - FF99F9F1

Unless otherwise stated, the battery and charger are not included.

تهران ، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پانایشگاه نفت پارس ، پلاک ۱۲



	BATTERY			
	CS 4030 _ •			EKI 2200/40
Category	COMFORT	لرصنعت	<u>-</u>	PREMIUM
Drive / power / engine	Battery, lithium-ior (4.0 Ah / 5.0 Ah)		***	Electric, 2,200 W 230 V / 50 Hz
Battery/charger included	-/-			
Tank volume (petrol/oil)	- / 180 ml	- / 150 ml	– / 150 ml	– / 200 ml
Engine layout		crossline	crossline	inline
Bar length	30 cm	35 cm	40 cm	40 cm
Saw chain	3/8" / 91P045E	3/8" / 91PJ052X	3/8" / 91PJ056X	3/8" / 91PJ056X
Chain speed	16.3 ± 0.7 m/s	13.5 m/s	13.5 m/s	13.5 m/s
Chain tension	tool-free	with tool	tool-free	tool-free
Chain lubrication	automatic	automatic	automatic	automatic
Chain brake	✓	✓	✓	✓
Approx. weight	4.45 kg (without battery) 5.81 kg (with battery)	4.8 kg	5.0 kg	5.4 kg
Art. no. /	113 616 /	112 807 /	112 808 /	112 809



- w w w . f a m c o c o r p . c o m
- E-mail: info@famcocorp.com
- @famco_group

Tel:o۲I- ۴ A o o o o ۴ 9 **ALKO** 137

WOOD SPLITT FAMCO

هایپرصنعت EFFORTLESS SPLIT FIREWOUD **FOR WINTER**



Extraordinarily and effortlessly convenient for keeping a supply of firewood



Space-saving thanks to compact design



With our powerful motors, providing splitting force up to 6 tonnes



www.famcocorp.com

🔄 E-mail: info@famcocorp.com

@famco_group

Tel:o۲I- ۴ A o o o o ۴ 9 (Fax: 011 - FF99F9F1

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲





EXCEPTIONAL SAFETY

Hand protection, 2-handed operation, wood holding tool and a wood supports on the sides make using our log splitters not only incredibly safe — they also make working with them an absolute pleasure.



PERFECTLY ADJUSTABLE

An upper guard, rapid return of the splitting blade and an adjustable holder provide the foundations for exceptional productivity.



TABLE INCLUDED

The wood supports on the splitting table keep the wood in the centre of the tool. The split wood is pushed onto the splitting table and from there it is easy and safe to remove. You can even allow the wood to drop into a wheelbarrow or similar container.

⊗ w w w . fa m cocorp.com

E-mail: info@famcocorp.com

@famco_group

(Tel:071- F A 0 0 0 0 F 9

(Fax:011 - ##99#9#

ALKO 139

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲



LSH 370/4 **Wood splitter**

- Incredibly safe, with protective cover
- Easy to use, with additional wood support
- A powerful tool with high splitting force

Art. no. 113 791



LSH 520/5 **Wood splitter**

- Comfortable working height
- Incredibly safe thanks to the protective cover
- High splitting force
- Stable, optimised splitting wedge

Art. no. 113 792



LSV 550/6 **Wood splitter**

- Sturdy, torsion-resistant frame
- High splitting force
- Adjustable splitting length
- Two-handed operation for safety



140 **ALKO**

- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- 📵 @famco_group

- Теl:•۲1- к л о о о о к ч
- Fax: ۲1 ۴۴99۴9۴۲ روبــروی پالایشگاه نفت پـارس، پلاک ۱۲






	HORIZONTAL		UPRIGHT
	LSH 370/4	LSH 520/5	LSV 550/6
Category	EASY	EASY	EASY
Power	1.5 kW / 230 V	2.2 kW / 230 V	3.0 kW / 230 V
Max. splitting force	4 T	5 T	6 T
Max. splitting length	130-370 mm	200-520 mm	100-550 mm
Cable length	6 M	6 M	6 M
Approx. weight	48 kg	60.5 kg	98.2 kg
Art. no. / EAN no.	113 791 / 400 371 806 0768	113 792 / 400 371 806 0775	113 788 / 400 371 806 0744





@famco_group







NAME	Art. no.	Category	Page	Sound pres- sure level measured LpA	Sound power level meas- ured LwA	Sound power level guar- anteed LwA	Uncertainty factor	Vibration value	K-value
				[dB(A)]	[dB(A)]	[dB(A)]	KpA [dB(A)]	ahw (m/s2)	(m/s2)
ROBOTIC	; LAW	'NMOW	ERS						
Robolinho® 450 W	127 618	PREMIUM	32 / 33	_	56	60	_	_	_
Robolinho® 700 W	127 569	PREMIUM	32 / 33	-	56	60	_	-	_
Robolinho® 1200 W	127 570	PREMIUM	32 / 33	_	56	60	_	_	_
Robolinho® 2000 W	127 571	PREMIUM	32 / 33	-	56	60	-	-	_
I TRACTOR	RS								
R 85.1 Li	127 617	PREMIUM	38 / 39	76.2	89.7	92	3	1.8 / 1.5	1.5
R 7-63.8 A	127 486	COMFORT	38 / 39	89	96	98	2	2/3.4	2
R 7-65.8 HD	127 487	PREMIUM	38 / 39	89	96	98	2	2 / 3.4	2
T 15-93.9 HDS-A	127 574	COMFORT	44 / 45	90	98	100	2	2/4	2
T 22-111.7 HDS-A V2	127 445	COMFORT	44 / 45	90	98	100	2	2/4	2
T 15-93.7 HD-A	127 417	COMFORT	46 / 48	90	98	100	2	2/4	2
T 15-103.7 HD-A	127 418	COMFORT	46 / 48	90	98	100	2	2/4	2
T 13-93.7 HD	127 416	COMFORT	46 / 48	90	98	100	2	2/4	2
T 16-93.7 HD V2	127 443	COMFORT	47 / 48	90	98	100	2	2/4	2
T 16-103.7 HD V2	127 444	COMFORT	47 / 48	90	98	100	2	2/4	2
T 15-95.6 HD-A	127 367	PREMIUM	60 / 62	90	98	100	2	2/4	2
T 16-95.6 HD V2	127 369	PREMIUM	60 / 62	90	98	100	2	2/4	2
T 16-105.6 HD V2	127 370	PREMIUM	60 / 62	90	98	100	2	2/4	2
T22-105.1 HD-A V2	127 601	PREMIUM	60 / 62	90	98	100	2	2/4	2
T 20-105.2 HD V2 SD	127 650	PREMIUM	61 / 62	90	98	100	2	2/4	2
T 20-105.2 HDE V2 SD	127 683	PREMIUM	61 / 63	90	98	100	2	2/4	2
T 22-110.0 HDH-A V2	127 575	COMFORT	58 / 63	87.1	97.1	98	2	2/4	2
T 23-125.2 HD V2 SD	127 653	PREMIUM	61 / 63	94	104	105	2	2/4	2





NAME	Art. no.	Category			Sound power level guar-	Uncertainty factor	Vibration value	K-value
			measured LpA [dB(A)]	ured LwA [dB(A)]	anteed LwA [dB(A)]	KpA [dB(A)]	ahw (m/s2)	(m/s2)

LAWNMOWERS

Battery lawnmowers									
34.8 Li	113 540	EASY	73 / 78	77.0	87.0	90.0	3.0	3.4	1.5
3.29 Li	113 663	EASY	73 / 78	85.0	95.0	96.0	1.0	8.0	1.0
3.85 Li	113 278	EASY	73 / 78	85.0	95.0	96.0	1.0	8.0	1.0
Moweo 42.0 Li	119 933	COMFORT	76 / 78	79.9	91.4	92.0	0.6	2.5	1.5
42.2 Li	123 009	COMFORT	76 / 79	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
Moweo 42.1 Li	119 992	COMFORT	76 / 79	79.9	91.4	92.0	0.6	2.5	1.5
Moweo 46.0 Li SP	119 934	COMFORT	76 / 79	80.4	90.4	91.0	0.6	2.5	1.5
46.2 Li SP	123 010	COMFORT	77 / 79	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
46.2 Li SP-W	123 011	COMFORT	77 / 79	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
512 Li VS-W	123 012	PREMIUM	78 / 79	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
Electric lawnmowers									
34 E Comfort	112 857	COMFORT	81	80.0	88.0	90.0	2.0	8.0	1.0
40 E Comfort	112 858	COMFORT	81	84.0	92.0	94.0	2.0	8.0	1.0
Petrol lawnmowers									
Easy 4.20 P-S	113 794	EASY	84 / 85	84.5	94.5	96.0	3.0	8.16	1.5
Easy 4.60 SP-S	113 795	EASY	84 / 85	81.7	93.9	96.0	3.0	8.16	1.5
Easy 5.10 SP-S	113 796	EASY	84 / 85	84.6	94.6	98.0	3.0	7.51	1.5
Comfort 42.1 P-A	119 998	COMFORT	86 / 89	84.2	94.2	95.0	2.0	6.0	2.0
Comfort 42.1 SP-A	119 993	COMFORT	86 / 89	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
Comfort 46.0 SP-A Plus	119 938	COMFORT	86 / 89	84.3	94.3	95.0	2.0	6.0	2.0
Comfort 46.0 SPi-A	119 940	COMFORT	87 / 89	83.4	93.4	95.0	2.0	6.0	2.0
Comfort 51.0 SP-A	119 944	COMFORT	87 / 89	86.8	96.8	98.0	2.0	6.0	2.0
Comfort 46.0 SP-B	119 937	COMFORT	87 / 89	85.1	95.1	96.0	2.0	6.0	2.0
Comfort 51.0 SP-B Plus	119 943	COMFORT	87 / 89	85.8	95.8	96.0	2.0	6.0	2.0
Premium 470 VS-B	119 947	PREMIUM	92 / 94	85.1	95.1	96.0	2.0	6.0	2.0
Premium 470 SP-H	119 968	PREMIUM	92 / 94	84.6	94.6	96.0	2.0	6.0	2.0
Premium 520 VS-B	119 949	PREMIUM	93 / 94	87.0	97.0	98.0	2.0	6.0	2.0
Premium 520 SP-H	119 969	PREMIUM	93 / 95	86.8	96.8	98.0	2.0	6.0	2.0
Premium 521 VS-H	119 994	PREMIUM	93 / 95	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
Premium 520 VSI-B	119 948	PREMIUM	93 / 95	87.0	97.0	98.0	2.0	6.0	2.0

I MULCH MOWERS

468 P-A BIO Silver	119 836	COMFORT	99	86.0	95.0	96.0	2.0	6.0	2.0
468 SP-A BIO Silver	119 835	COMFORT	99	86.0	95.0	96.0	2.0	6.0	2.0

SCYTHE MOWERS

BM 875 III 113 617 102 97.0 99.0 2.0 16.07 6.43 5001-R III 🚳 w w w . f a m c o c o r p . c o m

📵 @famco_group

Tel:orl-FA0000 F9 E-mail: info@famcocorp.com

(Fax: 011 - FF99F9F1








NAME	Art. no.	Category	Page	Sound pres- sure level measured LpA [dB(A)]	Sound power level meas- ured LwA [dB(A)]	Sound power level guar- anteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value	K-value
								ahw (m/s2)	(m/s2)
SCARIFIE	ERS								
Electric scarifiers									
38 E Combi Care Comfort	112 910	COMFORT	105 / 106	86.0	93.0	99.0	6.0	8.0	1.5
Battery scarifiers									
SF 4036	113 574	COMFORT	105 / 106	82.0	90.0	96.0	6.0	5.0	1.5
Petrol scarifiers									
38 P Combi Care Comfort	112 799	COMFORT	105 / 106	88.0	97.0	99.0	2.0	10.0	1.5
I CULTIVA	TORS								
MH 350-9 LM	113 727	EASY	108 / 109	79.1	92.0	93.0	1.0	5.5	-
MH 4005	113 255	COMFORT	108 / 109	78.9	91.9	93.0	1.1	8.6	4.3
MH 5007 R	113 620	PREMIUM	108 / 109	76.9	89.0	93.0	1.0	7.2	3.6
COMBI-T	OOL								
BF 5002 R	127 470	PREMIUM	111	80	92	93	2	5.5	0.7
				UTTEE	10				
TRIMME	KS AN	D RKO	SHU	UIIEF	15				

Electric trimmers/brush	cutters								
GTE 350 Classic	112 928	EASY	113 / 115	85.8	94.0	96.0	2.0	3.15	2.5
GTE 450 Comfort	112 929	COMFORT	113 / 115	85.4	94.0	96.0	2.0	3.15	2.5
GTE 550 Premium	112 926	COMFORT	113 / 115	83.6	94.0	96.0	2.0	3.15	2.5
Battery trimmer									
GT 2025	113 535	EASY	114 / 115	73.8	94.0	96.0	2.0	2.5	2.5
GT 4030	113 608	COMFORT	114 / 115	70.6	90.6	96.0	3.0	2.5	1.5
40 BCK	AK40BCK	COMFORT	114 / 115	80.0	93.0	96.0	3.0	≤ 4.4	1.5

I HEDGE TRIMMERS & MULTI-CUTTER

Electric hedge trimmers									
HT 440 Basic Cut	112 679	EASY	117	86.0	99.0	100.0	-	2.2	-
HT 550 Safety Cut	112 680	COMFORT	117	86.0	97.0	98.0	-	2.9	_
Battery hedge trimmers									
HT 2050	113 536	EASY	118	90.0	84.5	87.0	2.5	1.5	1.5
HT 4055	113 609	COMFORT	118	64.2	84.2	87.0	3.0	2.5	1.5
Battery long reach hedge	trimmers & prur	ner							
40 LRK	AK40LRK	COMFORT	121	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
40 PPLRK	AK40PPLRK	COMFORT	121	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
CSA 2020	113 538	EASY	120 / 121	72.0	86.0	92.0	3.0	2.5	1.5
HTA 2050	113 539	EASY	120 / 121	80.0	91.0	93.0	2.0	2.5	1.5
Battery multi-cutters									
GS 7.2 Li	113 371	COMFORT	119	75.0	78.0	79.0	1.0	≤ 2.5	1.5











NAME	Art. no.	Category	Page	Sound pres- sure level measured LpA [dB(A)]	Sound power level meas- ured LwA [dB(A)]	Sound power level guar- anteed LwA [dB(A)]	Uncertainty factor KpA [dB(A)]	Vibration value ahw (m/s2)	K-value (m/s2)
MULTI-T	00L								
MT 40	113 611	COMFORT	124 / 125	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*
GTA 4030	113 614	COMFORT	124 / 125	81.0	93.0	96.0	3.0	≤2.5	1.5
BCA 4030	113 615	COMFORT	124 / 125	80.0	93.0	96.0	3.0	≤ 4.4	1.5
CSA 4020	113 612	COMFORT	124 / 125	73.0	87.0	93.0	96.0	≤2.5	1.5
HTA 4045	113 613	COMFORT	124 / 125	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*	0.R.*

I LEAF BLOWERS/BLOWER VACUUMS

Battery leaf blowers/blower vacuums										
LB 2060	113 537	EASY	127 / 128	74.0	85.0	88.0	3.0	2.0	0.5	
LB 4060	113 610	COMFORT	127 / 128	79.5	95.5	96.0	3.0	2.0	1.5	
LBV 4090	113 662	PREMIUM	128	86.9	99.5	102.0	3.0	< 1.91	1.5	
Petrol leaf vacuum										
750 P	127 141	PREMIUM	129	86	96	98	2	6	2	

BATTERY HAND TOOLS

PW 2040	113 859	EASY	133	75.1	86.1	91.1	3.0	0.84	1.5	
PS 2035	113 697	EASY	130 / 132	45.4	56.4	-	3.0	0.182	1.5	
HS 2015	113 625	EASY	131 / 133	4.0	95.0	98.0	3.0	11.76	1.5	
MB 2010	113 696	EASY	132 / 133	62.5	82.5	-	3.0	1.85	1.5	

I CHAINSAWS


Battery chainsaws									
CS 4030	113 616	COMFORT	136 / 137	87.0	98.5	101.0	2.5	2.1 / 2.4	2.0
Electric chainsaws									
EKS 2000/35	112 807	EASY	136 / 137	96.0	108.0	110.0	3.0	5.05	3.0
EKS 2400/40	112 808	COMFORT	136 / 137	95.0	108.0	110.0	3.0	5.95	3.0
EKI 2200/40	112 809	PREMIUM	136 / 137	94.0	106.0	108.0	3.0	5.06	3.0

I LOG SPLITTERS

LSH 370/4	113 791	EASY	140 / 141	89.8	91.0	96.0	3.0	-	3.0
LSH 520/5	113 792	EASY	140 / 141	89.8	92.7	95.7	3.0	-	3.0
LSV 550/6	113 788	EASY	140 / 141	89.8	94.4	97.4	3.0	-	3.0

Subject to technical changes. *O.R. = on request







OUR EXPERTISE IS IN YOUR SAFETY

COMFORT

AND

AL-KO Gardentech stands for the highest level of quality. For example, our products stand out with their impressive durability, even when they are in frequent use. However, wear and tear or repairs may require replacement of parts. In such cases, you should always choose AL-KO genuine spare parts and accessories. Because top quality and guaranteed safety can only be expected from components which match the technical and quality characteristics of every AL-KO product down to the finest detail.

That's why, in the UK most of the necessary genuine spare parts and accessories can be purchased at any time. This is a service which keeps downtimes for your equipment at a minimum. Moreover, using AL-KO genuine spare parts and accessories is the only way to ensure that all mutually optimised appliance components are at full functionality and to guarantee the high quality and reliability of the AL-KO product. Indeed, the product warranty is only effective, and in case of repair will only remain valid, provided AL-KO genuine spare parts and accessories are used.

Our AL-KO genuine spare parts have other benefits as well. Each improvement made to the series-produced products is conferred to the associated genuine spare parts. Whether it's a simple screw or a sophisticated control board, all genuine AL-KO and solo by AL-KO parts are designed based on a wealth of expertise acquired through many decades of manufacturing prowess.

Our authorised service partners can also benefit from using AL-KO genuine spare parts and accessories. Components that always fit perfectly ensure short repair times and enable cost-effective repair jobs.

In brief: Safe, high-quality and always right – with AL-KO genuine spare parts and accessories, you'll always make the right choice for repairs or maintenance. That forms the basis for the lasting and reliable use of the products.







Scan the QR code to find an AL-KO service agent near you





- ⊗ www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

(Tel: • YI - F A • • • • F 9

Fax: • YI - FF99F5FY

ALKO 147







