

# EZ-IP

مدل ردیف	مشخصات فنی	تصویر
1 IPC-B2B40-ZS	<p>1/3" 4Megapixel progressive scan CMOS  H.265+ &amp; H.265 dual-stream encoding  20fps@4M(2560×1440) &amp;25/30fps@3M(2304×1296)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC  2.8~12mm varifocal lens  Max. IR LEDs Length 40m  Support Smart IR  Micro SD card memory  IP67, PoE</p>	
2 EZ-IPC-B1B40P <b>EZ-IP 2</b>	<p>1/3" 4Megapixel progressive scan CMOS  H.265+ &amp; H.265 dual-stream encoding  20fps@4M(2560×1440) &amp;25/30fps@3M(2304×1296)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC  3.6mm fixed lens  Max. IR LEDs Length 30m  Support Smart IR  IP67, PoE</p>	
3 EZ-IPC-B1B20P-L <b>EZ-IP 2</b>	<p>1/2.7" 2Megapixel progressive scan CMOS  H.265+ &amp; H.265 dual-stream encoding  20fps@1080P(1920×1080) &amp; 25/30fps@1.3MP(1280×960)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC  3.6mm fixed lens  Max. IR LEDs Length 30m  Support Smart IR  IP67, PoE</p>	
4 EZ-IPC-T1B40P <b>EZ-IP 2</b>	<p>1/3" 4Megapixel progressive scan CMOS  H.265+ &amp; H.265 dual-stream encoding  20fps@4M(2560×1440) &amp;25/30fps@3M(2304×1296)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC  3.6mm fixed lens  Max. IR LEDs Length 30m  Support Smart IR  IP67, PoE</p>	
5 EZ-IPC-T1B20P-L <b>EZ-IP 2</b>	<p>1/2.7" 2Megapixel progressive scan CMOS  H.265+ &amp; H.265 dual-stream encoding  20fps@1080P(1920×1080) &amp; 25/30fps@1.3MP(1280×960)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC  3.6mm fixed lens  Max. IR LEDs Length 30m  Support Smart IR  IP67, PoE</p>	
6 IPC-B1A30	<p>1/3" 3Megapixel progressive scan CMOS  H.264+/H.264 dual-stream encoding  20fps@3M(2048×1536)&amp;25/30fps@1080P(1920×1080)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  2.8mm fixed lens  Max. IR LEDs Length 30m  IP67, PoE</p>	

مدل ردیف	مشخصات فنی	تصویر
7 IPC-B2A30	<p>1/3" 3Megapixel progressive scan CMOS  H.264+/H.264 dual-stream encoding  20fps@3M(2048x1536)&amp;25/30fps@1080P(1920x1080)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  2.7~12mm Motorized lens  Micro SD card slot, up to 128GB  Max. IR LEDs Length 60m  IP67, PoE</p>	
8 IPC-D2B40-ZS	<p>1/3" 4Megapixel progressive scan CMOS  H.265+ &amp; H.265 dual-stream encoding  20fps@4M(2560x1440) &amp;25/30fps@3M(2304x1296)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC,HLC  2.8~12mm varifocal lens  Max. IR LEDs Length 30m  Support Smart IR  Micro SD card memory  IP67, PoE</p>	
9 IPC-T1A30	<p>1/3" 3Megapixel progressive scan CMOS  H.264+/H.264 dual-stream encoding  20fps@3M(2048x1536)&amp;25/30fps@1080P(1920x1080)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  2.8mm fixed lens  Max. IR LEDs Length 30m  IP67, PoE</p>	
10 IPC-D1A30	<p>1/3" 3Megapixel progressive scan CMOS  H.264+/H.264 dual-stream encoding  20fps@3M(2048x1536)&amp;25/30fps@1080P(1920x1080)  DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC  2.8mm fixed lens  Max. IR LEDs Length 30m  IP67, IK10, PoE</p>	



Surveillance Made Simple

1 DH-PSD81602-A360

8x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera  
 Panoramic: Eight 1/1.9" 2Megapixel progressive scan CMOS  
 5mm fixed lens  
 PTZ: One 1/1.9" 2Megapixel progressive scan CMOS  
 5.5mm~206mm, 37x optical zoom  
 H.265+/H.265/H.264+/H.264 triple-stream encoding  
 2x25fps@4096x1800+50/60fps@1080P  
 Support 360-degree panoramic view  
 WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC  
 Smart tracking  
 Intelligent Function(Tripwire, Intrusion)  
 2/1 channel Audio In/Out  
 7/2 channel Alarm In/Out  
 RS485



2 DH-PSD8802-A180

4x2MP Multi-Sensor Panoramic Network Camera+PTZ Camera  
 Panoramic: Four 1/1.9" 2Megapixel progressive scan CMOS  
 5mm fixed lens  
 PTZ: One 1/1.9" 2Megapixel progressive scan CMOS  
 5.5mm~206mm, 37x optical zoom  
 H.265+/H.265/H.264+/H.264 triple-stream encoding  
 25fps@4096x1800+50/60fps@1080P  
 Support 180-degree panoramic view  
 WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC  
 Smart tracking  
 Intelligent Function(Tripwire, Intrusion)  
 2/1 channel Audio In/Out  
 7/2 channel Alarm In/Out  
 RS485  
 Micro SD memory, IP67, IK10



3 IPC-PFW8800-A180

4x2MP Multi-Sensor Panoramic Network IR Bullet Camera  
 Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS  
 H.265+/H.265/H.264+/H.264 triple-stream encoding  
 Max 25fps@4096x1800  
 3.0mm fixed lens  
 Support 180-degree panoramic view  
 DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC  
 Intelligent Function| Tripwire, Intrusion, Object Abandoned/Missing  
 Map, E-PTZ  
 1/1 channel Audio In/Out  
 2/2 channel Alarm In/Out  
 Max. IR LEDs length 30m  
 Micro SD memory, IP67, IK10,PoE+



4 IPC-PFW8601-A180

3x2MP Multi-Sensor Panoramic Network IR Bullet Camera  
 Three 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS  
 H.265+/H.265/H.264+/H.264 triple-stream encoding  
 Max 25fps@4096x832  
 3.6mm fixed lens  
 Support 180-degree panoramic view  
 WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC  
 Intelligent Function| Tripwire, Intrusion, Object Abandoned/Missing, I  
 Map, E-PTZ  
 1/1 channel Audio In/Out  
 2/1 channel Alarm In/Out  
 Max. IR LEDs length 30m  
 Micro SD memory, IP67, IK10,PoE+













5	DH-IPC-PDBW8800-A180	<p>4x2MP Multi-Sensor Panoramic Network IR Dome Camera            Four 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS            H.265+/H.265/H.264+/H.264            Max 25fps@4096x1800            3.0mm fixed lens            Support 180-degree panoramic view            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC            Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing, Heat Map, E-PTZ            1/1 channel Audio In/Out            2/1 channel Alarm In/Out            Max. IR LEDs length 30m            Micro SD memory, IP67, IK10,PoE+</p>	
6	DHI-ITC237-PW1B-IRZ	<p>دوربین ANPR با قابلیت تشخیص پلاک، مناسب برای ورودی های پارکینگ            2 Megapixel Full HD WDR Access ANPR Camera            -Embedded with LPR algorithm inside the camera            -Support plate cutout, overview picture snapshot and video recording            -Embedded with White list database,1 ch relay out to control the barrier            performance for outdoor applications·            1/2.8" 2Megapixel progressive scan CMOS            H.265/H.264M/H.264H/H.264B dual-stream encoding            25/30fps@1080P(1920×1080)            2.7mm~12mm Motorize lens            WDR(140dB),BLC,HLC,Day/Night(ICR),3DNR,AWB,AGC,BLC            Mirco SD card 64GB            IR Distance 3~8m            IP67, IK10, PoE</p>	
7	DH-IPC5831EP-ZE	<p>1/2.5" 8 Megapixel progressive scan STARVIS™ CMOS            H.265+/H.265/H.264+/H.264 Triple-stream encoding            15fps@4K(3840×2160),25/30fps@3Mp(2304×1296)            2.7mm ~12mm motorized lens            Max. Aperture F1.6            WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC            Micro SD card memory , 128 GB            1/1 Audio In/Out            2/1 Alarm In/Out            Max. IR LEDs Length 50m , Smart IR            IP67,IK10, PoE</p>	
8	DH-IPC-HFW4831EP-S	<p>Smart Detection (Trinwire Intrusion Object Abandoned/Missing Face)            1/2.5" 8Megapixel progressive scan CMOS            H.265+&amp;H.265&amp;H.264&amp;MJPEG triple-stream encoding            15fps@4K(3840×2160),25/30fps@3Mp(2304×1296)            DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC            4mm fixed lens            Max. IR LEDs Length 40m            Micro SD card memory , 128 GB            IP67, PoE</p>	
9	IPC-HFW4631EP-SE	<p>Smart Detection (Tripwire Intrusion  Scene Change  Face)            1/2.9" 6Megapixel progressive scan STARVISTM CMOS            H. 265+ &amp; H.265 &amp; H.264+ &amp; H.264 triple-stream encoding            20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520)            WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC            3.6mm fixed lens            Max. IR LEDs Length 40m            Micro SD card memory , 128 GB            IP67, PoE</p>	

10	DH-IPC-HFW2531TP-Z	<p>1/2.7" 5Megapixel progressive CMOS 2.7~13.5mm Motorized lens 15fps@5M(2592×1944)&amp;25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m ,Smart IR IP67, PoE</p>	
11	DH-IPC-HFW5431EP-Z-H	<p>1/3" 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 &amp; MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m IP67, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out</p>	
12	DH-IPC-HFW5231EP-Z12E	<p>Smart Detection (Tripwire Intrusion   Scene Change   Face) 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding 50/60fps@1080(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 5.3mm ~ 64mm 12x zoom lens 1/1 Audio in/Out 2/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 200m , Smart IR IP67, IK10, PoE</p>	
13	DH-IPC-HFW5231EP-Z13E	<p>Smart Detection (Trinwire Intrusion Object Abandoned/Missing Face) 1/2.8" 2Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 &amp; MJPEG triple-stream encoding 50/60fps@1080(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 13.5mm motorized lens 1/1 Audio in/Out 2/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IRa IP67, IK10, PoE</p>	
14	DH-IPC-HFW4431DP-BAS <b>Eco-Savvy Lite</b>	<p>Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 80m Mirco SD card 128GB IP67 PoE</p>	
15	DH-IPC-HFW4431BP-BAS <b>Eco-Savvy Lite</b>	<p>1/3" 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) &amp; 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 &amp; MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 50m Mirco SD card 128GB IP67, PoE</p>	


16	DH-IPC-HFW2431TP-Z	<p>1/3" 4 Megapixel progressive CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 20fps@4M(2688×1520)&amp;25/30fps@3M(2304×1296) 2.7mm ~13.5mm motorized lens WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card memory , 128 GB Max. IR LEDs Length 60m , Smart IR IP67, PoE+</p>	
17	DH-IPC-HFW1431SP	<p>1/3" 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688×1520) &amp;25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, PoE</p>	
18	DH-IPC-HFW4231EP-S	<p>1/2.8" 2Megapixel progressive scan STARVIS™ CMOS(Starlight) 3.6mm fixed lens 50/60fps@1080P(1920×1080) H.265+/H.265/H.264+/H.264 triple-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported: Face Detection,Tripwire, Intrusion, Object Abandoned/Missing Max. IR LEDs Length 40m Mirco SD card 128GB IP67, PoE</p>	
	 <b>3.</b>		
19	DH-IPC-HFW2431RP-VFS-IRE6	<p>1/3" 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688×1520) &amp; 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>	
20	DH-IPC--HFW2231RP-VFS-IRE6	<p>1/2.8" 2Megapixel progressive Starvis CMOS(Starlight) 2.7~13.5mm varifocal lens 25/30fps@2M(1920×1080) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>	
21	DH-IPC--HFW2231RP-ZS-IRE6	<p>1/2.8" 2Megapixel progressive Starvis CMOS(Starlight) 2.7~13.5mm Motorized lens 25/30fps@2M(1920×1080) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Mirco SD card 128GB Max IR LEDs Length 60m IP67, PoE</p>	
22	DH-IPC-HFW1420SP	<p>1/3" 4Megapixel progressive scan CMOS H.264&amp;MJPEG dual-stream encoding Max 20fps@4M(2688×1520)&amp;25/30fps@3M(2304×1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>	

23	DH-IPC-HFW1320SP	<p>1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding Max 20fps@3M(2048×1536)&amp;25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>	
24	DH-IPC-HFW1231SP <b>NEW Product</b>	<p>1/2.8" 2Megapixel progressive CMOS H.265 &amp; H.264 dual-stream encoding 25/30fps@1080P(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC, HLC 2.8mm fixed lens Max. IR LEDs Length 30m, Smart IR IP67, PoE Smart Detection (Tripwire Intrusion)</p>	
25	DH-IPC-HFW1230SP	<p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>	
26	HDBW-5831EP-ZE 	<p>1/2.5" 8Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-stream encoding 15fps@4K(3840×2160),25/30fps@3M(2304×1296) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens 1/1 Audio in/Out 1/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IR IP67, IK10, PoE+</p>	
27	HDBW-5831EP-ZE 	<p>1/2.5" 8Megapixel progressive scan STARVIS™ CMOS H.265+/H.265/H.264+/H.264 Triple-stream encoding 15fps@4K(3840×2160),25/30fps@3M(2304×1296) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens 1/1 Audio in/Out 1/1 Alarm In/Out Micro SD card memory , 128 GB Max. IR LEDs Length 50m , Smart IR IP67, IK10, PoE+</p>	
28	DH-IPC- HDBW5431EP-Z-H	<p>1/3" 4Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 &amp; MJPEG triple-stream encoding Max 20fps@4Mp(2560×1440),25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~ 12mm motorized lens Max. IR LEDs Length 50m IP67, IK10, PoE Micro SD card memory , 128 GB Audio in/Out Alarm In/Out Smart Detection (Tripwire Intrusion   Scene Change   Face)</p>	

مدل ردیف	مشخصات فنی	تصویر	قیمت
29 DH-IPC- HDBW4831EP-ASE 	<p>1/2.5" 4K progressive scan Starvis CMOS H.265+/H.265/H.264+/H.264 encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 30m Alarm in/out Audio in/out Micro SD card memory , 128 GB IP67,IK10, PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing  Face)</p>		
30 DH-IPC-HDW4831EMP- ASE 	<p>1/2.5" 4K progressive scan CMOS H.265+/H.265/H.264+/H.264 encoding 15fps@4K(3840×2160),25/30fps@3Mp(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 4mm fixed lens Max. IR LEDs Length 50m Built-in Mic Micro SD card memory , 128 GB IP67,PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing  Face)</p>		
31 HDW4631EM-ASE 	<p>1/2.9" 6Megapixel progressive scan STARVISTM CMOS H. 265+ &amp; H.265 &amp; H.264+ &amp; H.264 triple-stream encoding 20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Built-in Mic Max. IR LEDs Length 50m, Smart IR Micro SD card memory , 128 GB IP67, PoE Smart Detection (Tripwire Intrusion  Object Abandoned/Missing  Face)</p>		
32 DH-IPC-HDW4431EP- AS-H <b>Eco-Savvy Lite</b> 	<p>1/3" 4Megapixel progressive scan CMOS 3.6mm fixed lens Max 20fps@4M(2592×1520) &amp; 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 &amp; MJPEG triple stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Smart Detection supported Face Detection,Tripwire, Intrusion, Object Abandoned/Missing Built-in Mic Max. IR LEDs Length 50m Mirco SD card 128GB IP67 PoF</p>		
33 HDBW2531RP-ZAS	<p>1/2.7" 5Megapixel progressive CMOS 2.7~13.5mm Motorized lens 20fps@5M(2592×1944)&amp;25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 1/1 Audio in/out, 1/1 Alarm in/out Mirco SD card 128GB Max IR LEDs Length 30m ,Smart IR IP67,IK10, PoE</p>		
34 DH-IPC- HDBW2431RP-ZAS	<p>1/3" 4Megapixel progressive CMOS 2.7~13.5mm Motorized lens 20fps@4M(2688×1520) &amp; 25/30fps@3M(2304×1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 1/1 Audio in/out, 1/1 Alarm in/out Mirco SD card 128GB Max IR LEDs Length 50m IP67.IK10. PoE</p>		



رقم	مدل	مشخصات فنی	تصویر	قیمت
35	DH-IPC-HDBW2421RP-ZS	<p>1/3" 4Megapixel progressive CMOS 2.7~12mm Motorized lens H.264+ &amp; H.264 dual-stream encoding 20fps@4M(2688x1520) &amp; 25/30fps@2M(1920x1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB Max IR LEDs Length 30m IP67, IK10, PoE</p>		
36	DH-IPC-HDBW2421RP-VFS	<p>1/3" 4Megapixel progressive CMOS 2.7~12mm varifocal lens 20fps@4M(2688x1520) &amp; 25/30fps@2M(2304x1296) H.264+ &amp; H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card 128GB Max IR LEDs Length 30m IP67, IK10, PoE</p>		
37	DH-IPC-HDBW2431RP-VFS	<p>1/3" 4Megapixel progressive CMOS 2.7~13.5mm varifocal lens 20fps@4M(2688x1520)&amp;25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card 128GB Max IR LEDs Length 50m IP67, IK10, PoE</p>		
38	DH-IPC-HDBW1431EP	<p>1/3" 4Megapixel progressive CMOS 3.6mm fixed lens 20fps@4M(2688x1520) &amp; 25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, IK10, PoE</p>		
39	DH-IPC-HDW1431SP	<p>1/3" 4Megapixel progressive CMOS 2.8mm fixed lens 20fps@4M(2688x1520) &amp; 25/30fps@3M(2304x1296) H.265+/H.265/H.264+/H.264 dual-stream encoding WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Max. IR LEDs Length 30m IP67, PoE</p>		
40	DH-IPC-HDPW1420FP-AS	<p>1/3" 4Megapixel progressive scan CMOS H.264 &amp; MJPEG dual codec Max 20fps@4M(2688*1520), 25/30fps@3M(2304*1296) Smart Detection supported DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Built-in Mic Micro SD card 128GB Max. IR LEDs Length 20m IP66, PoE</p>		
41	DH-IPC-HDW1420SP	<p>1/3" 4Megapixel progressive scan CMOS H.264&amp;MJPEG dual-stream encoding Max 20fps@4M(2688x1520)&amp;25/30fps@3M(2304x1296) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>		

مدل ردیف	مشخصات فنی	تصویر
42	<p>DH-IPC-HDBW1320EP-AS</p> <p>1/3" 3Megapixel progressive scan CMOS H.264+/H.264 dual-stream encoding Max 20fps@3M(2048x1536) (2304x1296)&amp;25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m Micro SD card Memory , 128 GB Audio In/Out IP67, IK10, PoE</p>	
43	<p>DH-IPC-HDW1230SP</p> <p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>	
44	<p>DH-IPC-HDBW1230EP</p> <p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, IK10, PoE</p>	
45	<p>DH-IPC-HDBW8231EP</p> <p>1/2.8" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 triple-stream encoding 50/60fps@1080P(1920x1080) WDR(140dB), SSA, Day/Night(ICR), 3DNR,AWB,AGC,BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m Micro SD card memory , 128 GB Audio In/Out Alarm In/Out Support EIS ,Defog Support <b>People Counting, Heat Map</b> IP67, IK10, PoE Smart Detection (Tripwire Intrusion Scene Change Object Abandoned/Missing  Face)</p>	
46	<p>DH-SD29204T-GN</p> <p>1/2.7" 2MP CMOS Sensor H.264+/H.264 Encoding Max. 25/30fps@1080P, 25/30/50/60fps@720P WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 2.7mm ~ 11mm , 4x Optical Zoom Max 100°/s pan speed, 360° endless pan rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Built-in Mic IR Distance up to 30m support POE Smart Detection (Tripwire Intrusion   Scene Change   Face  Abandoned-Missing Object)</p>	
47	<p>DH-SD1A203T-GN</p> <p>1/2.8" 2MP STARVIS™ CMOS (<b>Starlight</b>) H.265+/H.265/H.264+/H.264 Triple-streams encoding Max. 25/30fps@1080P WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 2.7mm ~ 8.1mm , 3x Optical Zoom Max Pan: 80° /s; Tilt: 40° /s speed Pan: 0° ~ 355°; Tilt: 5° ~ 90° rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Support Defog IR Distance up to 15m IP 66, support POE Smart Detection (Tripwire Intrusion Abandoned/Missing Face Detection)</p>	

- 48 DH-SD6CE230U-HNI
- 1/2.8" 2MP STARVIS™ CMOS  
H.265+/H.265/H.264+/H.264 Encoding  
Max. 50/60fps@1080P  
4.5mm~135mm Powerful 30x optical zoom  
Max 200°/s pan speed, 360° endless pan rotation  
WDR(120db), Day/Night(ICR), Ultra DNR, BLC, HLC  
Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection, Heat Map)  
Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  
Support Defog, ROI, EIS  
Alarm 7/2 in/out  
Audio 1/1 in/out  
1\*Video output  
RS485  
IR Distance up to 200m



- 49 DH-SD6CE225U-HNI
- 1/2.8" 2MP STARVIS™ CMOS  
H.265+/H.265/H.264+/H.264 Triple-streams encoding  
Max. 50/60fps@1080P  
4.8mm~120mm 25x optical zoom  
Max 200°/s pan speed, 360° endless pan rotation  
WDR(120dB), Day/Night(ICR), Ultra DNR, BLC, HLC  
Support Defog, ROI, EIS  
Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection, Heat Map)  
Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  
1\*Video output  
Rs485  
Alarm 7/2 in/out  
Audio 1/1 in/out  
IR Distance up to 200m



- 50 DH-SD49225T-HN
- 1/2.8" 2Megapixel STARVIS™ CMOS  
H.265+/H.265/H.264+/H.264 Triple-streams encoding  
Max. 25/30fps@1080P  
4.8mm~120mm 25x optical zoom  
Max 240°/s pan speed, 360° endless pan rotation  
WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  
Support Defog  
IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection)  
Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  
Alarm 2/1 in/out  
Audio 1/1 in/out  
Support PoE+  
IR Distance up to 100m



- 51 DH-SD65F230F-HNI
- Super Starligh**
- 1/1.9" 2MP CMOS Sensor(Super Starlight)  
H.264 / MJPEG Encoding  
Max. 25/30fps@1080P, 25/30/50/60fps@720P  
6mm~180mm Powerful 30x optical zoom  
Max 300°/s pan speed, 360° endless pan rotation  
WDR(120db), Day/Night(ICR), Ultra DNR, BLC, HLC, Auto iris, Auto focus  
Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection)  
Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan  
Support Defog, ROI, EIS  
Alarm 7/2 in/out  
Audio 1/1 in/out  
1 video output  
RS485  
IR Distance up to 100m  
Support PoE+  
IP66, IK10



52 DH-SD59225U-HNI  
 2MP 25x **Starlight** IR PTZ Network Camera  
 1/2.8" Exmor R CMOS  
 H.265+/H.265/H.264+/H.264 Encoding  
 Max. 50/60fps@1080P, 25/30/50/60fps@720P  
 4.8mm~120mm 25x optical zoom  
 Max 400°/s pan speed, 360° endless pan rotation  
 WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  
 Auto-tracking and IVS(Tripwire, Intrusion,Abandoned/Missing, Face Detection)  
 Support Defog and EIS  
 Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan  
 Built-in 2/1 Alarm in/out  
 Audio 1/1 in/out  
 Support PoE+



53 DH-SD59230U-HNI  
 IP66.OSD  
 2MP 30x **Starlight** IR PTZ Network Camera  
 1/2.8" Exmor R CMOS  
 H.265+/H.265/H.264+/H.264 Encoding  
 Max. 50/60fps@1080P, 25/30/50/60fps@720P  
 4.5mm~135mm 30x optical zoom  
 Max 400°/s pan speed, 360° endless pan rotation  
 WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  
 Auto-tracking and IVS(Tripwire, Intrusion,Abandoned/Missing, Face Detection)  
 Support Defog and EIS  
 Up to 300 presets,8 tour, 5 pattern, Auto scan, Auto Pan  
 Built-in 2/1 Alarm in/out  
 Audio 1/1 in/out  
 Support PoE+



54 DH-SD59430U-HNI  
 IP66.OSD  
 1/3" CMOS Sensor  
 H.265+/H.265/H.264+/H.264 Encoding, Ultra-low bit rate transmission  
 Max. 25/30fps@4M(2592x1520) & 50/60fps @1080P resolution  
 WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  
 4.5mm ~ 135.0mm , 30x Optical Zoom  
 Max 400°/s pan speed, 360° endless pan rotation  
 Up to 300 presets, 5 auto scan, 8 tour, 5 pattern  
 Micro SD card memory , 64 GB  
 Audio In/Out  
 Alarm In/Out  
 IP66, POE+  
 IR Distance up to 100m(AC24V)/ 80m(DC12V)  
 Smart Detection (Tripwire|Intrusion | Scene Change | Face| Anandoned-Missing Object)



55 DH-SD60230T-HN  
 1/2.8" 2Mp CMOS Sensor  
 H.264+/H.264 Encoding, Ultra-low bit rate transmission  
 Max. 30fps@1080P(2592x1520) & 60fps @720P resolution  
 DWDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus  
 4.5mm ~ 135.0mm , 30x Optical Zoom  
 Max 600°/s pan speed, 360° endless pan rotation  
 Up to 300 presets, 5 auto scan, 8 tour, 5 pattern  
 Micro SD card memory , 64 GB  
 Audio In/Out  
 Alarm In/Out  
 IP67,IK10, POE+  
 Smart Detection (Tripwire|Intrusion | Scene Change | Face| Anandoned-Missing Object)

