SINGLE DIRECTION VIBRATING COMPACTOR

The ENAR ZEN single direction vibrating compactor Series are economical, easy to handle and can easily be transport.

The Enar Zen series are users' number one choice for compacting mixed soil in restricted areas, cohesive materials and paving stones.



The Enar Zen Series offers a range up to 110kg with different engine configuration and options according to the needs of each

The Robust and ergonomic handle, the incorporation of wheels to the plate makes it easy to transport to any desired location on the construction site.



+ Transportation easy.

With the incorporation of a wheel set, we've made it easier than ever to transport vibrating plates at the construction site.



+ Full range

A variety of models.

The single direction vibrating compactor comes in a complete range of engines for the needs of each client.

+ Robust

Resistant.

The base of the Enar Zen Series is made of high quality resistant cast iron to provide a long lasting operational life. It also comes with a heavy duty frame that protects the engine.




+ Ergonomics

of use.

The handle is completely foldable on the compactor (a) w w w . f a m c o c o r p . c o m plate and it included as vibration absorption system to a higher comfort users.

- E-mail: info@famcocorp.com
- @famco_group






DATOS TÉCNICOS

MODEL	MODEL WEIGHT WITHOUT FUEL (Kg)		SPEED (m/min)	DIMENSIONS (WidexLongxHigh)	ENGINE		
ZEN 16CG	90	16.000	0-22	430X1165X958	HONDA CV a Co CE		
ZEN 16DG	94	16.000	0-22	500x1165x958	HONDA GX 160 CE HONDA GX 160		
ZEN 20CG	91	20.000	0-23	430x1165x958	LONCIN G 160F Robin Subaru ex17 ce		
ZEN 20DG	95	20.000	0-23	500x1165x958	RODIN SUDANU LATY CL		
ZEN 16CD	106	16.000	0-22	430X1165X958			
ZEN 16DD	110	16.000	0-22	500X1165X958	HATZ 1B 20		
ZEN 20CD	107	20.000	0-23	430X1165X958	ПА12 1B 2U		
ZEN 20DD	111	20.000	0-23	500X1165X958			

- ▶ Gasoline and / or diesel engines from different manufacturers.
- ▶ Vibration frequency: 5,600 vib/min.
- > Accelerator integrated in handle.
- **▶** Easy start-up, actuation by centrifugal clutch.
- Optional VULKOLLAN® plate for compacting paving stones.
- Doptional 9L water tank, with quick assembly and disassembly system to facilitate filling. Recommended for working with asphalt.







🗐 Fax:•۲۱ – ۴۴99۴۶۴۲

SINGLE DIRECTION VIBRATING COMPACTOR

ے FAMC ھایپرسنعت

The ENAR ZEN single direction vibrating compactor Series are an economical option without giving up a good performance.

The Enar Zen series are users' number one choice for compacting mixed soil in restricted areas, cohesive materials and paving stones.

Variety and Efficiency

The Enar Zen Series offers a range up to 100kg with different engine configuration and options according to the needs of each client.

The Robust and ergonomic handle, the incorporation of wheels to the plate makes it easy to transport to any desired location on the construction site.





+ Full range

A variety of models.

The single direction vibrating compactor comes in a complete range of engines for the needs of each client.



+ Resistant

plate base.

The base of the ZEN-E Vibrating compactor is made of high quality resistant cast iron to provide a long lasting operational life.



+ **Simplicity** of design.

ZEN-E vibrating compactor is an economic version of the Zen Series without any change to compaction performance.

TECHNICAL DATA

MODEL	WEIGHT WITHOUT FUEL (Kg)	CENTRIFUGAL FORCE (N)	SPEED (m/min)	DIMENSIONS (WidexLongxHigh)	ENGINE		
ZEN 16CGE 82		16,000	0-22 430X952X890		1101/D4 CV - C- CF		
ZEN 16DGE	86	16,000	0-22	500X952X890	HONDA GX 160 CE HONDA GX 160		
ZEN 20CGE	83	20,000	0-23	430X952X890	ENAR G 160F		
ZEN 20DGE	87	20,000	0-23	500X952X890	- ROBIN SUBARU EX17 CE		

- ▶ Vibration frequency: 5,600 vib/min.
- ▶ Centrifugal clutch driven and easy start.
- Doption of polyurethane sheet for the base plate, for works on paving stones.
- Option of a 9-liter tank capacity is suitable for both asphalt works and dusty environment. It is easily removable for filling.

> Option of protection bar to protect the engine.



BANDEJAS REVERSIBLES CREV

FAMCU هایپرسنعت



La gama de bandejas compactadoras reversibles CRENA ENAR ofrece al usuario un producto robusto, fiable y manejable. Con un rendimiento superior para trabajos de entidad sobre materiales granulares.


VARIEDAD Y EFICIENCIA.

Bandejas con mando inversor de marcha desde 150kG hasta 500kG con diferentes configuraciones de motor y opciones de acuerdo a las necesidades de cada cliente.

Lanza de conducción de fácil operación y maniobra.







+ Adaptability

For each work.

CRENA plate compactors allow adjustment to any work by means of a progressive drive.



+ Full range

Variety of models

Full range of reversible plate compactor adapted to each client. Different engines can be selected for every need.

+ Resistance

High.

CRENA ENAR range are plate compactors are the best in high requirement works.



+ Maneuverability

Ease of handling

CRENA ENAR have a driving lance that is easy to operate and maneuver. It also has a lifting hook Ease of handling Maneuverability

TECHNICAL DATA

MODEL	WEIGHT WITHOUT FUEL (Kg)	CENTRIFUGAL FORCE (N)	SPEED (m/min)	FREQUENCY (vib/min)	DIMENSIONS (WidthxLongxHigh)	ENGINE	FUEL	POWER (cv)
CRENA 26GH	160	26.000	0-22	5.700	450X700	HONDA GX200	Gasoline	5,5
CRENA 26DH	170	26.000	0-22	5.700	450x700	HAZT IB 20	Diesel	4,6
CRENA 32GH	210	32.000	0-22	5.400	500x750	HONDA GX200	Gasoline	5,5
CRENA 32DH	215	32.000	0-22	5.400	500x750	HAZT IB 20	Diesel	4,6
CRENA 52GH	330	52.000	0-22	4.500	600x859	HONDA GX 270	Gasoline	9
CRENA 63GH	430	63.000	0-20	4.200	750x900	HONDA iGX 440	Gasoline	12
CRENA 63DH	440	63.000	0-20	4.200	750x900	HAZT ID 50	Diesel	11
CRENA 63GHE*	430	63.000	0-23	4.200	750x900	HONDA iGX 440	Gasoline	12
CRENA 63 DHE*	460	63.000	0-23	4.200	750x900	HAZT ID 50	Diesel	11

- > Electric starter as an option.
- Dead man system.
- ▶ Superb maneuvering capacity.



- w w w . f a m c o c o r p . c o m
- E-mail: info@famcocorp.com
- @famco_group


(Tel:071- F A 0 0 0 0 F 9

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پـارس، یلاک ۱۲

- - (a) Fax:011 FF99F9FF

REVERSIBLE PLATE COMPACTORS TEN 25/30.

FAMCC هايپرسنعت



TEN 25/30 reversible plate compactors are an excellent option for jobs on granular soils, due to its high performance.

VARIETY AND EFFICIENCY

Plate compactors with a reversible drive from 100kg to 150kg. There is availability of different engines and other options according to the needs of each client.

Driving assembly makes operation easy.





+ Ergonomics

Comfortable use.

TEN 25/30 ENAR range is designed for an ergonomic work by user. The handle includes a shock-absorber device.



+ Adaptability

For each work.

TEN 25/30 ENAR plate compactors allow adjustment to any work by means of a progressive drive.



+ Full range

Variety of models

Full range of reversible plate compactor adapted to each client. Different engines can be selected for every need.



+ Maintenance

easy.

TEN 25/30 ENAR range is designed for a low cost maintenance.

TECHNICAL DATA

MODEL	WEIGHT WITHOUT FUEL (Kg)	CENTRIFUGAL FORCE (N)	SPEED (m/min)	FREQUENCY (vib/min)	DIMENSIONS (WidthxLongxHigh)	ENGINE	FUEL	POWER (cv)
TEN 2540GR	134	24.500	0-22	5.400	400x1171	ROBIN EX17	Gasoline	5,7
TEN 2540GH	134	24.500	0-22	5.400	400x1171	HONDA GX160	Gasoline	5,4
TEN 2550GR	140	24.500	0-22	5.400	500x1171	ROBIN EX17	Gasoline	5,7
TEN 2550GH	140	24.500	0-22	5.400	500x1171	HONDA GX160	Gasoline	5,4
TEN 3040DH	148	29.500	0-20	5.300	500x1171	HATZ DIESEL 1B20	Diesel	4,6
TEN 3050DH	156	29.500	0-20	5.300	500x1171	HATZ DIESEL 1B20	Diesel	4,6

- **凌** Gasoline and ∕ or diesel engines from different manufacturers
- Doptimal frequency and amplitude for compaction.
- Dead man system.
- ▶ Tensioning system for easy assembly of transmission band.
- ▶ Optional VULKOLLAN® plate for compacting pavers
- > Wheel set for transportation as an option.








REVERSIBLE PLATE COMPACTORS.

TEN 35





TEN 35 reversible plate compactors are an excellent option for jobs on granular soils, due to its high performance.

VARIETY AND EFFICIENCY

Plate compactors with a reversible drive from 150kg to 500kg. There is availability of different engines and other options according to the needs of each client.

Driving assembly makes operation easy.







+ **Ergonomics**Comfortable use.

TEN 35 range is designed for an ergonomic work by user. The handle includes a shock-absorber device.



+ **High** performance.

TEN 35 plate compactors reach a high performance in cohesive and non-cohesive soils.



+ Noise level

low.

TEN 35 range produce a low noise level, improving user's comfort during operation.



+ Robust

& resistant.

TEN 35 range is tested under the hardest work conditions.

TECHNICAL DATA

MODEL	WEIGHT WITHOUT FUEL (Kg)	CENTRIFUGAL FORCE (N)	SPEED (m/min)	FREQUENCY (vib/min)	DIMENSIONS (WidthxLongxHigh)	ENGINE	FUEL	POWER (cv)
TEN 35DH	215	35	0-22	4.500	90x55x110	HAZT IB 30	Diesel	7,4
TEN 35 DHEL	220	35	0-22	4.500	90x55x110	HAZT IB 30	Diesel	7,4
TEN 35GHEL	210	35	0-22	4.500	90x55x110	HONDA GX270	Gasoline	8,6
TEN 35GH	205	35	0-22	4.500	90x55x110	HONDA GX270	Gasoline	8,6

- Optimal frequency and amplitude for compaction.
- Dead man system.
- > Tensioning system for easy assembly of transmission band.
- > Choice of different covers for protecting the engine.
- ▶ Engine oil easily drainable.
- ▶ Engine selection for accomplishing even the highest demanding jobs.
- Doption of electric starter for both oil and Diesel engines.





- (a) www.famcocorp.com
- E-mail: info@famcocorp.com
- @famco_group

- (1) Tel:071- F A 0 0 0 0 F 9
- Fax:011 44994844

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج)

روبــروی پالایشگاه نفت پـارس، پلاک ۱۲