

VIBRATING SCREED QX


FAMCO
هایپر صنعت



The QX from Enar is the perfect selection for a product with a great price to quality ratio. The profiles for the QX are lightweight and highly resistant ensuring a long life. They glide comfortably across the concrete surface and thanks to its lightweight physique and shape it provides greater coverage across the surface area.

DESIGNED & MANUFACTURED IN EUROPE FOR QUALITY AND EFFICIENCY

The Mistral stands out most for its very lightweight design. Providing high performance and results from a cost effective and lightweight product. As well as being provided with a Honda GX25 petrol motor, the QX is available with various electric motors too ideal for the profiles ranging from 1.5m to 4m.



+ Complete Range Variety of models.

The options provided by Enar in the QX range means it is easier to facilitate the user's needs. This is achieved through its range of profile lengths and differing motors.




+ Economic In price and quality.

The price of this product is far greater economically than its counterparts as it has a basic design without losing the quality finish of the concrete. Furthermore, thanks to its simple design a range of electric motors is also available making the adaptability of this product one of its key features.



+ Light And easy to use.

This product is easily used by one person on a job site thanks to its size and weight. This also allows for better transportation of the product.



+ Without Restrictions Easy to manoeuvre in small spaces.

Thanks to its design and range of profile lengths it is easy to work with this product while close to walls and pillars.

TECHNICAL DATA

PETROL SCREEDS

MODEL	ENGINE	POWER (CV)	FUEL	FUEL TANK (L)	FREQUENCY (vib/min)	CENTRIFUGAL FORCE (N)	WEIGHT (Kg)
QX H	HONDA GX25 4t/st	1.1	Gasoline	0.5	Up to 9,000	1,500	9.8

ELECTRIC SCREEDS

MODEL	ENGINE	POWER (W)	FREQUENCY (vib/min)	CENTRIFUGAL FORCE (N)	WEIGHT (Kg)
QX E	External Vibrator 230V 1~	125	3,000	700	8
QX E TURBO 230V	Vibrator 230V 1~	500	12,000	1,300	12
QX E TURBO 115V	Vibrator 115V 1~	500	12,000	1,300	12



PROFILES


LENGTH (m)	WEIGHT (Kg)
1.5	4.6
2	6.2
2.5	7.8
3	9.3
4	12.5



- › High resistance, aluminium profiles.
- › Rounded ends to the profiles.
- › Strict flatness control while in use.
- › Profile base of 200mm/20cm to obtain a greater control and glide.
- › Profiles available from 1.5m to 4m.

VIBRATING SCREED TORNADO E-BATT

FAMCO
هایپر صنعت



The Tornado vibrating screed is an exceptional option when choosing to vibrate concrete. ENAR guarantees an optimum level of concrete compaction regardless of the type of concrete being vibrated. The profiles used on the Tornado are resistant and glide comfortably across concrete due to its flotability.

DESIGNED & MANUFACTURED IN EUROPE FOR QUALITY AND EFFICIENCY

Robust, easy to use and ergonomic are the most frequently used words when describing the Tornado from ENAR. The rubber handles conform to many regulations and also provide a reduced level of vibrations to the user. The range includes either petrol or electric motors.



VAS
VIBRATION ABSORPTION SYSTEM
by ENAR

+ Comfortable to Manage Reliably simple.

The Tornado from ENAR has handles that are designed to reduce the vibrations to the users' hands making it more comfortable when being used.

+ Light And easy to use.

This product can be easily used by one person on a job site thanks to its size and weight. This also allows for a better transportation of the product.



+ Safe & reliable No risk of electric shocks.

Its safety voltage of only 24V ensures the user's protection. The absence of cables eliminates the risk of electric shocks. It's failsafe automatically turns the machine off to prevent electric shocks to the user.



+ Zero Maintenance No spare parts, no waste generated.

Thanks to the Tornado's electronic conversion system, there are no parts that need to be replaced unlike the standard mechanical vibrators.



+ Eco-Friendly Ecological and zero emissions

Less environmental impact thanks to its battery-powered electric motor.

TECHNICAL DATA

MODEL	ENGINE	POWER (W)	FREQUENCY (vib/min)	CENTRIFUGAL FORCE (N)	WEIGHT (Kg)
TORNADO E-BATT	External vibrator 24V	130	5,500	1,400	12



VAS
VIBRATION ABSORPTION SYSTEM
by ENAR

Options

Extra Battery for Tornado E-BATT
VAS anti-vibration grips

BATTERY TECHNICAL DATA

VOLTAGE (V)	RATED CAPACITY (Ah)	AUTONOMY DURATION	LOADING TIME
24	14.5	✓ More than 2h.	± 3 h.

PROFILES


LENGTH (m)	WEIGHT (Kg)
1.5	4.6
2	6.2
2.5	7.8
3	9.3
4	12.5

- › High resistance, aluminium profiles.
- › Rounded ends to the profiles.
- › Strict flatness control while in use.
- › Profile base of 200mm/20cm to obtain a greater control and glide.
- › Profiles available from 1.5m to 4m .



VIBRATING SCREED MISTRAL


FAMCO
هایپر صنعت



The Mistral from Enar is the perfect selection for a product with a great price to quality ratio. The profiles for the Mistral are lightweight and highly resistant ensuring a long life. They glide comfortably across the concrete surface and thanks to its lightweight physique and shape it provides greater coverage across the surface area.

DESIGNED & MANUFACTURED IN EUROPE FOR QUALITY AND EFFICIENCY


The Mistral has been designed to have a long-life span. The motor's housing, apart from protecting the motor against damage, also helps to prevent splashes of water and wet concrete from the job getting into the motor. The Mistral comes with a Honda GX25 motor with a range of lightweight profiles from 1.5m to 4m lengths.



+ Durable & Reliable

Thanks to its motor support.


The motor support helps to increase the life span of the Mistral it prevents damage to the motor from water and wet concrete entering the GX Honda motor.



+ Easy to Manage

A simple product structure.

The Mistral is made up of few parts meaning you can disconnect the shaft from the bracket and easily store or transport the product.



+ Easy Access Throttle

Mounted to the shaft close to the user.

The shaft connecting to the bracket of the Mistral is adjustable meaning each user can also adjust how close or far away the throttle is. This is to improve the comfort provided while working on the job site.

TECHNICAL DATA

PETROL SCREEDS

MODEL	ENGINE	POWER (CV)	FUEL	FUEL TANK (L)	FREQUENCY (vib/min)	CENTRIFUGAL FORCE (N)	WEIGHT (Kg)
MISTRAL H	HONDA GX25 4t/st	1.1	Gasoline	0.5	Up to 9,000	1,500	10.7



PROFILES

LENGTH (m)	WEIGHT (Kg)
1.5	4.6
2	6.2
2.5	7.8
3	9.3
4	12.5



- › High Resistant, aluminium profiles.
- › Rounded ends to each profile.
- › Strict control of the profile flatness while working.
- › Profile base of 200mm/20cm to obtain a greater control and glide.
- › Profiles available from 1.5m to 4m .

VIBRATING SCREED QZ

FAMCO
هایپر صنعت



The QZ screed works in two different ways thanks to its oscillating system. With a simple twist of the handle, the screed can rotate the profile to be forward or backward facing. The profiles used on the QZ are resistant and glide comfortably across concrete due to its floatability.

DESIGNED & MANUFACTURED IN EUROPE FOR QUALITY AND EFFICIENCY

The QZ stands out most for its very lightweight design. Providing high performance and results from a cost effective and lightweight product. As well as being provided with a Honda GX25 petrol motor, the QZ is available with various electric motors too, ideal for the profiles ranging from 2m to 4m.




+ Complete Range Variety of models.

The options provided by Enar in the QX range means it is easier to facilitate the user's needs. This is achieved through its range of profile lengths and differing motors. .




+ Without Restrictions Easy to manoeuvre in small spaces.

Thanks to its design and range of profile lengths it is easy to work with this product while close to walls and pillars.



+ Better Performance Thanks to its adaptability.

The screed reduces working time and manoeuvrability thanks to it being able to work in two directions at the twist of a handle.



+ Unique Profile Oscillating technology.

The uniqueness of this screed is not only the ability to choose between petrol and electric motors but also the multi-directional profile. The handle requires a very simple twist as shown in the pictures to change direction on the spot.

TECHNICAL DATA

PETROL SCREEDS

MODEL	ENGINE	POWER (CV)	FUEL	FUEL TANK (L)	FREQUENCY (vib/min)	CENTRIFUGAL FORCE (N)	WEIGHT (Kg)
QZ H	HONDA GX25 4t/st	1.1	Gasoline	0.5	Up to 9,000	1,500	12.5

ELECTRIC SCREEDS

MODEL	ENGINE	POWER (W)	FREQUENCY (vib/min)	CENTRIFUGAL FORCE (N)	WEIGHT (Kg)
QZ E	External Vibrator 230V 1~	125	3,000	700	10.5
QZ E TURBO 230V	Vibrator 230V 1~	500	12,000	1,300	12
QZ E TURBO 115V	Vibrator 115V 1~	500	12,000	1,300	12

PROFILES


LENGTH (m)	WEIGHT (Kg)
1.5	4.6
2	6.2
2.5	7.8
3	9.3
4	12.5



- › High Resistance, aluminium profile.
- › A curved base to allow both the pushing and pulling of the screed.
- › The twist system that allows for the change of direction is simply implemented into the handle.
- › Profiles available from 2m to 4m.



VIBRATING SCREED HURACAN

FAMCO
هایپر صنعت



The Huracan from Enar is the perfect choice, in terms of quality and performance, for the most demanding jobs. The profiles used on the Huracan are resistant and glide comfortably across concrete due to its floatability.

DESIGNED & MANUFACTURED IN EUROPE FOR QUALITY AND EFFICIENCY
The Huracan is equipped with a powerful and reliable Honda GX35 petrol engine. The closed profile has been designed to work from 2m to 5m providing exceedingly high quality.




+ Ergonomic Fold away handles.

The Huracan has fold away handles for easy storage and transportation and they are isolated from vibration making the use of the product more comfortable for the user.

+ Durability Elevated Motor for protection.

The motor attached to Huracan is elevated to avoid any water or concrete splashed damaging it, reducing the risk of damage and also keeping the motor clean.



+ Performance Two eccentrics instead of one.

Two eccentrics joined together allow control of the eccentric force. 3 possible adaptations of the eccentrics allow the user to work to his own needs.

+ Comfortable to Manage Reliably simple.

Along with the fold away handles, the profile and the chassis are easily separates and put back together for easy, manageable set up and transportation. It takes up less storage space than a normal screed and is simple to set up.

TECHNICAL DATA

PETROL SCREEDS

MODEL	ENGINE	POWER (CV)	FUEL	FUEL TANK (L)	FREQUENCY (vib/min)	CENTRIFUGAL FORCE (N)	WEIGHT (Kg)
HURACAN H	HONDA GX35 4t/st	1.6	Gasoline	0.7	Up to 9,500	2,000	14.5

PROFILES

LENGTH (m)	WEIGHT (Kg)
2	8.2
3	12.6
4	16.8
5	21



- › High resistance, aluminium profiles.
- › Rounded ends to the profiles.
- › Strict flatness control while in use.
- › Symmetrical profile allows for a longer life span, as you can use both sides.
- › Profiles available from 2m to 5m.

