









HiLook IP Solution

1	IPC-B640H-Z		<p>4MP- 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), H.265+/H265/H.264+&H.264, 3D DNR, BLC,up to 30m IR- DC12V & PoE, TF card slot,-WDR(120)- Support mobile monitoring via Hik-Connect *power supply no included-2.8~12mm motorized vari-focal lens- Body&Bracket: Metal-SunShield: Plastic-IP67</p>
2	IPC-B640H-V		<p>4MP- 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), H.265+/H265/H.264+&H.264, 3D DNR, BLC,up to 30m IR- DC12V & PoE, TF card slot, WDR(120)-Support mobile monitoring via Hik-Connect *power supply no included-2.8~12mm vari-focal lens-Body&Bracket: Metal-SunShield: Plastic-IP67</p>
3	IPC-B140H		<p>4MP- 1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), H.265+/H265/H.264+&H.264, 3D DNR, BLC, DWDR-DC12V & PoE,2.8mm fixed lens, Support mobile monitoring via Hik-up to 30m IR, Conne*power supply no included-Front Cover: Metal Back Cover & Bracket: Plastic-IP67</p>
4	IPC-B620H-Z		<p>2MP-1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N),H.265+/H265/H.264+&H.264, 3D DNR, BLC, -up to 30m IR-DC12V & PoE, -DWDR- TF card slot,-Support mobile monitoring via Hik-Connect *power supply no included-2.8~12mm motorized vari-focal lens-Body&Bracket: Metal-SunShield: Plastic-IP67</p>
5	IPC-B620H-V		<p>2MP-1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N),H.265+/H265/H.264+&H.264, 3D DNR, DWDR- BLC, DC12V & PoE, TF card slot,up to 30m IR-Support mobile monitoring via Hik-Connect *power supply no included-2.8~12mm vari-focal lens-Body&Bracket: Metal-SunShield: Plastic-IP67</p>
6	IPC-B620-Z		<p>2MP-1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.264+&H.264, 3D DNR, BLC-WDR, DC12V & PoE-up to 30m IR, TF card slot, 2.8~12mm motorized vari-focal lens--Support mobile monitoring via Hik-Connect *power supply no included Body&Bracket: Metal-SunShield: Plastic-IP67</p>
7	IPC-B620-V		<p>2MP-1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.264+&H.264, 3D DNR, BLC-WDR, DC12V & PoE-up to 30m IR, TF card slot, 2.8~12mm vari-focal lens--Support mobile monitoring via Hik-Connect *power supply no included Body&Bracket: Metal-SunShield: Plastic-IP67</p>
8	IPC-B220-D		<p>2 MP- 1/2.8" progressive scan CMOS - Up to 2.0 megapixel high resolution-H264- 4 mm Lens-Up to 30 m IR distance-Dual stream-DWDR-3D DNR (Digital Noise Reduction)-BLC-IP67- Mobile monitoring via mobile application- D model only support 12VDC power supply</p>

9	IPC-B220		<p>2 MP-1/2.8" progressive scan CMOS - Up to 2.0 megapixel high resolution-H264- 4 mm Lens-Up to 30 m IR distance-Dual stream-DWDR-3D DNR (Digital Noise Reduction)-BLC-IP67- Mobile monitoring via mobile application</p>
10	IPC-B120H		<p>2MP-1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H265/H.264+&H.264, 3D DNR, -2.8 mm fixed lensBLC, DC12V & PoE,-up to 30m IR-Support mobile monitoring via Hik-Connec *power supply no included-DWDR-Front Cover: Metal-Back Cover & Bracket: Plastic-IP67</p>
11	IPC-B120		<p>2 MP-1/2.8" progressive scan CMOS-1920 × 1080@30fps -2.8 mm fixed lens- H.264+, H.264-Color: 0.01 Lux @(F1.2, AGC ON), 0.028 Lux @(F2.0, AGC ON)-BLC/3D DNR-IP67-Digital WDR</p>
12	IPC-D640H-V		<p>4MP-1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), H.265+/H265/H.264+&H.264,WDR(120), 3D DNR, BLC,up to 30m IR- DC12V & PoE, TF card slot- -- 2.8~12mm vari-focal lens- Support mobile monitoring via Hik-Connect *power supply no included - Full Metal-IP67, IK10</p>
13	IPC-T240H		<p>4MP-1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), H.265+/H265/H.264+&H.264,up to 30m IR- 3D DNR-DWDR, BLC, DC12V & PoE-2.8 mm fixed lens,-- Support mobile monitoring via Hik-Connec *power supply no included-Eyeball: Metal-Cover: Plastic- IP67</p>
14	IPC-D140H		<p>4MP-1/3" Progressive CMOS, ICR, 2560x1440:20fps(P)/(N), H.265+/H265/H.264+&H.264-2.8 mm fixed lens- 3D DNR-up to 30m IR, BLC,DWDR- DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included-Base: Metal-Cover: Plastic--IP67, IK10-</p>
15	IPC-D620H-V		<p>2MP-1/2.8" Progressive CMOS, ICR,- 1920x1080:25fps(P)/30fps(N),H.265+/H265/H.264+& H.264,DWDR- 3D DNR, BLC,2.8~12mm varifocal lens - DC12V & PoE, TF card slot,-up to 30m IR-- Support mobile monitoring via Hik-Connect *power supply no included -Full Metal-IP67, IK10</p>

16	IPC-T620-Z		2MP-1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.264+&H.264 , 3D DNR, BLC,- WDR - up to 30m IR -DC12V & PoE,Support mobile monitoring via Hik-Connect *power supply no included- 2.8~12mm VF lens -Eyeball: Metal-Cover: Plastic- IP67
17	IPC-T220H		2MP-1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H265/H.264+&H.264 , 3D DNR- DWDR , BLC, DC12V & PoE,- up to 30m IR -Support mobile monitoring via Hik-Connec *power supply no included- 2.8 mm fixed lens -Eyeball: Metal-Cover: Plastic- IP67
18	IPC-D120H		2MP-1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), H.265+/H265/H.264+&H.264 , 3D DNR,- 2.8 mm fixed lens - BLC, DC12V & PoE, DWDR -Support mobile monitoring via Hik-Connect *power supply no included- up to 30m IR -Base: Metal-Cover: Plastic- IP67, IK10
19	IPC-T120-D		2MP- 1/2.8" progressive scan CMOS-Up to 2.0 megapixel - 2.8 mm fixed focal lens-H264+ - 10 m IR range-Dual stream- DWDR-3D DNR (Digital Noise Reduction)- Mobile monitoring via mobile application- IP 67- D model only support 12VDC power supply
20	IPC-T120		2MP-1/2.8" Progressive CMOS, ICR, 1920x1080:25fps(P)/30fps(N), DWDR -H.264+&H.264- , 2.8 mm fixed lens - BLC, - DC12V & PoE ,- up to 10m IR - Support mobile monitoring via Hik-Connect *power supply no included-Eyeball:Plastic-Cover: Plastic-Indoor- ip67
21	IPC-D120		2MP-1/2.8" progressive scan CMOS-2 MP-1920 x 1080@30fps- 2.8mm fixed lens-H.264+ , H.264-Color: 0.01 Lux @(F1.2, AGC ON), 0.028 Lux @(F2.0, AGC ON)- BLC/3D DNR-IP67-Digital WDR- IK 10-IR 20M