# 



CONCRETE CUTTER | PLATE COMPACTOR | CEMENT PREPARATION | CONCRETE VIBRATOR | POWER TROWEL BAR BENDER & BAR CUTTER | SUBMERSIBLE PUMP | TAMPING RAMMER | CONCRETE SCARIFIER


Some with a micocorp.com
Some with a micocorp.com
E-mail: info@famcocorp.com
Image matrix a mico\_group

酒

0

0

0



C Fax:071 - FF99F5F7

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

0.



# INTRODUCING Jinhui Industries Sdn Bhd

Jinhui Industries Sdn Bhd (JHI) is a wholly owned subsidiary of Sin Yuan Enterprise Sdn Bhd, and belongs to the Sin Yuan Group specializing in the distribution of various light industrial, construction, food machinery, agriculture machinery and equipment.

The history of JHI can be traced back to 1976 when the founders of the Company started their business as a small machinery retailer. In line with the business growth, JHI was set up to manufacture construction equipment that is widely used for infrastructure projects. The Company commenced operation in 1994 and has been accredited for the ISO9001 certification for Quality Management since 2000.

Prior to March 2002, JHI's principal activities comprise the manufacture of light machinery and equipment. Its products were distributed via its related company, Sin Yuan Machinery Sdn Bhd. The Company's main manufacturing products include plate compactor, concrete cutter, power trowel, concrete vibrator, submersible pump, bar bender, bar cutter, portable hoist, concrete manual fed mixer, concrete mini mixer, and generators.

Effective from March 2002, in tandem with the Group's busin w w w . f a m c o c o r p . c o m

E-mail: info@famcocorp.com
@famco\_group

streamline its distribution activities, JHI took over the distribution business of construction equipment and pneumatic tools. Hence, other than its own manufactured products, JHI also imports equipment from Japan and Europe for onward distribution in Malaysia.

Currently, JHI has the largest local distribution network in Malaysia for light construction machinery and the main export markets are Middle East, Europe, Africa, South America and Asia. With the company vision of becoming the world-leading manufacturer of quality and value-formoney machineries, the Company has gained strong reputation for product quality and reliability both locally and internationally.

Tel:071- ۴Λοοοο ۴9

Fax:01 - FF99F5FF

CENTRAL AMERICA

SOUTH AMERICA

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

EUROPE



# PLATE COMPACTOR



- The series comprises from SRP60 single plate base compactor to YP120 box type base compactor, providing a wide range of products to meet customer needs.
- Wear-resistant compaction steel base provides long lasting durability and better compaction finish.
- Durable rotor assembly and clutch pulley assembly saves maintenance cost.
- Heavy duty rubber mountings and rubber absorbers made from natural rubber limits vibration towards handle to better protect engine and operator.
- Strong steel belt cover to protect dirt out of the belt and hingher safety.





## SRP60

| Plate Size (mm)           | 360 × 529                  |
|---------------------------|----------------------------|
| Vibrating Frequency (vpm) | 5600                       |
| Centrifugal Force (kgf)   | 1050                       |
| Power (hp)                | 3.5 ~ 5, 4 Stroke Gasoline |
| Weight (kg)               | 65                         |



### SYP90

| Plate Size (mm)           | 610 × 436            |
|---------------------------|----------------------|
| Vibrating Frequency (vpm) | 6100                 |
| Centrifugal Force (kgf)   | 1600                 |
| Power (hp)                | 5, 4 Stroke Gasoline |
| Weight (kg)               | 90                   |
|                           |                      |

## **Optional Accessories**

| Wheel Transportation | » | Detachable trolley wheel assembly available for easy transportation and storage.   |      |
|----------------------|---|--|------|
| Water tank           | » | Detachable water tank with integrated sprinkler system allows the operator to adjust the flow of sp<br>water to ease compaction process. | oray |
| Protection Guard     | » | Detachable protection guard protects a (a) w w w . f a m c o c o r p . c o m<br>E-mail: info@famcocorp.com<br>(a) @famco_group           | C    |

]) Tel:oY1-۴Лоооо ۴۹

۔ تهران ، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرچ)

روبـروی پالایشگاه نفت پارس، پلاک ۱۲

# HISAKI®



### **YP90**

| Plate Size (mm)           | 530 x 425            |
|---------------------------|----------------------|
| Vibrating Frequency (vpm) | 6100                 |
| Centrifugal Force (kgf)   | 1550                 |
| Power (hp)                | 5, 4 Stroke Gasoline |
| Weight (kg)               | 80                   |



## YP120

| Plate Size (mm)           | 555 x 535            |
|---------------------------|----------------------|
| Vibrating Frequency (vpm) | 6100                 |
| Centrifugal Force (kgf)   | 2100                 |
| Power (hp)                | 5, 4 Stroke Gasoline |
| Weight (kg)               | 110                  |
|                           |                      |

so available.



### www.hisaki.com.my

Lot 8 & 9, Jalan Emas SD 5/1, Bandar Sri Damansara, 52200 Kuala Lumpur, Malaysia. Tel : +603 6273 3255 Fax : +603 6275 3718

⊗ w w w . f a m c o c o r p . c o m
 ⊆ E-mail: info@famcocorp.com
 @ @famco\_group

0



Tel:071- # A 0 0 0 0 # 9

Fax:071 - FF99F9F7

تهران، کیلومتر ۲۱ بزرگراه لشگری (جاده مخصوص کرج) روبـروی پالایشگاه نفت پارس، پلاک ۱۲

0

2

0